Andria de de la constante de l

The Personal Computer Magazine for Tandy® Computer Users

Vol. III No. 12 June 1986

U.S. \$3 Canada \$3.95

Warp Factor 1000

Take the conn of the Federation's finest starship

Transportable Assembly

Machine language on your Tandy 100

Phone Home

PC Phone Booth
The number

Metrics te Text rogramming

<PREN K OKADA KAREN K OKADA 4380 OGBURN A WINSTON-SALER



21 MEGABYTE SCSI HARD DISK CARD

Micro Design International Inc.

TANDY 1000 PERSONAL SEMPLITER



NEW

for your **TANDY 1000**



IMAGINE!!! MDI'S 21 MEGABYTE HARD DISK CARD

simply plugs into your system and is ready to run!!! The hard disk card also contains a...

"FREE SCSI PORT":

A SCSI port which allows you to tie (daisy chain) up to seven external (peripheral) devices to your computer.

INCLUDED FREE

\$4995 Direct/Assist

R/Assist \$4995

\$7995 Light Speed

SCSI Board \$19000

ORDER LINE 800-228-0891

305-677-8333





1 YEAR WARRANTY, 30 DAY MONEY BACK GUARANTEE

Micro Design International

6566 University Boulevard, Winter Park, Florida 32792



Tandy 1000 Multifunction Board

NOM IN

OUR 8TH YEAR

From Computer Plus to YOU...

PLUS after PLUS after PL



Tandy 200 24K \$649 Model 600 32K \$1269 Model 100 24K \$425



Tandy 3000 \$1969 Tandy 3000 HD \$2699



Tandy 1000 \$685 Tandy 1000 HD \$1539 Tandy 1200 HD \$1599







BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

C	0	N	IP	U	T	E	R	S
-			10		-	-	~	

Tandy 1000 1 Drive 128K	685.00
Tandy 1000 HD 10 Meg. 256K	1539.00
Tandy 1200 10 Meg. 256K	1599.00
Tandy 3000 1 Drive 512K	1969.00
Tandy 3000 HD 20 Meg. 512K	2699.00
Model IVD 64K with Deskmate	889.00

MOGOT TED O-IN WITH DOURINGTO	007.00
PRINTERS	
Radio Shack DMP-130	269.00
Radio Shack DMP-430	660.00
Radio Shack DWP-220 Daisy Whee	1469.00
Radio Shack TRP-100 Portable	229.00
Silver Reed EXP-550P Daisy Whee	1229.00
Star SG-10	245.00
Star SG-15	410.00
Star SD-10	365.00
Panasonic P-1091	259.00
Panasonic P-1092	339.00
Toshiba 1340	439.00
Okidata 192	375.00
Epson LX-80	245.00
Epson FX-85	369.00
Epson HS-80 Portable Ink Jet	339.00

Tandy 1000/1200 ACCESSORIE	5
Tandy 1000 Disk Drive Kit	159.00
Tandy 1000 10 Meg. Hard Drive	579.00
Hard Drive Controller Board	249.00
256K Ram Board (inc. 128K & DMA	199.00
512K Ram Board (includes 128K)	169.00
256K Memory Plus Expansion Brd	.249.00
PBJ Multi-Function Board (128K)	259.00
PBJ Multi-Function Board (256K)	279.00
PBJ Multi-Function Board (512K)	299.00
128K Ram Upgrade Kit (NEC)	78.00
256K Ram Upgrade (for PBJ Board	d)69.00
300 Baud Modem Board	129.00
1200 Baud Modem Board	249.00
RS-232 Serial Board	89.00
Digi-Mouse/Clock Board	89.00

Tandy 1000/1200 MONITORS	
Tandy VM-2 Green Monitor	129.00
Tandy CM-2 RGB Color Monitor	379.00
Tandy CM-4 RGB Color Monitor	249.00
Tandy VM-3 TTL Green Monitor	179.00
Tandy 1200 Text Monitor Adapt.	219.00
Tandy 1200 Color/Graphics Adap	1240.00

MIODE	INIO	
Radio	Shack DCM-3 Modem	52.00
Radio	Shack DCM-5 Modem	99.00
Radio	Shack DC Modem 2212	315.00
Hayes	Smartmodem II 300 Baud	169.00
Hayes	Smartmodem 1200 Baud	429.00
Hayes	Smartmodem 1200B	415.00

FOR EVERYONE	
Network Four Outlet Surge Prot.	69.95
CCR-81 Cassette Recorder	52.00
CCR-82 Cassette Recorder	43.00
C-20 Digital Cassette Tapes (10pk)	9.95
Verbatim SSDD Plastic Box (10pk)	24.95
Verbatim DDDD Plastic Box (10pk)	29.95
Precision SSDD Diskettes (10pk)	15.95
Precision DDDD Diskettes (10pk)	17.95
NEC 64K Ram Chips (set of 8)	39.00
NEC 256K Ram Chips (set of 8)	69.00
Flip N File Disk 50	15.00
Fanfold CleanEdge Paper (2600)	35.00

Radio Shack software 10% off. Send for complete listing of brand name software and hardware.

CALL TOLL FREE 1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE







P.O. Box 1094 480 King Street Littleton, MA 01460

IN MASSACHUSETTS CALL (617) 486-3193



The Personal Computer Magazine for Tandy® Computer Users

June 1986

Vol. III No. 12

Editor and Publisher Lawrence C. Falk

Managing Editor Danny Humphress Senior Editor Tamara Renee Dunn Submissions Editor Jutta Kapfhammer

Reviews Editor E. Monica Dorth Editorial Assistants Jo Anna Arnott, Wendy Falk,

Judi Hutchinson, Angela Kapfhammer, Shirley Morgan

Technical Assistants Cray Augsburg, Chris Wehner Contributing Editors William Barden, Jr. Robert D. Covington, John B. Harrell III

Consulting Editors Ed Ellers, Belinda C. Kirby, . Kevin Nickols

Art Director Tracey Jones

Designers Jody Gilbert, Heidi Maxedon, Kevin Quiggins, Sandra Underwood

Production Assistant Cindy Jett

Chief of Typography Debbie Hartley

Typography Services
Jody Doyle, Suzanne Benish Kurowsky Falsoft, Inc.

President Lawrence C. Falk

General Manager Patricia H. Hirsch Asst. General Mgr. for Finance Donna Shuck Admin. Asst. to the Publisher Sue E. Rodgers PCMfest Coordinator Judy Brashear

Editorial Director James E. Reed Asst. Editorial Director Jutta Kapfhammer Creative Director Jerry McKiernan

Chief Bookkeeper Diane Moore Advertising Accounts Beverly Taylor
Dealer Accounts Judy Quashnock
Accounts Payable/ADP Lisa Ragan
Director of Fulfillment Services Bonnie Frowenfeld

Asst. Dir. of Fulfillment Services Sandy Apple Asst. Customer Service Manager Beverly Bearden

Word Processor Manager Patricia Eaton Chief of Printing Services Melba Smith

Pre-press Production John Pike

Dispatch Janice Eastburn Asst. Dispatch Mark Herndon

Business Assistants Laurie Falk, Sharon Smith, Monica Wheat, Pam Workhoven

Advertising Coordinator Doris Taylor Advertising Representative Kim Vincent Advertising Assistant Debbie Baxter (502) 228-4492

West Coast Advertising and Marketing Office Director Cindy Shackleford

Advertising Representative Shirley Duranseau For PCM Advertising and Marketing Office Information, see Page 130

PCM — The Personal Computer Magazine for Tandy®

PCM — The Personal Computer Magazine for Tandy® Computer Users is published every month of the year by FALSOFT, INC., The Falsoft Building, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. PCM — The Personal Computer Magazine for Tandy® Computer Users and the PCM logotypes are registered ® trademarks of FALSOFT, Inc. Second class postage paid Prospect, KY, and additional offices. USPS N 713-470 (ISSN 0747-0460). POSTMASTER: Send address changes to PCM, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Entire contents copyright ® 1986 by FALSOFT, Inc. PCM — The Personal Computer Magazine for Tandy® Computer Users is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis,

use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.

TRS-80, Model 100, Tandy 200, 600, 1000, 1200 HD, 2000, 3000 and Portable Computer are registered * trademarks of the Tandy Corp. CompuServe is a registered * trademark of CompuServe Inc.

Subscriptions to PCM — The Personal Computer Magazine for Tandy * Computer Users are \$28 per year in the United States. Canadian rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue.

other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue.

Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in United States currency only. Full refund after mailing of one issue. After two issues have been mailed, 10/12/ths of the subscription price will be refunded. NO refund after mailing of three or more magazines.

Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

Features

Barden's Buffer/William Barden, Jr
Create new video fonts on your Tandy PC
Computer Dictionary John McCormick
The layperson's guide to hacker jargon
The Integrated Desk/ Bobby Ballard
A look at Desk Mate's Text function
PC Phone Booth/ Leonard Hyre
Directory assistance without dialing 411
BASIC Bytes/ Richard A. White
Exploring BASIC's control structures
Star Trek/John D. Shewchuk50
The game that takes you "where no man has gone before"
Metric Calculator / Bob Mills
Converting measurements with PASCAL
A Good PILOT for Lost Programmers John McCormick84
An up-and-coming computer-aided education language
Model 100 Machine Code Made Easy/ Michael R. Henning86
Portable machine language programming
Delphi Bureau/ Kevin Nickols97
News from the PCM electronic connection
Hitting the Right Keys/John McCormick98
Improve your numeric keypad skills
Color Code Combo/ Dan Bishop
A new twist on a popular deductive reasoning game

Departments

Advertisers Index
Back Issue Information
Bar Coded Listings
Letters to PCM
Lprint/ Lawrence C. Falk
New Products
The Rackseller

Reviews

1-Hour Telecomputing/IMPress/Book115	
4N1-1000 Board / Micro Mainframe / 1000	
The Banner Machine Cardinal Software 1000, 1200, 2000, 3000	
BDL Roast/ BDL Homewares/1000, 1200, 2000, 3000104	
Electric Envelope/ MCTel/1000, 1200, 3000	
KeyEntry III/Southern Computer Systems, Inc./1000, 1200, 3000	
Media Master Plus/Intersecting Concepts/1000, 1200, 3000	
MouseTop/ H&H Enterprises/1000, 1200, 2000, 3000	
Odds Calculator/ Robert A. Nicolai/1000, 1200, 3000	
PC Paintbrush/ Z-Soft, Inc./1000, 1200, 3000	
SmartNotes / Personics Corporation / 1000, 1200, 3000	
Timeslips / North Edge Software / 1000, 1200, 3000	
Wishbringer / Infocom / 1000, 1200, 3000	
X-TEL/ Sigea/100, 200	

Cover illustration copyright® 1986 by Fred Crawford

Tandy company of the contract of the contract

Check out the software that completes their systems

randy M5-DO5 Software Comparison Cha			Chart
	pfs*	dBase [™]	filePro 16
	File/Report	II	Smallware

		the state of the s	
Menu driven	yes	no	YES 📂
Allows user to create integrated business systems	no	programmer required	YES >
Developed systems and data can be moved to multi-user environments	no	no	YES V
Professional support available			1/10

from the software's authors	110	no	YES	
PRICE	\$265	\$595	\$495	

CALACITIES.				
Fields per record	100	32	999	1
Characters per record	1679	1000	4608	i

Characters per record	1679	1000	4608	
Records per file	1300	65535	16,000,000	

Property Particular		The Paris of the Laboratory	AND A CONTROL OF THE PARTY OF T
Number of digits per numeric field	20	10	24
Number of files usable concurrently	1	2	10

Files span multiple drives	no	no	up to 8	
FEATURES:				

			A STATE OF THE REAL PROPERTY.
Full-screen facility for creating custom screen layouts	yes	no	YES >
Full-screen facility for creating custom report layouts	no	no	YES 🌽
Built-in field types (error checking)	no	3	12

(error checking)	and the second s			
User-defined field types	no programmer required		200	
Conditional math	no	programmer required	YES	V
		programmer	14-0	

Oser-defined menus	required		YES V		
Change file layout without losing existing data	possible	possible	automatic		
		programmer	1		

Data protection no YES required programmer Password security no YES

- filePro®

The new Tandy computers can really speed things up. If you don't let obsolete software bog you down. Try filePro 16, the latest generation of data base software from the authors of Profile®.

Choose it for its power (check our capacities); its ease-of-use (check our features); and its unique ability to grow as your needs grow, and even move the systems you create to multiuser computers.

filePro is available for the Tandy 1000, 1200 and 2000 computers (hard disk required). Available directly from us or through your Radio Shack store's Express Order Software service.

To order, call (800) 847-4740.

For customer service or when dialing in New York State, call (212) 398-9290. Ask for Smallware sales. Visa and MasterCard accepted.

Also available for other computers, including IBM PC, IBM PC-XT, and NCR Decision Mate.



GENERAL

Indexes per file

CHARACTERISTICS:

The Small Computer Company, Inc.

required

230 West 41st Street, Suite 1200, New York, New York 10036



Doing Derby with an Electronic Friend

Oh, the sun shines bright on my Old Kentucky Home, It's summer, the people are gay
The corn top's ripe and the meadow's in the bloom, And the birds make music all the day!

y Tandy 200 and I are taking in the Kentucky Derby this year. In fact, as I write this, the Derby is two days away and I have already loaded Federal Hill Software's *Handicapper* into memory so I'll be ready to make a "Spectacular Bid" to win some money rather than having to "Spend a Buck" at Churchill Downs.

Derby comes once a year in Louisville on the first Saturday in May. It's known as the "greatest two minutes in sports" because that is about how long it takes for 10 to 20 of the world's best three-year-old thoroughbred horses to make a mile and a quarter Run for the Roses. But that's just the part you see on TV: All week long is Derby Festival in Louisville — steamboat and balloon races, a "chow wagon" eating extravaganza, a parade and lots of other stuff. Does a lot of work get done the week of Derby? Of course not, but it is fun.

Some 100,000 people will cram Churchill Downs this year for Derby (here it is just "Derby," not "the Kentucky Derby," not "the Derby," or anything else. Just Derby). I wonder how many of them will bring along their 100s and 200s? And, if I may wax philosophical

for a bit, it seems fitting that computers affordable for everyone can play a part in an event called the sport of kings.

I'm going to give *The Handicapper* a shot at helping me make a winning bet in the Derby. In order to do that, I've reserved one bank for the program, while leaving my two others for Dr. Preble's programs *navComp II*. You see, I am also learning to fly and these programs are a great help in this endeavor.

The point of all this is that it certainly is interesting to be using computers for things in which I am interested — horse racing and flying. Here, the computers are just tools, not the end-all in themselves.

The fact is that it is a whole lot easier handicapping horses with a computer than doing so by hand. And it is a joy to plan and execute a flight plan using a computer program as opposed to figuring things out on a circular slide rule. Notice what I am saying: these computers have use — utility.

I am enjoying being exposed to that utility. And I am sure you are too.


- Lonnie Falk

Integrated Software

NEW! MODEL 100 3-in-1 ROM

Interactive Solutions*

All the software that you will ever need on the Model 100 Portable:



1— Data Base 2— Spreadsheet 3— Word Processor with Mail Merge

Now on a plug-in ROM. Integrated and easy as 1-2-3!

Interactive Solutions

Tandy Cat. #26-3844

Available at your nearest

Radio Shack COMPUTER CENTERS

- The Data Base turns your Mod 100 into a personal filing system. You can store, examine, update select, sort and list a wide variety of information from personnel records and inventory facts to appointment schedules and client lists.
- The Spreadsheet turns your Mod 100 into a powerful decision tool. It is a full featured spreadsheet with 99x99 cells and provides fast decimal arithmetic in formula computation with complete range of scientific functions.
- The Word Processor uses the Text editor of Mod 100 and gives you additional features for formatting and printing. You can set margins, line/para spacing, justify, define header/footer and use special print features like underline, boldface, etc.

MORE MEMORY Interactive Solutions does not occupy RAM memory, so frees your precious RAM for larger data files.

EXTRA CONVENIENCE Interactive Solutions plugs in the optional ROM socket. It is always resident and ready to work. You don't need to load programs from cassette recorder any more.

Interactive Solutions *integrates* all of your data information in Mod 100. With a touch of a function key, you can easily:

- Select and move items from Data Base files into Spreadsheet columns.
- Generate a report in Data Base program and move to the Word Processor.
- Cut any part of Spreadsheet and move to the Word Processor.
- Merge the items (like names, addresses) from Data Base files into a Form Letter and generate multiple letters or labels.

All this and much more in a 32K bytes ROM from

DCM Data Products 1710, Two Tandy Center Fort Worth, Tx. 76102 Tel: 817/390-2762



*Copyright DCM Data Products, Licensed to Tandy Corporation.

* Registered trademark of Tandy Corporation.

Radio Shack and Model 100 are trademarks of Tandy Corporation.
1-2-3 is a trademark of Lotus Corporation.

Fontastic Printing

Editor:

As a Tandy 1000 owner, I encountered some difficulties when I tried to find a font utility program that would drive my DMP-110 printer. Neither Broderbund's The Print Shop nor Power Up's The Printing Press do the trick, and Unison's Print Master, which is listed in the new Tandy computer catalog, only drives the newer IBM-compatible

printers put out by Tandy.

The solution to my search became Pro-Soft's Fontasy, an excellent program that drives all Tandy printers (and many others) and seems particularly well-mated to the 1000. For example, although ProSoft's documentation states that an IBM PC needs 512K memory to compose a full page in Fontasy, my 384K machine handles the job easily, possibly because of its built-in high

resolution graphics.

Fontasy is a flexible program that can easily magnify, mirror, invert, etc., any of its fonts — and there are a lot of fonts available. The program also comes with a design system that allows a user to modify existing fonts or create new ones, and a template section that sets up and prints multicolumn pages with letterheads and even flows text around predefined graphics "windows" on the page. Then there's a graphics capability that draws free-hand or rubberband lines, rectangles and ovals (you can change the aspect ratio before fixing the oval on the page), and a fill option that includes 95 patterns. All of this is simply driven by a series of menus and mnemonic commands.

I heartily recommend Fontasy to Tandy 1000 owners who are looking for a font program that suits their computer, drives their printer and, at \$49.95, won't strain

their wallet.

By the way, I have also devised a simple method for using the RAM3 dictionary in Turbo Lightning with a floppy disk - a trick I'd be happy to share with anyone who sends a self-addressed, stamped envelope to 1808 Whispering Hill, 37043.

> Thomas A. Pallen Clarksville, TN

Additions for the 'Wooing' Repertoire

Hard disk users should take heed of John McCormick's advice on setting up subdirectories. ("Wooing Ms. DOS," April 1986, Page 79). It makes life so much simpler.

I would make two additional suggestions. The command PROMPT &p\$g lets you know where you are all of the time by displaying the directory name. For instance, the root directory prompt would be \>, and the prompt for Mr. McCormick's subdirectory,

WORD, would be \WORD>. This prevents confusion when several subdirectories are used, and when changing back and forth between Drive C and Drive A.

The command can easily be set up, as described by Mr. McCormick, in the AUTO EXEC.BAT file. Try it by typing in the command and pressing ENTER. Then, if you like it, put it in the AUTOEXEC. BAT file. You'll wonder how you ever survived with-

My second suggestion has to do with the TREE command, which is excellent for checking the status of your directories and paths. This command is omitted from the Tandy 2000 version of MS-DOS, but can be easily copied from a version that includes it. Typing TREE gives a directory of all your subdirectories and paths.

As a self-taught computer enthusiast, I find the issues of PCM an inexpensive, but valuable aid in my continuing education. This is one magazine I won'd lend to friends for fear they might have it when I need it for reference. I just hand them a subscription card and tell them to get their own!

> Irma Canfield Franklinton, LA

Tandy Communication Connection

For a year now, I have been receiving PCM every month. I am very well-taught on the use of my Tandy 100 and Tandy 1000. I read every page of the magazine and put to work any application program that is of concern to me.

I have one question: How do I set the parameters on my Tandy 100 and 1000 in order to have both computers communicate? I have the RS-232 interface board installed in the 1000.

> Bernard Mongeau Sillery, Quebec

Setting the communications parameters is actually the simplest step in getting two computers to communicate. The important thing to remember is the parameters are set the same on both machines. But, there is much more to communications than parameters.

The first step to getting two computers to communicate is finding communications software for both machines. The Telcom software built into the Tandy 100, and DeskMate, which comes with the 1000, aren't really the answer. To accurately transfer files between the two machines, you'll need software that supports XMODEM or some similar

error-checking protocol. Most Tandy 1000 terminal packages support XMODEM. For your Tandy 100, try Segia's X-Tel (reviewed in this issue).

Looking for **Expansion Board**

Editor:

In the February 1986 issue of PCM in the article "Upgrade Your Tandy 1000," you refer to a PBJ MFB-1000 memory expansion board. Please tell me how to receive information about the board, the manufacturer's name and address, the price and where I might purchase one.

> Jan A. Hanson Ramsey, MN

The MFB-1000 is available from PBJ Inc., 5725 Kennedy Boulevard, N. Bergen, NJ 07047, (201) 861-0126.

The Key You have Pressed . . . has been Changed . . .

Editor:

I wanted to let you know that I really appreciate the support you are providing to Tandy users, and to pass on a problem I have discovered with the GW-BASIC Version 2.02 (Tandy Version 1.01.00).

Here in Fairbanks our nearest source of reliable information is Seattle. All we have for support is provided by a local Radio Shack franchise that knows very little about the computers they sell. Your magazine

provides valuable information.

The problem I discovered with the most recent version of BASIC is in the key trapping. The new version of BASIC does not recognize function keys F11 and F12 as 11 and 12. I was told by the software support people in Fort Worth that in an effort to make this verison of BASIC more compatible with the IBM version of GW-BASIC, the function keys FII and F12 are now assigned 21 and 22. The keys for the purpose of key trapping are now numbers 1 through 10, as F1 through F10. The cursor control keys are assigned: up = 11, left = 12, right = 13, down = 14, and F11 and F12 are now 21 and 22, respectively. I stumbled onto this trying to run the Sketch program from your October 1985 magazine (Page 10). I hope this may be of help to others who have realized there is a problem, but were unable to track down the cause.

> Jerald L. Coffman North Pole, AK

DISK POWER"

.. AT LAST !!



ULTRACHARGE YOUR TANDY PORTABLE DISK DRIVE WITH DISK POWER 100/200/102

A REAL DISK OPERATING SYSTEM

All disk functions completely supported by **DISK POWER**. No need to rely on FLOPPY.CO or user-written programs for external utilities. **DISK POWER** is not just another disk manager program, it is the full featured DOS that the MODEL 100 should have had from the very beginning!

DISK ACCESSIBLE FROM BASIC & TEXT

Data file I/O operations supported with familiar BASIC commands. Save and Load programs from within BASIC. From TEXT, every .DO file can be Loaded from or Saved to Disk by **DISK POWER**.

TELCOM ENHANCEMENTS

Direct Access to Basic & TEXT from inside TELCOM. Kill, Load, Save or Edit files without losing telephone communications. You can see your files while uploading. With **DISK POWER**, it is all possible!

FULLY MENU DRIVEN

Any DISK or RAM file is selected by the cursor. The stroke of a SINGLE function key will perform the desired task on the HIGHLIGHTED file. You may never have to remember or even type a filename again, when using **DISK POWER!**

NOT JUST "FOR HACKERS ONLY"

Though programmers will be surprised by the versatility of **DISK POWER**, regular users will find our operating system FAST, easy to use AND easy to understand.

WRITTEN BY HUGO FERREYRA (SoftPower)

In DISK POWER, you can expect to find the same *ULTRA*-features, innovation & ease of use that all users & reviewers found in TEXT POWER 100, which made it "THE BEST FORMATTER THERE IS FOR THE 100".

24 HR/DAY BBS TECHNICAL INFORMATION & SUPPORT HOTLINE:

(514) 457-2917

Use STAT M8N1E, and Log-on with ID: DISK using PASSWORD: POWER

DISK POWER 100/200/102 \$49.95 US TEXT POWER 100

\$49.95 US

or SAVE by buying the *ULTRA* POWER program pack: DISK POWER/TEXT POWER 100 FOR ONLY \$89.95 US
To order TEXT POWER 100, specify printer(s) used. The basic price includes support for one printer. Please add \$10.00 for each additional printer you wish supported. All U.S. orders shipped from within the USA. Absolutely no custom forms, sales tax or duty required. Add \$3.00 S&H to each order.

No surcharge for VISA or MC To order, call **TOLL FREE**:

USA (Except N.Y.)
NEW YORK STATE ONLY
ONTARIO & OLIFBEC

1-800-448-4511 Ext. 313

1-800-962-1480 Ext. 313

ONTARIO & QUEBEC 1-800-255-1133 Ext. 313

or send CHECK or MONEY ORDER to:

ULTRA SOFT

P.O. Box 219, Ste Anne de Bellevue, Québec CANADA H9X 3R9 (514) 457-9293 (9-5 EST)

Not satisfied with just the old Alphabet? Here's how to make your computer multi-lingual

What a Bunch of Characters!

By William Barden, Jr.

ou'd think that the subject of video characters would be cut and dried, wouldn't you? However, there are some interesting and amazing things that can be done with Tandy MS-DOS machines vis-a-vis video characters. I was surprised to discover that you can add any number of your own text or special characters to BASIC (or other) programs — you can easily add a full set of Cyrillic or Arabic characters for video display, for example, and you could have dozens of sets of characters in RAM or on disk ready at your beck and call. I'm not talking about laboriously constructing characters in graphics, either. You can use a statement such as this to print out three custom tailored characters:

100 PRINT CHR\$(133)+CHR\$
(137)+CHR\$(200)

In the process of researching this topic, I came up with some other tricks and techniques worth mentioning, including textures and form characters for video, and a way to produce virtu-

William Barden, Jr. is a master communicator in a field in which he is one of the few recognized experts — microcomputers. A prolific author of more than 27 books on computers and computer programming, Bill also has authored several instructional software projects for Tandy/Radio Shack.


ally any size character from the built-in set of MS-DOS characters. Interested? Read on.

The Standard Set of Characters

I shouldn't tell you this (you may know already), but the Tandy 1000 is really just an IBM PCjr in wolf's clothing. In fact the 1000 looks virtually identical to the PCjr as far as graphics, sound and architecture. Of course, the 1000 is what the PCjr should have been — a machine with an excellent keyboard, more than one disk drive, hard disk and other expandability. My point in mentioning this is that PCjr and PC technical documentation is excellent (and available), and can be used (with some caution) to find out what's happening in the Tandy 1000, 1200, or 3000.

Tandy MS-DOS systems use the same character set as the IBM machines. As you know, ASCII characters are used as a base. Standard ASCII characters make up the first 128 characters from zero to 127 decimal — they use a seven-bit code, as shown in Figure 1.

The characters from 32 decimal to 127 are common alphabetic, numeric and special characters. Even though the ASCII code is supposed to be standard, you'll find some variations in some of these codes on various printers and systems. But we'll use the IBM/Tandy codes as gospel. The codes from zero through 31 are the so-called "control codes." Generally, these codes are not printable. They provide for data com-



example, allows you to embed control characters in the text. The funny faces and other characters display in the text and can be used to control special printer functions such as underlining and boldface.

It would be interesting to read the internal IBM memos to see how and why some of the glyphs were chosen — why both a normal and inverse video funny face, for example? Why card suits? Why not an IBM logo, to really put their stamp on things?

The Alternate Character Set

A seven-bit code such as ASCII leaves 128 unused code values in an eight-bit byte, values from 128 through 256. Various manufacturers have tried their hand at special codes in this group. Fortunately, reason prevailed at IBM, and minuscule profiles of the top 128 IBM executives were not used in this sequence, although it was a close decision. Instead, the characters shown in Figure 2 were implemented.

The first group of these characters represent foreign characters such as umlauts (\ddot{u}) and commonly used characters not in the basic 128, such as the British pound sign (f) and one-half and one-quarter fractional signs. These are followed by gray shading characters,

munication actions such as ESC (Escape), SOH (Start of Header), and EOT (End of Transmission). Also in the control codes are the necessary Carriage Return code (13), Line Feed (10), Form Feed (12) and other formatting codes.


Most of the 128 ASCII codes can be displayed on the screen. The normally-printable codes are displayed by simply including them as standard text characters:

100 PRINT "Insert 25 cents to continue with MS-DDS"

IBM assigned characters for many control codes — an ASCII one (normally SOH) prints as a happy face, for example, and an ASCII eight (normally BS or Backspace) prints as a small diskette. To print these codes, you can use a CHR\$ statement in a BASIC program or special prefixes in other languages (Chr in Turbo PASCAL, for instance):

100 PRINT "Have a nice day ";CHR\$(1);"...dummy"

Various programs have different ways of displaying some of the codes—the My Word! word processor, for



11

Check Out Our Systems — High QUALITY 4 layer TURBO motherboard at the LOWEST prices. Our hard drive systems — an **EXTRA** megabyte of Storage **FREE** (more megabytes for less megabucks)

Our monitors are high resolutions with minimum 1,000 lines They even have their own tilt and swivel base at no added cost. -Powered by a heavy duty power supply, and offering TRUE turbo speed.

ONE FULL YEAR WARRANTY

COMPARE OUR SYSTEMS — TURBO M is the COMPETIT

SYSTEM-A-SINGLE FLOPPY SYSTEM



TURBO M PC COMPLETE SYSTEM Dual Speed CPU — 4.77 AND TURBO

640 K memory 8 slot motherboard 135 Watt Power Supply Monochrome TTL Card Monochrome Display High Res Ram spooler and Tilt and Swivel Base Monitor Serial port (2nd port opt.)


2 parallel ports Clock calendar **Game Port** Keyboard 5151 Style Printer spooler system DOS 2.11

SYSTEM 24-HARD DRIVE SYSTEM

\$1,399.95!

Toll Free Ordering 1-800-343-8841

TURBO M / AT—COMPLETE SYSTEMS



Comes Complete with 6 and 8 MHZ Switch Selectable 8 Slot Motherboard 192 Watt Power Supply 1.2 Megabyte Floppy Drive
1 Full Megabyte of Memory on Motherboard
2 Parallel Ports — 2 Serial Ports Clock Calendar Hercules Compatible Monochrome Card Monochrome Display-High Resolution Tilt and Swivel Base DOS 3.1 — AT Keyboard

ADD-IN BOARDS TO HELP YOU BUILD YOUR SYSTEM

Dual Speed	Monochrome Graphics Card with Printer Port	Floppy I/O Card Controls Two Floppy Drives, Serial Port Parallel Port Clock Calendar Game Port	ontrols Two Floppy Drives, Serial Port Arafliel Port Clock alendar Game Port Drive Controller Complete System Drive, Controller, Cabl and easy to follow instructions.			
\$299.95	\$94.95	\$109.95	\$139.95	\$369.95 -	- \$469.95	\$118.95
135 Watt Power Supply	Multi Function Card with Space for 384K of Memory, Serial Port, Parallel Port Clock Calendar, Game Port	5151 Compatible Keyboard with Separate Cursor and Number Pads	Monochrome Monitor with High Resolution Tilt/Swivel Base	Floppy Drive Card Control up to Four Drives	P.C.DOS 3.1	Flip Top Cabinet with Speaker
\$89.95	\$89.95	\$124.95	\$179.95	\$79.95	\$80.00	\$64.95

MEGADISK™ HARD DRIVES

Our Hard Drive Systems Are Compatible With
IBM PC and AT, HEATH/ZENITH, COMPAQ, COLUMBIA, PC CLONES, TAVA, EAGLE
TRS/80 Models I / III / IV / 4D / 4P / MAX 80 / COLOR COMPUTER, Tandy 1000 Systems come complete with drive, controller, cables,

60 megabytes . starts at \$1,299.95 REMOVABLE MEDIA SPECIAL

Systems come complete with one free software driver for TRSDOS 6, LDOS 5.1.x, DOSPLUS 3.4/4, or NEWDOS 80.CP/M is available.

5 megabytes. \$449.95
10 megabytes \$679.95
15 megabytes \$749.95
20 megabytes \$849.95
24 megabytes \$889.95 30 megabyte-fixed & removeable \$1,399.95 40 megabytes \$1,299.95 50 megabytes

5 Megabyte Cartridge Now Available Specially Priced! 399.95!

Warranty Information:

TURBO-M systems come with a full year warranty for parts and labor.

TURBO-M systems are guaranteed to run all programs such as LOTUS, SYMPHONY, AUTOCAD.

FLIGHT SIMULATOR, DBASE, MICROGRAPFX, WORDSTAR, LEADING EDGE W/P, RBASE.

MEGADISK hard drives are fully warranteed for parts and labor.

TERMS and CONDITIONS: All prices are cash discounted. However, we do accept MC, VISA, AMEX & DISCOVER credit cards. Please inquire.

Please inquire.
C.O.D.'s are accepted-No deposit required.
Purchase Orders-Corporate, Government & School
P.O.'s are accepted. Please call for details.
Shipping Costs are calculated per order.
Please call for total.
Shipments of all in-stock products are made within 24 hours, same day service is available upon request at no added cost.

Not responsible for two prographical errors.

Not responsible for typographical errors

SOFTWARE SUPPORT, INC 1 Edgell Road


Framingham, MA 01701

Service & Returns: It is our policy to repair all service returns within 24-48 hours. Normally same day turnaround is accomplished. It is necessary to have a (Rieturn (M)aterial (A)uthorization to insure

speedy service.

IBM, TAVA, COLUMBIA, 5151, COMPAQ, EAGLE,
TRS/80, HEATH/ZENITH are registered trademarks
of IBM Corp, Tava Corp. Columbia Computer Corp.
Key Tronics Corp, Compaq Corp, Eagle Computer,
Tandy Corp, Zenith Corp, respectively.

1986 Software Support. Inc. All rights reserved.




form characters, block graphic characters, a portion of the Greek alphabet and mathematical symbols.

All of these characters can be entered directly from the keyboard by holding down the ALT key and then entering the character code from the numeric keypad. To display the line segment (\(\frac{1}{3}\)), for example, you'd press ALT and then enter 215.

The problem with most of these characters is that many software packages and printers are not equipped to handle them, even though they can be displayed on the screen. I have an older Radio Shack DMP-2100 as my main printer for a Tandy 1000 and IBM PC and an IBM Graphics printer on my PCjr. The DMP-2100 doesn't recognize the expanded character set and ignores characters that display on the screen or prints a different character. The IBM Graphics printer prints any character that can be displayed on the screen because it is designed that way. Any newer printer that is MS-DOS compatible will also print any of the 256 screen characters, including Tandy printers, of course.


Displaying the characters in the alternate character set is ideal, because it eliminates the messy CHR\$ coding in favor of actually seeing what will be printed. An example is the code segment shown in Figure 3, which shows a portion of a form that is constructed using the line segments in the alternate character set and entered directly from the keyboard with the ALT key and numeric keypad. Being able to display the form on the screen allows you to easily position and align the characters,



Tandy 1000 Memory Card

another high quality product from Southwestern Digital

Why spend a bundle on a Tandy board? Our Board is only \$135.



Features:

- 512K of Memory
- DMA
- Expansion Port
- Gold Edge Cards
- Easy Installation
- 30 Day Satisfaction Guarantee Policy

The Southwestern Digital Memory Expansion Plus Card has all the features of the Radio Shack Board but the price; you save almost \$400. Features include 512K installed, burned in, and tested to give you a total of 640K, a DMA circut that is fully tested for hard drive operation, and an expansion port that will work with any of the Radio Shack Memory Plus Expansion Card options. High quality manufacturing, and features such as gold plated card edges make this the logical choice in upgrading your memory.

either for display or printing.

The texture characters are often overlooked in the alternate character set. Characters 176, 177 and 178 provide a dot texturing of the entire character position. They can be used to simulate colors on monochrome displays for such things as bar graphs.

Characters in the Graphics Mode

One of the nice things about MS-DOS systems is that both graphics and text can be intermixed. This was not so in many earlier computer systems. In the text mode of BASIC (SCREEN 0) the screen characters, including the alternate characters, are formed by a ROM character generator. This is a chip that contains all of the patterns for the characters; each character is encoded in 8-by-8 pixel form, as shown in Figure 4. (The monochrome adapter used on the PC series and Tandy 1200 actually generates a higher resolution 9-by-14 pixel character.)

In graphics modes, characters are not generated by the ROM character generator, but by the system BIOS, the firmware that drives input and output devices for MS-DOS. This implementation allows mixing both text and graph-

CS.


The characters are generated from a table of characters in the BIOS firmware in high memory. To get at these characters from BASIC and other languages, it's necessary to use the DEF SEG statement.

Segment Addressing

PC machines such as the Tandy 1000 allow a total of 1,048,576 bytes of memory to be addressed — the addressing space of the 8088 microprocessors used in the IBM PC, Tandy 1000 and Tandy 1200. This addressing space is divided up into RAM (user memory), ROM (system BIOS) and dedicated addresses, as shown in Figure 5.

The 8088 was an offshoot of the 8080/8085 microprocessors which were geared towards a 65,535 byte (64K bytes) addressing space. To maintain compatibility with the older microprocessors, the 8088 uses the notion of segments. Segments divide the addressing space into 64K blocks. Within the blocks, any of the 64K bytes can be addressed by an offset address of zero through 65,535. To address another part of memory, a segment register is changed to point to another block. (That's the basic scheme, although a little bit simplified.)

BASIC uses its own 64K block for



Model 100

ROMDSK. 8K or 32K CUSTOM expansion rom for the TRS-80 Model 100. Custom programmed with YOUR programs.

8K\$49.95 32K\$69
Call or Write ROSS COMPUTER SERVICES \$69.95

For Ordering Information




TANDY 1000, 1200, 3000



The SMART Software System, from Innovative Software.

The	SMARI	DAIA MANAGER	
The	SMART	WORD PROCESSOR\$295.00	
The	SMART	SPREADSHEET (With Graphics)\$395.00	
The	SMART	SPELLCHECKER	
The	SMART	SYSTEM* List \$895.00 Call	

The SMART Software System includes: The Smart Data Manager, The Smart Spreadsheet with Graphics, and The Smart Word Processor, and can only be sold as a system, not as individual products. The smart Software System includes built in asynchronous communications and personal time management programs.



SHIFT YOUR HARD **DISK BACK INTO** HIGH GEAR

Tune Your Disk Files For Highest Performance



Only \$49.95



Turbo Tutor	\$ 34.95
Turbo Pascal 3.0	\$ 69.95
Turbo Pascal with 8087	\$109.90
Turbo Pascal with BCD	\$109.90
Turbo Pascal 3.0 with	
both 8087 & BCD	\$124.95
Turbo Database Toolbox	\$ 54.95
Turbo Graphix Toolbox	\$ 54.95
Turbo Editor Toolbox	
Turbo Gameworks	

Superkey		\$ 69.96 54.95
SideKick (NOT copy-protected) .		\$ 84.95
Traveling SideKick (now available)		\$ 69.95
		125.00
Turbo Lightning		\$ 99.95
Reflex: The Analyst		\$ 99.95



MERCURY 300/ **1200 MODEM**

Mercury 300/1200 auto-answer/auto-dial. HAYES compatible

MODEM. Uses the industry standard AT command


SPECIAL

NOW JUST \$49.95



You choose by common name, botanical name, height, color, soil condition, or water requirements

'Also included-"Gardening Techniques," a 196 page book with full color photography and illustrations.



ROSS COMPUTER SERVICES

(816) 363-2545

Hours: 8:30 to 5:00 After 5:00 you will reach our order line BBS



1800 W. 91st Place • Kansas City, MO 64114

storage of program and data variables. However, any portion of memory can be addressed in BASIC by changing the data segment register with the DEF SEG command. DEF SEG uses an address of zero through 65,535 (hexadecimal 0000 through FFFF). The actual physical address generated from the segment address adds a hexadecimal zero on the right — DEF SEG &HF000, for example, becomes &HF0000. Once the segment address is specified, any of the 64K bytes within the segment can be accessed by PEEKs and POKEs and other BASIC statements. A DEF SEG without an operand sets the data segment register back to the original value of BASIC's data segment.

Location of the Characters

In the basic PC (Tandy 1200), only the first 128 characters are allowed in graphics. However, in the PCjr and Tandy 1000, all of the 256 possible characters are permitted. We'll address ourselves to the PCjr/Tandy 1000 configuration here. The first set of 128 characters — the standard ASCII — is found at physical address &HFFAGE in ROM BIOS. Each character is made up of eight bytes containing eight bits per byte, as shown in Figure 6. The 64 bits make up the 64 pixels of the character as shown in the figure. As there are 128 characters in the first set, the table is 128 by eight, or 1,024 bytes long.


The second portion of the table is located at physical address &HFC070 in Tandy BIOS. The arrangement of the characters here is the same as in the first set — eight bytes per character.

A Character Expander

To print a character, the BIOS software looks at the character code, accesses the character table, and then prints the dots that make up the character. In the 640-by-200 resolution mode, for example, eight rows of eight columns are printed for each character.

We can take advantage of the builtin character table to accomplish interesting things. One possibility is shown in Listing 1. This is a graphics subroutine that allows expanded characters to be displayed. The basic approach here is to pass the subroutine a string of characters to be displayed along with the display position and scale factor, as shown in Figure 7.

The scale factor allows characters to be stretched vertically or horizontally, as shown in Figure 8. To incorporate the subroutine in your own BASIC programs, pass it the string as CH\$, the 'X'



and 'Y' scale factors as XSC and YSC and the upper left corner of the starting character position as CX, CY. The only disadvantage of the subroutine is that it's rather slow. However, compiling the BASIC code speeds things up by a factor of about 10.

The subroutine works as follows: An individual character is stripped from the CH\$ string from left to right. For each character in the string, the corresponding ASCII code is found by the ASC function. The ASCII code is used to find the dot-matrix form of the character in the BIOS table and move the eight bytes to the array Z.CHR.

The 64 bits of the dot-matrix form are now scanned a row at a time. For each row scanned, there are eight columns, found by counting Z.X from zero to seven and using 2^(7-Z.X) as an AND value to find whether the pixel should be on or off. The SGN function just sets Z.PIX to a zero or one for a two-color mode representation of the character. Change this for four-color graphics.

Each pixel position is repeated the number of times defined by XSC, expanding the character widthwise. Each row is repeated based upon YSC, expanding the character lengthwise.

At the end of the display, CX and CY

are adjusted to point to the upper lefthand corner of the next screen "character position," based upon the size of the character in the expanded mode.

Creating Your Own Character Set

All of this leads us to the main point of this column - how to add your own characters. The ROM BIOS is meant to be used as a standard way of performing system functions. It contains a set of routines to handle all system I/O scrolling the screen, communicating with the RS-232C port, and so forth. The code has a lot of "hooks" in it to allow a systems programmer to add extensions and change things around in an orderly fashion. BIOS uses a set of software interrupt vectors located in low memory — way down in Segment Zero. Instead of jumping directly to an I/O handler in ROM, a programmer should make a system call via a software interrupt, which would then route the call to the proper BIOS routine.

Interrupt vectors in ROM look like Figure 9. They are four bytes long and consist of a segment address and an offset. The segment address and offset define a BIOS memory location for the function.

Both the standard ASCII characters

17



IF YOU'RE MISSING THIS, Add a ROM-Based Software Module to

If you own a Model 100, then you already know. You know that the Model 100 comes with five built-in management programs. You know about the full-size typewriterstyle keyboard and the direct-connect modem and telephone auto-dialer. But did you know how easy it is to boost your portable's power with Multiplan or Interactive Solutions?

You're really missing out if you don't know how easy it is to supercharge your Model 100. Just turn your machine over, pop in either of these high-performance ROM modules, and you've got a powerful little machine that can do any-

thing from complex spreadsheet analysis and calculations to sales forecasts, profit-andloss projections, budgeting, pricing, engineering calculations and much more.

Powerful spreadsheet

Let Model 100 Multiplan (26-3829, \$149.95) replace your pen, paper and calculator. Multiplan is an electronic worksheet—a large grid for entries, each of which can be words, titles, numbers or formulas. Multiplan then performs complex calculations . . . instantly! And because it remembers relationships between entries on a worksheet, Multiplan automatically performs

calculations with a large number of variables. This lets you test plans by putting different values into your formulas.

You'll soon find that Multiplan is a vast improvement over "hand calculating." It offers a worksheet with up to 99 rows and 63 columns. You can instantly insert or erase data and widen or shrink columns, eliminating the costly and timeconsuming work of typing or hand printing the worksheet over and over.

Get three programs for the price of one

Interactive Solutions for the Model 100 (26-3844, \$149.95)



YOU'RE MISSING OUT! Supercharge your Portable 100/200.

is a 3-in-1 cross-referencing software package with database management, spreadsheet and word processing.

Information stored in Data Manager, the data base, can be utilized by Data Calc, the spreadsheet program. The Word Processor allows you to merge Data Manager information into your text. Or you can select any part of a Data Calc worksheet and add it to any text file in Word Processor.

Interactive Solutions is easy to learn too, because it's designed to be self-explanatory and guide you through each process. Clear and concise labels and menus make decision making easy.

Expand your Tandy 200

Add ROM-based power to make your Tandy 200 more versatile, too. With Multi-Solutions you get three powerful applications: a word processor which allows formatting of any text file; Time Minder, a calendar program that lets you keep track of appointments; and Data Manager to help you manage dates, addresses, inventories and more.

Come in today!

Supercharge your portable today. Drop by your nearest Radio Shack Computer Center!

Radio Shaek

The Technology Store

A DIVISION OF TANDY CORPORATION

Send me an RSC-16 Computer Catalog

Radio Shack, Dept. 86-A-140 300 One Tandy Center Fort Worth, TX 76102

Name _____


Address _____

State _____ ZIP ____

Prices apply at Radio Shack Computer Centers and at participating stores and dealers. Multiplan/TM Microsof Com

Tandy Tandy Tandy Tandy Tandy Tandy Tandy

1LIST 2RUN← 3LOAD" 4SAVE" 5CONT← 6, "LPT1 7TRON← 8TROFF← 9KEY ØSCREEN



and alternate character set have pointers that look like the interrupt vectors of the figure. The pointer to the standard character set is located at &H110 through &H113, and the pointer to the alternate character set is located at &HZC through &H7F. The original PC type systems allowed only the first 128 characters to be displayed in graphics mode. However, they also permitted the user to put in a pointer to his own alternate character set in graphics mode. Later systems, such as the PCjr and Tandy 1000, allowed all 256 characters in graphics mode, but kept the pointers. In fact, then, we can simply substitute our own character set by changing the pointers — say the pointer to the alternate character set.

To see how this works, load BASIC and enter the commands in Figure 10.

Figure 10 Ok SCREEN 2 Ok DEF SEG=0: PRINT PEEK (&H510): PRINT PEEK(&H511): DEF SEG xxxx (typically 128) yyyy (typically 21) Ok CLEAR, 19999

Ok

DEF SEG=0: POKE &H7C,32:

POKE &H7D,78: POKE &H7E,xxxx:

POKE &H7F,yyyy

Ok

DEF SEG

Ok

FOR I=20000 TO 20007:

POKE I,&HA0: NEXT

Ok PRINT CHR\$(128)

The xxxx and yyyy are the addresses obtained from the first PEEKs and represent the data segment address of BASIC. They are put into the alternate character set segment pointer addresses. The offset is set to 20,000, meaning the 20,000th location within BASIC, a free area, protected by the CLEAR, 19999 statement.

If you did this sequence correctly, you will see a pair of vertical lines displayed after the PRINT CHR\$(128). What you've done is to change the location of the alternate character set to a protected

memory area within the BASIC 64K segment. As each character takes up eight bytes, creating a table of 1,024 bytes will give you a new set of alternate characters, one that can be changed at will. You could, for example, do BSAVEs and BLDADs in BASIC to save and reload the 1,024-byte memory area with any new character sets you wish. You could even define larger patterns made up of several characters, although this is probably better done in standard graphics.

The beauty of the alternate character method is that you can use a CHR\$ with a value of 128 through 255 instead of a set of graphics commands to print the character. Once the set is defined, you can also use the ALT key method of entry on the screen.

How Do You Edit the Characters?

There is a problem, though. How can you easily create the characters to be used? What's really needed is a character editor. By a lucky stroke of fate, I just happen to have one here. (See Listing 2.)

The character editor is not a new idea. I saw a version of it on an ACT Apricot system, an MS-DOS machine with tiny diskettes, a small "footprint," and a huge price several years ago. The basic display is shown in Figure 11.

The 128 characters of the alternate set are displayed at the bottom of the screen, referenced by code. Initially, these characters will be garbage, as the pointer points to a character work area at an offset of 20,000 within BASIC.

There are three basic functions—saving a new file, loading an old file, and editing a character. The editing function is the guts of the program.

If you've selected the character edit, the current character is displayed in an 8-by-8 matrix in the middle of the screen. This matrix is designed to resemble the actual screen dimensions of the character as much as possible. The

		Figure 11		
	GRAP	HICS EDITOR		
	2. Sav 3. Edi	d in old file e characters in file t character ve; I=Ink toggle; Q=Qui	i t	
	012345678	9 0 1 2 3 4 5 6 7 8 9	01234567890	1
.28 to 159	4	1		
160 to 191	0	7		
100 4- 222	V			
192 to 223				

screen has an aspect ratio of four units horizontally to three units vertically. In 80-character mode each character is $\frac{4}{80} = \frac{1}{20}$ unit wide by $\frac{3}{25}$ unit high, making the aspect ratio of a character one to 2.4.

During the edit mode, you can move a cursor by the up arrow, down arrow, right arrow and left arrow keys. A small dot in the middle of each of the 64 rectangles marks the position of the cursor. Pressing the I key sets or resets an "ink" mode. If ink is on, the rectangle within the square is filled in. If ink is off, no filling in is done.

As the character is drawn on the matrix, you'll also see it reproduced in the proper position at the bottom of the screen. The large display is good for defining the character, but the small display is necessary to see what it actually looks like on the screen.

Pressing Q quits the character edit mode and returns you to the short main menu from which another character can be selected for edit.

The current set of characters can be saved at any time in any file you wish to name. (If no extension is used, BASIC uses a .BAS extension.) A file can be added to or edited by reloading an old file, changing it, and rewriting it under the same or a different name.

Once the character sets are defined, you can easily invoke them from your

own program without using the character editor. Just change the &H7C through &H7F locations as in the graphics editor to point to your own memory area or the memory area used in the graphics editor. The &H7E and &H7F locations must be changed to the location of BASIC's data segment as in the editor. The &H7C and &H7D must be changed to point to the offset within BASIC as before. See Listing 3.

```
BLOAD "name", xxxxx
```

The xxxxx offset parameter is not necessary if you're loading the character set into the same area that was used in creating the data. If you're loading into another area, use the offset of the area in the BLOAD command.

As many BLOADs as necessary can be done with as many character sets as you've defined. Within the BASIC pro-

```
Listing 3:

100 CLEAR ,19999!

110 BUFFER = 20000!

120 SCREEN 2

130 DEF SEG = 0: POKE &H7E, PEEK(&H510):
    POKE &H7F, PEEK(&H511): POKE &H7C,
    BUFFER - INT(BUFFER/256)*256: POKE &H7D, INT(BUFFER/256)

140 DEF SEG
```

Prior to loading in a character set, the memory area to be used must be protected by the CLEAR, xxxxx statement. This prevents BASIC from clobbering the character data as it uses memory for stack and string storage. Any convenient area that can be protected can be used, dependent upon the size of memory in your system, size of BASIC program and so forth. The one used in Listing 3 is usable with a 128K system.

The character set is loaded by a BLOAD command of the form

gram, use the character set by CHR\$ statements with values of 128 through 255.

And that's the story of how to add any number of characters to your graphics screens. A little manipulation with pointers and some creative editing for the character set, and you have Japanese Kata-Kana or your own special characters. There are other tricks that can be used for character generation and we'll use some of them in future columns. See you next month.

```
Listing 1:
100 ' Sample driver for Character Expander
11Ø SCREEN 2
120 CLS
130 CH$ = "Tandy": CX = 100: CY = 20: XSC = 2: YSC = 2: GOSUB 1000
140 CH$ = "Tandy": CX = 100: CY = 40: XSC = 4: YSC = 2: GOSUB 1000
15Ø CH$ = "Tandy": CX = 1ØØ: CY = 6Ø: XSC = 8: YSC = 2: GOSUB 1ØØØØ
160 CH$ = "Tandy": CX = 100: CY = 80: XSC = 10: YSC = 6: GOSUB 10000
17Ø GOTO 17Ø
180 '
19Ø '
10000 '==
10010 ' Character Expander Subroutine
10020 ' Input: CH$ = Character string
               CX = current x position
10030 '
               CY = current y
10040 '
              XSC = x scale factor - 1 to n
10050 '
10060 '
               YSC = y scale factor - 1 to n
10070 ' Output: CX = updated
                CY = updated
10080 '
10100 DEF SEG = &HF000
10110 FOR Z.SI = 1 TO LEN(CH$)
 10120
       CH = ASC(MID\$(CH\$,Z.SI,1))
```

```
10130 FOR Z.I = 0 TO 7
10140
      Z.CHR(Z.I) = PEEK(\&HFA6E + CH*8 + Z.I)
10150 NEXT
10/160 FOR Z.Y = 0 TO 7: FOR Z.J = 1 TO YSC: FOR Z.X = 0 TO 7: FOR Z.X = 0 TO 7
10170 Z.PIX = SGN(Z.CHR(Z.Y) AND 2 ^{\circ} (7 - Z.X))
19189 FOR Z.I = 1 TO XSC: PSET (CX, CY), Z.PIX: CX = CX + 1
10190 NEXT: NEXT: CX = CX - XSC * 8: CY = CY + 1: NEXT: NEXT: NEXT
10200 CX = CX + XSC * 8: CY = CY - YSC * 8
10210 NEXT Z.SI
10220 DEF SEG: RETURN
10230 '----
Listing 2:
100 '==
110 '
                         Character Editor Program
                      120 '
130 '-----
14Ø CLEAR ,19999!
                          'change these as required
                     I II II II
150 BUFFER = 20000!
160 SCREEN 2
170 KEY OFF: ON ERROR GOTO 3430
180 DEF SEG = 0: POKE &H7E, PEEK(&H510): POKE &H7F, PEEK(&H511):
   POKE &H7C, BUFFER - INT(BUFFER/256)*256: POKE &H7D, INT(BUFFER/256)
19Ø DEF SEG
200 CLS
210 LOCATE 1, 25: PRINT "G R A P H I C S E D I T O R"
220 LOCATE 3, 27: PRINT "1. Read in old file"
230 LOCATE 4, 27: PRINT "2. Save characters in file"
240 LOCATE 5, 27: PRINT "3. Edit character"
250 LOCATE 17, 16
260 '-----
270 PRINT "0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 "
280 \text{ FOR Z.I} = 0 \text{ TO } 3
     LOCATE 19 + Z.I * 2, 1: PRINT USING "### to ###"; Z.I * 32 + 128,
      Z.I * 32 + 159;
300 NEXT Z.I
310 FOR Z.I = 0 TO 3
32Ø
     LOCATE 19 + Z.I * 2, 16
330
      FOR Z.J = \emptyset TO 31
340
        PRINT CHR$(128 + Z.I * 32 + Z.J) + " ";
350
    NEXT Z.J
360 NEXT Z.I
370 LOCATE 6, 20: PRINT "
380 LOCATE 6, 30: PRINT "Your choice: "
390 A$ = INKEY$: IF A$ = "" THEN 390 ELSE Z.RES = VAL(A$)
400 IF Z.RES < 1 OR Z.RES > 3 THEN 370
410 ON Z.RES GOTO 1020, 2020, 3010
1000 '-----
1010 ' 1. Read in Old File
1020 LOCATE 6, 20: PRINT "
1030 LOCATE 6, 30: INPUT "Input File: ", Z.RES$
1949 IF Z.RES$ = "" THEN 379
1050 BLOAD Z.RES$
1060 GOTO 310
```

23

```
2010 ' 2. Save Characters in File
2020 LOCATE 6, 20: PRINT "
2030 LOCATE 6, 30: INPUT "Output File: ", Z.RES$
2040 IF Z.RES$ = "" THEN 370
2050 BSAVE Z.RES$, BUFFER, 1024
2060 GOTO 370
3000 '----
3010 ' 3. Edit Character
3\emptyset 2\emptyset FOR Z.I = 7 TO 15
                                                                            11 :
        LOCATE Z.I, 30: PRINT "
3040 NEXT Z.I
3Ø5Ø LOCATE 6, 24: PRINT "
3060 LOCATE 6,24: INPUT "Character number (128 - 255): ", Z.RES
3070 IF Z.RES < 128 OR Z.RES > 255 THEN 3050
3080 \text{ FOR Z.I} = 0 \text{ TO } 8
       LINE (281, Z.I * 8 + 55) - (345, Z.I * 8 + 55)
3100 NEXT Z.I
3110 \text{ FOR } Z.I = 0 \text{ TO } 8
312Ø
        LINE (Z.I * 8 + 281, 55) - (Z.I * 8 + 281, 119)
3130 NEXT Z.I
3140 \text{ FOR } Z.R = 0 \text{ TO } 7
3150
       Z.CH = PEEK(BUFFER + (Z.RES - 128) * 8 + Z.R)
316Ø
        FOR Z.C = \emptyset TO 7
           Z.PIX = Z.CH AND 2^{(7 - Z.C)}
317Ø
318Ø
           IF Z.PIX 		 Ø THEN PAINT (Z.C * 8 + 285, Z.R * 8 +59)
319Ø
       NEXT Z.C
3200 NEXT Z.R
3210 LOCATE 6, 24: PRINT "
3220 LOCATE 6, 24: PRINT "Arrows=move; I=Ink toggle; Q=Quit";
3230 Z.X = 317: Z.Y = 91: Z.I = \emptyset: PSET (Z.X, Z.Y)
3240 IF Z.I = 1 THEN LINE (Z.X - 3, Z.Y - 3) - (Z.X + 3, Z.Y + 3),1,BF
     ELSE LINE (Z.X - 3, Z.Y - 3) - (Z.X + 3, Z.Y + 3), \emptyset, BF
325\emptyset IF Z.I = \emptyset THEN PSET (Z.X, Z.Y)
3260 Z.CH = PEEK(BUFFER + (Z.RES - 128) * 8 + (Z.Y - 59) / 8)
3270 IF Z.I = 1 THEN Z.CH = Z.CH OR 2 ^ (7- (Z.X - 285) / 8) ELSE
     Z.CH = Z.CH \text{ AND } (255 \text{ XOR } 2 ^ (7 - (Z.X - 285) / 8))
3280 POKE (BUFFER + (Z.RES - 128) * 8 + (Z.Y - 59)/8), Z.CH
3290 LOCATE 19 + INT((Z.RES - 128)/ 32 ) * 2, 16 + (Z.RES AND &H1F) * 2
3300 PRINT CHR$(Z.RES);
331Ø Z.A$ = INKEY$: IF Z.A$ = "" THEN 331Ø
3320 IF Z.A$ = "i" OR Z.A$ = "I" THEN Z.I = Z.I XOR 1 ELSE 3340
333Ø GOTO 324Ø
3340 IF LEFT$(Z.A$,1) \Leftrightarrow CHR$(0) THEN 3410
3350 \text{ Z.A} = RIGHT(Z.A, 1)
3360 IF Z.I = \emptyset THEN PRESET (Z.X, Z.Y)
3370 IF Z.A$ = CHR$(77) THEN IF Z.X \Leftrightarrow 341 THEN Z.X = Z.X + 8: GOTO 3240
3380 IF Z.A$ = CHR$(75) THEN IF Z.X \Leftrightarrow 285 THEN Z.X = Z.X - 8: GOTO 3240
3390 IF Z.A$ = CHR$(72) THEN IF Z.Y \Leftrightarrow 59 THEN Z.Y = Z.Y - 8: GOTO 3240
3499 IF Z.A$ = CHR$(89) THEN IF Z.Y \Leftrightarrow 115 THEN Z.Y = Z.Y + 8: GOTO 3249
341Ø IF Z.A$ <> "q" AND Z.A$ <> "Q" THEN 324Ø ELSE 37Ø
3420 '----
3430 ' Error trap
344Ø IF ERR = 53 THEN LOCATE 6,22: PRINT "File not fnd. Press a key to continue"
     ELSE ON ERROR GOTO Ø: RESUME
3450 A$ = INKEY$: IF A$ = "" THEN 3450 ELSE RESUME 370
3460 '=====
```

com·put·er dic'tion ar y

By John McCormick hose new to computing (and some of us who aren't so new)

the new to compute the strange computer the strange comp

hose new to computing (and some of us wno aren't so new)
often feel frustrated by all the strange computer terms
often feel frustrated and especially in advertisements. often feel trustrated of and especially in advertisements. Every found in articles and especially astronomy, automobile whether philosophy, astronomy, automobile found in articles and copperation in advertisements. Every whether philosophy, astronomy, automobile mefield, whether science, develops its own sub-landing or computer science, develops and sub-landing or computer science and scie field, whether piniosophy, astronomy, automobile me-chanics or computer science, develops its own sub-language chanics or computer science. Because English (or computer science) chanics or computer science, develops its own sub-language chanics or communication easier. Because English (or other to make communication a new invention like a microchillenguages) has no term to describe a new invention like a microchillenguages) (jargon) to make communication easier. Because English (or other no make communication a new invention like a microchip, languages) has no term to describe a new invention like a microchip, languages) has no term to describe a new invention like a microchip, languages) has no term to describe a new invention like a microchip, languages) has no term to describe a new invention like a microchip, languages) has no term to describe a new invention like a microchip, languages.

In a like names that constant repetition in speech or writing. new work manner, some English-named things or procedures have in a like manner, some English-named things or procedures have such long names that constant repetition in speech or writing is such long names that example, stands for Double-Sided Double such long (DSDD, for example), about all the complain about all the such long that th such long names that constant repetition in speech or writing is stands for Double-Sided Double-stands (DSDD, for example, about all the computer jargon while awkward (DSDD, some people complain about all kinds of incomplain appears to the computer paragraph with the computer parag such total (DSDD, for example, stands for Double-Sided Double-awkward (DSDD, for example, about all the computer jargon while Density). Some people complain all kinds of jargon in our daily line Density). new words are created. Double-awkwar. Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while all kinds of jargon in our daily lives. Density). Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while Double-awkwar. Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon while Density). Some people complain about all the computer jargon in our daily lives. discounting the fact that we use all killus of Jargon in our daily lives.

discounting the fact that we use all killus of Jargon in our daily lives.

other reasonable way to communicate the way to communicate the simply isn't any other reasonable way to communicate the simply isn't any other reasonable way to communicate the simply isn't any other reasonable way to communicate the discounting any other reasonable way to communicate the There simply isn't any other reasonable way to communicate the without its use, so anyone interested in computing without its use, so anyone interested concepts involved in computing of some of these exotic terms concepts involved an understanding of some of these exotic terms. concepts involved in computing without its use, so anyone interest and ing of some of these exotic terms.

I will describe what I have found to be some of the most continue to the most continue to the some of the most continue to the sound to the field needs an understanding of some of the most confusing the field needs what I have found to be some of the most confusing I will describe what I have many of them already, but even some in a limit of the sound to be some of the most confusing the field needs an understanding of the some of the most confusing the field needs an understanding of the some of the most confusing the field needs an understanding of the some of the most confusing the field needs an understanding of the some of the most confusing the field needs an understanding of the some of the most confusing the field needs an understanding of the some of the most confusing the field needs and understanding of the some of the most confusing the field needs and understanding of the some of the most confusing the field needs and understanding of the some of the most confusing the field needs and understanding of the most confusing the field needs and the field needs are the field nee I will describe what I have found to be some of the most confusing the limit of them already, but even some you terms. You probably know many of them already, so take a quick terms. terms. You probably know many or them already, but even some you terms. You probably know many what you thought, so take a quick understand may not mean exactly what you thought. These example understand may not mean exactly what you thought. These example understand may not mean exactly what you thought. understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you thought, so take a quick understand may not mean exactly what you are an experienced user. These examples look at the list even if you are an experienced user and articles and my our look at the list even if you are an experienced user. unucround the list even it you are an experienced user. These examples look at the list even it you are an experienced user. These examples pCM ads and articles and my own look at the list even it you are an experienced user. These examples pCM ads and articles and my own come from Tandy's catalogs, alphabetic, although similar items are come from the list is partially alphabetic, although similar items. come from Tandy's catalogs, relivi aus and articles and my own come from The list is partially alphabetic, although similar items are experience. While definitions are given for some terms, for other caused together. experience. The list is partially appliance, although similar items are experience. The list is partially appliance, although similar items are experience. While definitions are given for some terms, for others grouped together. While definitions are given for some terms, for others are experience. grouped together. While definitions are given for some terms, for others I only explain what they mean to you rather than give a technical

Algorithm The actual method the computer uses to obtain the Algorithm a math problem. Your computer doesn't contain to (usually) a math problem. Algorithm — The actual method the computer uses to obtain the answer to (usually) a math problem. What it does have is a way to have of sine, tangent and logarithms. answer to (usually) a math problem. Your computer doesn't contain What it does have is a way to tables of sine, tangent and logarithms. What it does have is a way to tables of sine, tangent and logarithms, in other words, an algorithm tables of sine, tangent equired number, in other words, an algorithm

tables of sine, tangent and logarithms. What it does have is a way to tables of sine, tangent and logarithms. In other words, an algorithm simply calculate the required number, in other words, an algorithm for 5 times 10 is 10 + 10 + 10 + 10 + 10. simply calculate the required number, in other words, an algorithm.

Simply calculate the required number, in other words, an algorithm.

The example, an algorithm for 5 times 10 is 10 + 10 + 10 + 10 + 10,

The example the computer does this in binary.

though the computer does this in binary.

Stands for Beginner's All-purpose Symbolic Instruction

BASIC Por example, an argument does this in binary. John McCormick started programming in 1965 while majoring in John McCormick and was formerly employed with Wang Labor In college, and was formerly employed with Wang Labor In college. John McCormick started programming in 1963 while majoring in physics in college, and was for THE RAINBOW.

pnysics in conege, and not for the RAINBOW.

25

Code. There, now do you feel better about having some difficulty learning such a basic sounding language?


Bug — The term "bug" comes from the early days of computing when actual insects would get inside the computer and cause problems. Today this is unlikely to occur, but it isn't unlikely that you will discover programs full of bugs, which cause lots of problems and are as difficult to eliminate as any mosquito. A bug is a programming error


Benchmark — A term you will often hear used when describing the relative merits of different computers. A benchmark is simply a standard program that is run on a number of different machines (or using a number of different pieces of software on the same machine). The relative speeds can then be directly determined by comparing the time required to execute (see execute) in each environment. This often leads to problems because the standard benchmarks may bear little relationship to the work you actually want to do, and it often turns out that the "fastest" machine (software) according to the benchmark tests is not the fastest in actual usage. Still, it is often all we have.

CAD/CAM — CAD stands for Computer-Aided Drafting (Drawing) and refers to software designed to let you draw patterns on the computer screen and use the computer to assist in editing your work. CAM is Computer-Aided Manufacturing and indicates actual physical control of some machine(s) by the computer (the computer and controlled machine together are an industrial robot).

Clock Speed — All computers use some sort of a clock to control the activities of the various memory, logic and switching functions that make up computing. Just as an electric clock is controlled by the steady 60-cycle-persecond house current, everything inside a computer is synchronized by its clock chip. In some cases, you can change this clock speed and thereby speed up the computer's operation. When comparing clock speeds of various computers the numbers aren't all that helpful; the actual throughput (see throughput) of your work depends on many other factors relating to the efficiency of your software and hardware.

Compatible — This can mean anything from virtually identical in every way to vaguely similar depending on what sort of compatibility you are talking about. For example, an ap-





Do You Want A Real Warranty. . .

or will you settle for a vague promise?

ince 1977, we have operated a Radio Shack Authorized Sales Center (ASC), in the city of Grapevine, Texas. This will be significant for you only if (a) you want a warranty which you can exercise easily, if necessary and (b) the reassurance of our long term stability and business ethics.

When you buy a Tandy/Radio Shack product from us the Tandy/Radio Shack Warranty will accompany it and the warranty and service will be available to you, anywhere in the U.S.

We will not install any foreign parts which might, and probably will, have an adverse affect upon your warranty. We will assist you in obtaining local support, should you experience difficulty, and will make an offer to buy-our-product-back* (hardware) if it dissatisfies you, within 30 days.

"We ship fast," has always been our motto and if anyone is offering you a lower price, we suggest you ask about the foreign parts (and warranty) before closing the deal. We will "NOT meet-or-beat" a lower price so you can be sure you have our best quote the first time, and our toll-free phone lines (outside Texas) make the quote easy for you to get, from 9 a.m.-5 p.m. central time, Monday thru Friday. (*For a small handling charge)

TOLL FREE 1-800-433-SALE

326 Main St. Grapevine, Texas 76051

TEXAS BUYERS ADD 51/2% SALES TAX

pliance is compatible with a wall socket if the plug fits and it operates correctly. It is still compatible if it has a new polarized plug but won't go into the old wall socket - it will work if you make a small change to the plug, i.e., it uses 110 volts and 60 cycle current. It will be incompatible if it has a totally different kind of plug and won't work on house current even if you change plugs.

Compiler/Interpreter — Terms that describe the way a language operates (you must usually buy a language separately to talk to the computer). If you have an interpreter, a program you write is interpreted one line at a time into another language (machine language) and stored until the entire program is translated. The computer then executes the program.

In a compiled language, the program is compiled one time (after all the bugs are corrected) and the resulting machine language is stored. Any time after that you just run the compiled version directly, saving the program you wrote (called the source code). A language is either interpreted or it needs a compiler. BASIC can be either, but the version that comes with most computers is interpreted.

The reason you might want an interpreter is that for short programs it is quite fast enough, and you don't have to wait for a new program to "compile," which can take awhile. An interpreter is by far the best choice if you write many short programs and make lots of changes to them.

Controller — (disk, mouse, etc.) The part that handles the transfer of data between the computer and the device. A disk drive by itself will do nothing until connected to a controller; the same goes for a mouse and other devices.

Disk Drive (bare) - A bare disk drive comes without a case and often without a power supply, so it is not a great bargain unless you know how to put all the parts together.

Copy-protected — The dreaded description of a piece of software that means you can't make a backup copy for use in the event the original program fails to work due to a problem with the disk. There is usually a way to get another copy from the manufacturer, but this is sometimes complicated and takes time. Some programs are semiprotected (my term) in that you can copy a working copy onto a hard disk, but then the original no longer works. This is only a marginal improvement because you need to know you are going to have trouble with the hard disk in order to copy the program back onto the original disk, thus making it "good" again.

Disk zap — A utility (see utility) that is helpful in recovering the data from a damaged or worn disk. "Down" is when the computer won't work. "Up" means the system is working.

Expansion board — A printed circuit board that fits into slots on the computer. These expansion boards slide into the back of a Tandy 2000, and in some other computers fit into slots internally. For these you must open the case of the computer to install new boards, but this is a simple procedure and normally does not require the computer to be taken to a dealer.

Expansion Memory — Memory that is added to what originally came with the computer, either on the mother board (see mother board) or an expansion board.

Socketed 0-256K(512K) — (referring to an expansion memory board) This means there are empty sockets installed on the expansion board, and you can either install your own chips at a later time or order it with up to the full listed amount already installed.

Execute — 1) Perform or do, as in the program executed (run). 2) What you (or your spouse) sometimes want to do to the person who introduced you to computers.

Floating Point — A number that has a decimal point in it rather than an integer (1, 2, 3, 56, etc.).

Freeware — A concept for marketing software that could be the answer to your prayers. Freeware is easily available and copies can be made for friends, but you are obligated to make a contribution to the author if you find the program useful. Otherwise, you are requested to erase it from your system. Freeware is simply the honor system applied to software sales.

Public domain — Actually is free. Software in the public domain has been donated by the author-owner to the public and is free for all to use, but not to sell as their own.

Hard disk — This is like a bunch of floppy disks glued together, or a small record. It is sealed in a container and because it is more rigid, the tolerances it operates under are more accurate, so more information can be stored on it and it can operate at a much faster rate.

Disk cartridge — A kind of hard disk that can be removed, allowing you to use one drive and have many cartridges, sort of like floppy disks.

Tape cartridge — A special device that is used to back up or make copies of hard disk files. It uses special tapes and is not suitable for using in place of a hard disk for daily use.

Internal/external disk drive — A description of whether the unit is installed in the computer case or is a stand-alone unit that can be moved from one computer to another easily if desired.

Interface — A term meaning "connection." It is used to indicate both the method of connection (parallel/serial, for example) and the actual physical device or connector (plug).

Mean time between failures (MTBF)

— A standard way of comparing components and refers to the average length of operating time between breakdowns.

Mean time to repair (MTTR) — The measure of how long something usually takes to repair and, along with MTBF, is an important consideration in purchasing equipment. If you use a computer for fun, these are less important than price, but if you use a computer to help earn a living, reliability becomes very important.

Mother board — The large circuit board in a computer that really makes it work, as opposed to the expansion boards that offer a choice of options as to how you want the computer modified

Modem/modem board — A modem is the device that translates the computer's signals over telephone lines to another computer that has the same kind of modem to translate the signals back to computer-usable form (see protocol).

A modem board is a modem mounted on a card that is user-installable in one of the slots inside the computer. This board usually fits in a "short" slot that isn't usable for most other expansion boards.

An external modem requires a cable to connect it to the RS-232 serial port on the computer, but can also be used with almost any other computer. If you don't have an RS-232 connector you need to buy an expansion board containing one, but this board may also have a number of other functions (see multifunction board).

Protocol — The method of translating computer signals into telephone-compatible signals. There are several different protocols, and your modem must operate on the same kind as the one at the remote computer.

Baud — 0-300, 1200 and 2400 are the most common Bauds, or speeds, modems normally use to interchange data. The higher the number, the faster the transfer, but higher speeds require better phone connections.

Acoustic/direct connect — An acoustic modem connects directly to a standard telephone handset and, therefore, works with a pay phone or a hotel phone, but it is more susceptible to interference from local noise. A direct connect modem attaches directly to the standard "modular" clip connector found on many phones and is usually more reliable.

Monitor/RGB/composite — A monitor is like a TV except it gives a clearer picture because it doesn't use the radio frequency signals needed to transmit TV. These same RF signals are generated by the computer, often causing interference with a normal TV. The monitor can also have more lines than a TV.

An RGB monitor needs a controller (driver) in the computer that sends a separate signal to each of the three "guns" (red, green and blue) found in all color TVs and monitors. A composite monitor needs a signal that combines all three signals. The two monitors are not compatible and cannot be interchanged.

Multifunction board — An accessory board that goes in the computer's expansion slot and has more than one added function, such as more memory, real-time clock and RAM disk (see RAM disk).

Multiprogramming/multi-user/multiprocessing — These terms mean several functions are being performed simultaneously on the computer. For instance, when using a word processing program you can print out a file while editing another.

Object code compatible — When one computer has a processor that is object code compatible with another computer, most programs that operate on one will run on the other as well.

Superset/subset (of instructions) — A computer (processor chip) uses all the same instructions as the original chip, with some new instructions added. The one with the larger set of instructions is said to have a superset and the other a subset of instructions, in relation to each other. The one with a superset runs all programs that work on the subset, but not vice versa. The instructions referred to are usually at the machine language level.

Party (first, second and third) — The first party is the computer manufacturer (in our case, Tandy), the third party is someone who makes items for use with first party equipment, and you are the party of the second part, the customer of either of the other two parties.

PC/mainframe — A PC is a personal computer. A PC is small and inexpensive enough for a person or small business to use without a special operator. A mainframe computer is larger, more expensive and so complicated that it needs a special operator to run it.

Print spooler — A software (or hardware and software) device that sets aside a portion of main memory to hold output going to the printer, thus permitting the computer to go on to other tasks while the work is being printed. Or, it is an expansion board that contains both the above mentioned software and some actual physical memory chips.

Parallel/serial — Refers to whether the data being sent between devices is sent all eight bits at the same time along a lot of wires (parallel) or one bit at a time along fewer wires (serial). You need an adapter to change from one to the other, so a serial printer won't work directly from a parallel printer port just by changing wires around.

RS-232/Centronics — RS-232 is a fairly standard method of sending serial data; centronics is the name often applied to both a physical connector and a method of sending parallel data.

RAM disk —Software that partitions a portion of main memory and makes

the computer think it is a very fast disk. It is used like any other disk except it doesn't keep anything after power is turned off. A RAM disk is also a software/hardware combination that comes on an expansion board.

Real-time clock — It has nothing to do with the speed of the computer. A real-time clock is a piece of hardware which is almost always on a board with other items, that performs the odious task of setting the computer's time and date when the computer is turned on. It has a small battery that keeps time while the main current is off. If you are getting a multifunction board with this clock it certainly is a useful addition.

Throughput — What comes out of the computer. For example, the number of letters written and printed out in a particular period of time on a word processor is its throughput.

Utility — A program whose purpose is to assist in using the computer. In other words, a utility is intended to make the computer easier to use.

UNIX/Xenix/OS-9 — These are similar operating systems (different from MS-DOS) that allow several users to hook up terminals to a computer and operate more than one program at the same time. Third parties sell add-on expansion cards that contain a different CPU (Central Processing Unit) family, the 68000 family, as opposed to our 8088 or 80286 CPUs. This new chip is well-suited to UNIX, etc., and permits you to greatly expand the capabilities of your computer, making it similar to the Tandy 6000.

Ware (hard, soft, firm and live) Hardware is something physical like your computer or printer. Software comes on a disk or printed on paper. Firmware is information or a program that is fixed in a computer chip, such as some BASICs, and isn't accessible for the user to change. Liveware is you, the

8088 — The chip (manufactured by Intel) that forms the thinking heart of your Tandy 1000 and 1200.

8087 — The Intel co-processor chip specifically designed to do the math processing for the 8088. If your programs can take advantage of it, your math computations take much less time. The 8087 can be added to the 1000 and 1200, but your software must be capable of using it to get any advantage from this approximately \$200 micro-

80186 — The CPU used in the Tandy 2000.

80286 — The CPU chip installed in the Tandy 3000.

4164 — The common part number of memory chips that are used in the 1000 and 1200. The 4164 chip has one bank of 64K memory.

41256 — A one by 256K memory chip used on some computers. It can be installed in recent 1200s to replace the 64K chips, thus upgrading memory.

I hope this glossary proves helpful and gives you just one more reason to keep your back issues of PCM forever!



A primer on DeskMate's Text editor

A Look at Text

By Bobby Ballard

ometimes it's easy to forget where you've been. This is especially true when you get involved with computers. At first, everything seems complicated or strange. Soon, however, you feel like it's all quite simple and using the computer becomes second nature.

I was reminded of this in a letter from a reader who was having problems with some of the "simple" features of Desk-Mate. Notice I put the word simple in quotes. That's because if you are new to anything it can seem complicated. This month I want to concentrate on a few of the basics found in the Text section of Desk Mate. Even if you've been using Desk Mate a long time I think you might find some helpful information, and it's a good chance to refresh your memory on some of the more obscure features found in Text.

Let's face it, the manuals that come with *Desk Mate* leave a lot to be desired. If you're used to using a computer, you may have found the manuals adequate. If you look at them from the point of

Bobby Ballard is a free-lance writer and the owner of a computer software and consulting firm. He also operates a BBS in Brooklyn. Bobby can be contacted at 1207 Eighth Avenue, Apt. 4R, Brooklyn, NY 11215. view of a first-time computer owner, the view looks bleak. There is a lack of information about the machine in general and some of the machine features that can cause problems.

Though the manuals may be insufficient, you should read both and follow the tutorials through to the end, including successfully completing the independent exercises — especially before putting a particular section to serious work. I get letters with questions whose subject matter is completely covered in the manuals. Don't let the title of the second manual, Desk Mate: A Reference Manual, fool you into not reading it. Sure, it's a reference manual, but it is written for immediate consumption. You might be surprised at what you find there.

The Printer Connection

I might have mentioned this before, but I think it bears repeating. Make sure the cable from your printer to the computer is connected correctly. The correct way on a Tandy 1000 is with the cable exiting the connector from the bottom when connected to the computer. I think this is probably the most often encountered problem for first-time owners.

By the way, the connector to the printer only connects one way. It is impossible to incorrectly connect the printer end of the cable without using force. I wonder why Tandy didn't use the same idea on both ends?

The Keyboard Influence

Another "problem" that occurs can be blamed on the design of the keyboard. It is not a problem as long as you know about it. The keyboards on most computers are designed to repeat the keystroke if the key is held down longer than a certain delay time, usually around 1.5 seconds, set by the operating system. In addition, the keyboard has a keystroke buffer that holds your keystrokes until the system can process them. If you don't know this, you can be in for some confounding experiences.

The two above features of the keyboard are active while in MS-DOS and in most other application programs. Some software allows you to turn off or adjust the keyboard delay or buffer or both. *Desk Mate* does not allow for this and I really think it's not needed as long as you know about the keyboard features and how they affect the behavior of your software.

Both of these features can make your software act as if it just went off the deep end, when, in fact, it's just processing the keys in the buffer. When this happens, pressing a key only compounds the problem instead of solving

it - especially if you hold the key down, unsuspecting of the keyboard repeat feature.

At other times you may fly past a prompt for important information. Once again, this is caused by the program processing stored keystrokes. You could be inadvertently entering unnecessary keystrokes by pressing, for example, the ENTER key after a response to a prompt that doesn't require you to do

You may think this is silly, but I've seen it time and time again: a new user asking why a program whizzes by a certain prompt without a chance to enter a response. The best way to solve this problem is to never type more keystrokes than necessary. When answering prompts, try using just one keystroke without pressing ENTER except when you are entering a filename or other obvious string data.

This might seem obvious or trivial at first, but the point was driven home recently when I sat down at a friend's AT clone and had a devil of time using his CAD program until he told me he had recently "boosted" his cursor speed and repeat delay. After that, I made a quick adjustment to the information and my problems cleared up completely. I realized how easy it is to overlook the simple things after having been at it for a few years. With that premise, I want to tour each of the sections of Desk-Mate, starting with Text, keeping in mind the less obvious and "simple."

The Tour

Let's get started with the tour. We'll start with the first menu selection and move across the screen. The first two selections, Find and Substitute, are closely related. Find locates all occurrences of a particular string, while Substitute finds and replaces one string of text with a new string of text.

The Find function is not "case sensitive." This means it does not care whether the text is upper- or lowercase to find a match. The following strings are equal in a Find operation, Fast, fast, FAST and FaSt. If it were case sensitive, only Fast would match Fast and not fast or any other combination of upper- and lowercase.

When using Substitute, Desk Mate begins to search for each occurrence of the search string. When it finds a match, Desk Mate asks if you would like to make the switch or not. Answer with Y to replace with the new text and N to continue searching the next occurrence of the search string.

The next function works like a toggle switch. When in one mode it switches to the other when invoked by the appropriate function key, in this case, F3. This toggling function switches between inserting and overstriking text. It is a pretty straightforward feature but can still be confusing as you will see.

Even to the seasoned computer user, this next example could be confusing. The menu at the bottom of the Text screen has a pair of choices for function key F3 that can be misleading. In one mode, F3 has "Add" below it and, when pressed to enter the other mode, has the selection "Replace" below it. Since it immediately follows the Find and Substitute functions, isn't it logical that Replace is related to finding and substituting? Well, no, not this time.

This time it takes the place of the INSERT key already found on the keyboard. So Add really means Insert, and

"The Merge function is very easy to understand and wouldn't normally give you a pause, except for an error in either the manual or program."

Replace really means Overstrike in traditional word processing terms. I'm sure this is to keep compatibility of Desk Mate versions among different machines more manageable — especially considering that some machines, even Tandy models, do not have an INSERT key.

The next function, Format, is a misleading title for a single and simple function. This is really the line width setting. If it also allowed you to set margins and other crucial variables, it would be properly named. However, lacking these features it's best to remember this function really only handles line width.

Don't miss this point, though, when it comes to the Format or line width function. It does affect the margins of your text, but you cannot directly set the margins with Format. For example, a line width of 70 leaves margins of five on each side of the document. A line

width of 60 leaves margins of 10 on each side. However, you cannot have a line width of 60 and margins of 15 and five, which still totals 80, because the Format command only supports line width and it automatically centers the text on the

The Merge function is very easy to understand and wouldn't normally give you a pause, except for an error in either the manual or program. (I suspect the program is the one in error.) The function works correctly but the prompt for the file to merge does not say Enter merge filename: as stated in the reference manual. Instead, you get a prompt exactly like the one found in the Save feature. It says Enter save filename: when, in fact, it wants the name of the file to merge into your document. Remember to position the cursor where you wish the merged text to begin appearing before selecting this function. Enter a blank filename to abort the Merge operation.

The function found at F6 is for saving your document without exiting the Text section. Use this feature often, particularly when you are working on important data. This allows you to keep a copy of your work on disk, as you compose, without leaving the Text section of Desk Mate. Also remember that when exiting the Text section using F12, your latest changes are automatically saved unless you use the SHIFT key in combination with F12.

This can be another confusing point for the first-time owner. When using F12 to exit Text, the program automatically saves the document using the same file given as when it was created. That's easy enough. But if you don't wish to save the changes, what do you do? Use SHIFT-F12 and answer the next prompt with a Y. The prompt is confusing because it asks if you want to Cancel Edit (Y/N). An answer of N saves the file with the latest changes included.

The next four features found in the main menu of Text are all related to each other. In this case, Select is especially important to the next three commands. Select does exactly as it says it will, it selects text for performing other operations. When you Select text, it is highlighted to help you easily see the block of text you will be using. One point important to note about Select concerns the rapid cursor movement commands. If you remember that CTRL and the arrow keys along with SHIFT and the arrow keys work in Select just as they do in normal edit mode, you're

June 1986

covered. If you are unfamiliar with the rapid cursor movement capabilities of *Desk Mate*, refer to your manuals for details. You will save yourself hours with this knowledge.

Once you have selected the text, you can do several things with it, one of which is copy it to another disk file or buffer in memory. Copy really works in two different ways, which can be confusing to the first-time user. Come to think of it, it was pretty confusing to me at first.

Remember that Copy can deal with text that has been Selected and Text that is in a file on diskette. If you have previously Selected text, pressing F8 seemingly causes nothing to happen. In reality, the text just selected is copied to an area of the computer's memory to be Inserted (more on this later) elsewhere into your text. This includes moving data across files and across applications—thus the integrated nature of Desk-Mate.

If you have not previously selected any text and you press F8, you are greeted with the prompt From: To: and you can move diskette files in and out of the buffer described above. If you have previously selected text and wish to call up the alternate Copy function, press F8 again. This calls up the above prompt to allow for diskette file input and output.

When you first see the From: To: prompt, your cursor will be flashing at the From: prompt waiting for a filename. At this point, you may enter a filename and press ENTER or you may press ENTER, thus moving the cursor beside the To: prompt.

Now that you know exactly how the Copy function works, you can achieve some pretty sophisticated file merges using *Desk Mate*. This is one of *Desk-Mate*'s strongest points.

The Delete command also works in two different fashions. If you have previously selected text (F7), the Delete function erases the selected text. If no text has been selected, Delete just erases the character under the cursor. This is exactly the same as the DELETE key on many keyboards.


The last function listed is Insert. Insert works somewhat like Merge but involves the contents of the copy buffer regardless of the source of the buffer. If you copy a file from the diskette into the copy buffer and press F10, that file would be inserted into the current

document beginning exactly where the cursor is located. But, with Insert you can also select text in the current document, copy it to the buffer, move the cursor and insert the same text at a different location in the same document. This is a handy feature and it works rather fast, even with large files. The only time I've found Text to slow down is with scrolling long documents; other functions work very fast.

Insert is the last command listed on the screen, but it's not the last function available. Another function not listed is Print. On the Tandy 1000 and 2000 you press the PRINT key to print a document. The Tandy 1200 version uses the PRT SCRN key. Check the manual for your version of *Desk Mate* and how the Print function works. Just remember to set your printer parameters using the ALT-F6 first.

I will cover the alternate functions of Desk Mate in next month's issue. If you have any questions or comments on this article, don't hesitate to write or contact me on Delphi in the MS-DOS SIG. You may also write to the address listed. Please enclose a self-addressed, stamped envelope if you would like a reply to your letter.

Plot Against Your Competition! with QuickPlot®



We're the people who gave the CGP-115 Color Plotter business status. With QuickPlot, your Model 100, or Tandy 200, produces high quality line-, bar- and pie-charts in vivid color. Simple data entry and flexible chart formatting makes QuickPlot and the CGP-115 Color Plotter the logical choice for the professional who wants to plot his profits—not spend them.



Complete QuickPlot Package Includes: Bar Chart, Pie Chart and Line Graph. Data and chart formats save to disk or tape for future plotting. \$49.00
We pay shipping on pre-paid orders

Model 100, Tandy 200 and CGP-115 are registered trademarks of Tandy Corporation.

Now you have a friend in the software business.



Computer Solutions Co. P.O. Box 24383 Louisville, KY 40224-0383 (502) 228-1440

Call or write to place your order or send for free information.

PC Phone Booth

By Leonard Hyre

ot long ago, I sat down to create a simple phone number listing program for my own use. Then I figured, why not add a mailing list feature? With these two items accomplished, it wasn't long before a graphics title screen complete with a phone booth and ringing telephone was added.

What's a PC Phone Booth, anyway? It's several things bundled together in a single package: a quick reference for phone numbers, a list of customers, Christmas card lists, mailing labels, or whatever kind of "list" you need. You can call up special "sublists" and have them printed out. For example, for a list of all "Widget" buying customers and their phone numbers, just enter Widget for the text string and phone list. At Christmas, just enter Christmas and choose mail labels. Every person on the list with "Christmas" in the remarks is printed out on a ready-to-go mailing label. Additionally, it is a learning experience for would-be programmers, with lessons in direct file access, graphics and general string manipulation.

PC Phone Booth utilizes a simple highlighted command line to move between functions. The commands include Add Record, Edit Record, List Records, Print-Copy Records, Create a File and Kill a File. The space bar is used to move the highlighted choice bar from one selection to another. Pressing the ENTER key chooses the highlighted selection for further action. You can put everyone into one file or create separate specialty files.

PC Phone Booth's handiest feature is the ability to search for records using any string of text you choose (e.g., Christmas, 21613, Hyre, Big Spender, etc). For the sake of reference, should

Leonard Hyre works as a claims representative for the Social Security Administration. He has written several articles for THE RAINBOW, PCM's sister publication for the Color Computer, and is the author of a number of commercial programs. He may be contacted at P.O. Box 403, Cambridge, MD 21613; (301) 228-0064.

you move files from one disk to another, all *PC Phone Booth* data files automatically use the extension .FON.

The only part of the program that may need configuring is the mailing list printout, which may require a different tab offset or number of line feeds following a label printout. This is because of the many sizes and shapes of labels and the different printer setups.

Direct Access Files are much like well-organized filing drawers, with each record having its own place for storage and the whole drawer having a handy reference system for finding particular pieces of information. If you follow through the listing, thinking of each portion of the program as a separate tool to perform one task needed by the program, you will be surprised at how it actually does make sense.

Three sections of the program are devoted to actually working on the file records themselves. These are Create, Add and Edit. All of them follow this simple rule: If you open a file, don't forget to close it! This is a cardinal rule for file creation and manipulation.


In the Create a File subroutine (lines 270-530), you can see that once a file is open, you cannot get out of the subroutine without encountering close. You are asked to provide a filename, which must be eight or less characters. No extension is allowed since the program automatically assigns the .FON extension.

The file structure is defined by Line 370, which tells the computer that each record in the file needs 30 "spaces" allocated as A\$, 26 as B\$, etc. Since all of our data is entered as string data to begin with, no conversion from numeric to string commands is required.

Once a new file has been created, you can continue entering information into it as long as you like. Once it is closed the first time, the Add selection is used to enter additional records. The Edit function works in a similar manner, allowing you to rewrite any one or more of the individual strings in a record, then rewrite that entire record accordingly.

Kill a File is the way to get rid of an unwanted file. This routine is found at lines 1400-1500 and is not at all complicated. The only thing to be careful about here is that you must be sure of your choice and the consequences of the same. As a safety measure, the program double-checks before performing the task of eliminating a file.

The List and Print selections share many common features since both



In addition to a price you can afford more easily:

¹A buy-back policy*, to insure you against a good idea that turned out to be a mistake or even if you simply "changed your mind". ²An exchange, for a new one, in the rare event that yours should prove to be a "lemon". ³Credit card purchasing convenience for speed and safety plus ⁴an additional discount for cash-with-order buyers and ⁵a CALL-FREE number so you can get our prices free (except Texas). ⁶A price quote which has NO ROAD-FREIGHT charges added later, we pay the freight and ⁷fast


* For a small restocking fee.

CUSTOMER SERVICE/QUESTIONS ABOUT YOUR ORDER and in TEXAS 1-817-573-4111

(9 am-5 pm TEXAS TIME MONDAY-FRIDAY)

Fort Worth Computers 377 Plaza Granbury, Texas 76048





shipping, usually next business day. *A same-day ''rush service'' for late satisfaction and *the assurance that repeat-customers exceed new ones means great satisfaction. *Deferences given upon request, to prove our bona-fides.

Tandy computers are created equal. . . all retailers are not.

Did you get "the rest of the story" before you placed your order?

(. . .good thinking. . .)









For Latest Prices (1-800-) 433-S-A-V-E

require that the program locate and provide the user with specific files as required. Using the List section as an example, the user is prompted to select files by "browse" (look at all records starting at '1'), by specific number (select number of file record to look at) or to select by specific "text."

The third method gives PC Phone Booth the versatility to be useful and friendly to the user. Suppose you did want a list of all Widget buyers. By selecting search by text, the program goes through each record searching for an occurrence of Widget. Of course, if one of the people in the file is named George Widget, his name will come up also, so be specific. Just as easily, you can list out people with a particular ZIP code, phone number exchange, etc.

Make good use of the remarks section of each record so the program works better for you. Would-be programmers might like to take a look at the use of the INSTR command in lines 1170-1240. When you elect to print out records for phone lists, mailing labels or whatever, similar routines to those for screen lists are used.

In addition to the selection of specific records, options are given for four types of listings, including complete record with remarks, name, address and phone number, the name and phone number only, or a mailing label printout. Since names are normally entered last name first for records, the program must reverse them for mailing labels. The small routine in lines 2820-2880 performs this task.

The fun part of writing the program was drawing the phone booth and making the phone ring properly. My family was beginning to lose patience at my constantly dragging them in to hear what the latest "phone ring" sounded like. When I had it sounding just right on the 1000, I thought I had it made. Then a computing friend loaded it into his 3000 and the ring sounded different. We finally came up with a ring that sounds "just about" right on either.

PC Phone Booth should run fine on any configuration of the 1000. It also works on the 3000, which indicates across the board MS-DOS compatibility among all the Tandy MS-DOS series and compatibles (like IBM). Since the 2000 supports these same screens, no real problems should crop up there, either.

If you have difficulty in getting the program to work correctly, feel free to contact me by mail or phone. My address is P.O. Box 403, Cambridge, MD

TANDY IS DANDY...

...until you compare

	Tandy Memory Plus	Zuckerboard Expansion Memory
DMA	Inc.	Inc.
with 256K	\$319.95	\$109
with 512K	\$519.90	\$149
Options:		
Clock/Calendar	\$ 99.95*	\$49
256K Upgrade	\$199.95	\$49
RAM Disk/ Print Spooler	N/A	\$49
Warranty	90 Days *with mouse	2 Years

Send the Zuckerboards I n Here's my check □ or mo	THE RESERVE OF THE PARTY OF THE		
EM with 512K Clock/calendar 256K upgrade RAM Disk/	@ \$149 = . @ \$ 49 = . @ \$ 49 = . @ \$ 49 = . @ \$249 = . @ \$529 = .	add 7% taxShippingAmountEnclosed	
ADDRESS			
TELEPHONE()	STAT	E ZIP	

A.T.D. 1287 Lawrence Station Rd., Sunnyvale, O

Half-height. Includes controller and cables. Mounts internally, above floppy drive A. Requires system with DMA already installed.

CALL TOLL-FREE TO ORDER CA (800) 233-6874 (800) 222-4920


Dr. Dr. Zucker

It's another
ZUCKERBOARD



1287 Lawrence Station Road • Sunnyvale, CA 94089 • (408) 734-4631

ZUCKERBOARD is a Trademark of Advanced Transducer Devices, Inc. TANDY 1000 is a Trademark of Radio Shack, a Division of Tandy Corporation.



:ELSE NEXT EX

46Ø PUT #1,RC%

349 "

36Ø '

File called ";FI\$ 33Ø OPEN "R",1,FI\$,128

AN\$="y" THEN 400 ELSE 520

48Ø RC%=RC%+1:GOTO 38Ø

310 IF LEN(FI\$) >8 THEN FI\$=LEFT\$(FI\$,8)

380 LOCATE 9,4:PRINT "Next Record #";RC%

350 ' *** DEFINE THE LENGTH OF EACH FIELD ***

37Ø FIELD 1,3Ø AS A\$,26 AS B\$,28 AS C\$,12 AS D\$,32 AS E\$

430 LOCATE 16,9:PRINT"Enter PHONE Number: ": LOCATE 17,9:INPUT PN\$

450 LSET A\$=NM\$:LSET B\$=ST\$:LSET C\$=CT\$:LSET D\$=PN\$:LSET E\$=RM\$

470 FOR WIPE=9 TO 19:LOCATE WIPE,4:PRINT STRING\$(40," "):NEXT WIPE

32Ø FI\$=FI\$+".fon":LOCATE 8,4:PRINT SPACE\$(5Ø):LOCATE 8,4:COLOR 3:PRINT"Creating

39% IF RC%>1 THEN LOCATE 21,4:COLOR 14:INPUT"Another [Y/N]";AN\$:IF AN\$="Y" OR

400 LOCATE 10,4:PRINT"Enter NAME (Last Name First)...":LOCATE 11,9:INPUT NMS 41Ø LOCATE 12,4:PRINT"Enter Street or PO Box Address...":LOCATE 13,9:INPUT ST\$ 42Ø LOCATE 14,4:PRINT"Enter CITY - STATE - & ZIP CODE":LOCATE 15,9:INPUT CT\$

44Ø LOCATE 18,4:PRINT"Enter REMARKS (32 Space Maximum):":LOCATE 19,9:INPUT RM\$

21613; the phone number is (301) 228-0064 (from 5 - 11:00 p.m. EST). PC Phone Booth is available on PCM ON DISK or through the MS-DOS SIG on Delphi. Should you have a question or comment concerning the program, you can leave a message to MUNCH on the

```
490 '
500 '** ALWAYS CLOSE THE FILE ! ***
510 '
520 CLOSE 1
53g GOSUB 337g:LOCATE 5,49:COLOR 3:PRINT M$(5):LOCATE 5,3:COLOR 15,4:PRINT M$(1)
                                                                                           :GOTO 292Ø
540
55Ø '
560 '*** LIST a File ***
570
58Ø LOCATE 23,1:COLOR ,Ø:PRINT SPACE$(8Ø):LOCATE 23,1:COLOR 2,Ø:PRINT"Selective
List of Phone Booth entries..."
59Ø LOCATE 8,4:COLOR 3:INPUT"NAME of File To Use [No .ext] ";FI$:IF FI$=""THEN 8
30
699 FOR EX=1 TO LEN(FI$):IF MID$(FI$,EX,1)="." THEN COLOR 4:LOCATE 9,4:PRINT"ILL
EGAL Filename!":SOUND 399,2:FOR P=1 TO 2999:NEXT:LOCATE 8,4:PRINT SPACE$(59):LOC
ATE 9,4:PRINT SPACE$(5Ø):GOTO 59Ø:ELSE NEXT EX
61Ø IF LEN(FI$)>8 THEN FI$=LEFT$(FI$,8)
62Ø FI$=FI$+".FON"
63Ø OPEN "R".1.FI$.128
64Ø FIELD 1,3Ø AS A$,26 AS B$,28 AS C$,12 AS D$,32 AS E$
65Ø SIZE=128
66Ø LOCATE 21,55:COLOR 14:PRINT"Number of Records:";(LOF(1)/SIZE):IF (LOF(1)/SIZ
E)=Ø THEN LOCATE 1Ø,4:COLOR 4:PRINT"NO RECORDS in File by that Name!":FOR P=1 TO
 2999:NEXT:LOCATE 19,4:PRINT SPACE$(59):LOCATE 8,4:PRINT SPACE$(59):CLOSE 1:GOTO
 590
67Ø RC%=1
680 GOTO 890
690 FOR MAX=1 TO (LOF(1)/SIZE)
700 IF RC% = 0 OR RC% > (LOF(1)/SIZE) THEN 820
71Ø GET #1,RC%
720 LOCATE 9,4:PRINT "Record Number: ";RC%
73Ø IF VAL(CH$) ⇔1 THEN 79Ø
740 LOCATE 10,4:PRINT"Name : "A$
750 LOCATE 11,4:PRINT"Street: "B$
760 LOCATE 12,4:PRINT"Cty/St: "C$
770 LOCATE 13,4:PRINT"Phone:
789 LOCATE 14,4:PRINT"Remark: "E$
79Ø AK$=INKEY$:IF AK$=""THEN 79Ø
800 FOR WIPE=10 TO 15:LOCATE WIPE, 4:PRINT STRING$(40," "):NEXT
810 RC%=RC%+1: NEXT MAX
820 CLOSE 1
83Ø GOSUB 337Ø:LOCATE 21,55:PRINT SPACE$(23):LOCATE 23,1:PRINT SPACE$(8Ø)
84$ LOCATE 5,16:COLOR 3,$:PRINT M$(3):LOCATE 5,3:COLOR 15,4:PRINT M$(1):GOTO 292
850 '
860 '
870 '** MENU FOR SELECTIVE LISTING ***
880
89% LOCATE 9,4:COLOR 2:PRINT"Select TYPE of LISTING you desire-":COLOR 15
900 LOCATE 10,10:PRINT"1> Browse Through File"
910 LOCATE 11,10:PRINT"2> Specific Record by NUMBER"
920 LOCATE 12,10:PRINT"3> Search by 'TEXT' Occurrence"
93Ø LOCATE 14,4:COLOR 2:PRINT"Press NUMBER of Choice":LOCATE 13,1Ø:PRINT"
94Ø CH$=INKEY$:IF CH$=""THEN 94Ø
950 IF VAL(CH$)<1 OR VAL(CH$)>3 THEN SOUND 300,2:GOTO 940
96Ø FOR WIPE=9 TO 14:LOCATE WIPE, 4:PRINT SPACE$(5Ø):NEXT
970 ON VAL(CH$) GOTO 690,1010,1160
980 '
999 '*** SEARCH BY NUMBER ***
1919 LOCATE 21,4:COLOR 13:PRINT"Enter 9 To EXIT To Menu":LOCATE 19,4:COLOR 15,1:
INPUT"RECORD NUMBER TO VIEW"; RC%
1929 IF RC%=9 THEN CLOSE 1:COLOR ,9:LOCATE 21,4:PRINT SPACE$(49):GOTO 839
1939 IF RC%> (LOF(1)/SIZE) THEN LOCATE 11,4:COLOR 4,15:PRINT"No Such Record #":F
OR P=1 TO 2000:NEXT:COLOR ,0:LOCATE 11,4:PRINT SPACE$(50):LOCATE 10,4:PRINT SPACE
E$(50):GOTO 1010
1949 GET #1,RC%
1959 COLOR 2,9:LOCATE 12,4:PRINT"Name : "A$
1969 LOCATE 13,4:PRINT"Street: "B$
 1979 LOCATE 14,4:PRINT"Cty/St: "C$
 1989 LOCATE 15,4:PRINT"Phone : "D$
 1999 LOCATE 16,4:PRINT"Remark: "E$
```

1199 LOCATE 18,4:COLOR 14:PRINT"Press ANY KEY for another Selection.." 1110 AK\$=INKEY\$:IF AK\$=""THEN 1110 1129 LOCATE 19,4:PRINT SPACE\$(24):FOR WIPE=12 TO 18:LOCATE WIPE,4:PRINT SPACE\$(5 9):NEXT WIPE:GOTO 1919 1130 ' 1149 '*** STRING SEARCH *** 1150 ' 116g LOCATE 2g,4:PRINT"Hit 'g' To EXIT to Menu":LOCATE 21,4:COLOR 13:PRINT "Any Other Key To Continue": LOCATE 19,4: COLOR 15,9: INPUT"Enter the Exact TEXT to matc h":STS 1170 FOR MAX=1 TO (LOF(1)/SIZE) 118Ø GET #1,RC% 1190 IF INSTR(A\$, ST\$) THEN 1250 1299 IF INSTR(B\$,ST\$) THEN 1259 121Ø IF INSTR(C\$,ST\$) THEN 125Ø 1220 IF INSTR(D\$,ST\$) THEN 1250 123Ø IF INSTR(E\$,ST\$) THEN 125Ø 124Ø GOTO 133Ø 1250 LOCATE 9,4:PRINT"Record Number: ":RC% 1260 LOCATE 10,4:PRINT"Name : "A\$ 1270 LOCATE 11,4:PRINT"Street: "B\$ 1280 LOCATE 12,4:PRINT"Cty/St: "C\$ 1290 LOCATE 13,4:PRINT"Phone: "D\$ 1300 LOCATE 14,4:PRINT"Remark: "ES 1310 AK\$=INKEY\$:IF AK\$=""THEN 1300 1320 IF AK\$="0" THEN 1350 133Ø IF RC%=(LOF(1)/SIZE) THEN COLOR 15,4:LOCATE 16,4:PRINT"End of FILE Encounte red":SOUND 300,2:FOR P=1 TO 1000:NEXT P:GOTO 1350 1340 RC%=RC%+1: NEXT MAX 135% LOCATE 5,3:COLOR 15,4:PRINT M\$(1):LOCATE 5,16:COLOR 3,6:PRINT M\$(3):GOSUB 3 370 1360 CLOSE 1:GOTO 2900 1370 ' 1380 '*** KILL [Utterly Destroy] A File *** 1390 ' 1499 LOCATE 23,1:COLOR ,9:PRINT SPACE\$(89):LOCATE 23,1:COLOR 13,9:PRINT"KILL - F ile Will Be Destroyed! Be CAREFUL!" 1410 LOCATE 9,4:COLOR 3,0:PRINT"Enter NAME of FILE to be KILLED....":LOCATE 10, 4: INPUT KL\$ 1420 FOR EX=1 TO LEN(KL\$):IF MID\$(KL\$,EX,1)="."THEN 1430:ELSE NEXT EX:GOTO 1440 1430 LOCATE 10,4:COLOR 4:PRINT"Illegal FILE NAME....Do Not Enter the .EXT":BEEP :FOR P=1 TO 2000:NEXT:LOCATE 10,4:PRINT SPACE\$(50):COLOR 3:GOTO 1410 1440 KL\$=KL\$+".FON":LOCATE 12,4:PRINT"Preparing to DESTROY FILE called ";KL\$ 1450 ON ERROR GOTO 1500 1460 LOCATE 14,4:PRINT"Hit the Y key to KILL...any other key to CANCEL." 1470 CH\$=INKEY\$:IF CH\$=""THEN 1470 1480 IF CH\$="Y" OR CH\$="Y" THEN KILL KL\$:FOR P=1 TO 1000:NEXT 149g LOCATE 5,64:COLOR 3,g:PRINT M\$(6):FOR WIPE=9 TO 16:LOCATE WIPE,4:PRINT SPAC E\$(6Ø):NEXT:LOCATE 5,3:COLOR 15,4:PRINT M\$(1):GOTO 292Ø 1599 LOCATE 16,4:COLOR 15:PRINT"Sorry- NO SUCH FILE Existed!":FOR P=1 TO 2999:NE XT:GOTO 1490 1510 1520 '*** ADD an Entry *** 1530 1 1540 LOCATE 23,1:COLOR 15,1:PRINT SPACE\$(80):LOCATE 23,1:PRINT"ADD to Existing F iles": COLOR , Ø 155% LOCATE 8,4:COLOR 2:INPUT "Enter Name Of FILE To Use";FI\$:IF FI\$=""THEN 155% 1569 FOR EX=1 TO LEN(FI\$):IF MID\$(FI\$,EX,1)="." THEN COLOR 4:LOCATE 9,4:PRINT"I llegal FILE Name!":SOUND 300,2:FOR P=1 TO 2000:NEXT:LOCATE 8,4:PRINT SPACE\$(50): LOCATE 9,4:PRINT SPACE\$(5Ø):GOTO 155Ø:ELSE NEXT EX 157Ø FI\$=FI\$+".FON" 158Ø OPEN "R",1,FI\$,128 159Ø FIELD 1,3Ø AS A\$,26 AS B\$,28 AS C\$,12 AS D\$,32 AS E\$ 1600 SIZE=128 161@ LOCATE 21,55:COLOR 14:PRINT"Number of Records: ";(LOF(1)/SIZE):IF (LOF(1)/SI ZE)=Ø THEN LOCATE 10,4:COLOR 4:PRINT"NO RECORDS in File by that Name!":FOR P=1 T O 2999:NEXT:LOCATE 19,4:PRINT SPACE\$(59):LOCATE 8,4:PRINT SPACE\$(59):CLOSE 1:GOT 0 1550 1620 RC%=(LOF(1)/SIZE)+1 1630 LOCATE 9,4:PRINT"Adding Record #";RC% 1649 LOCATE 19,4:PRINT"Enter NAME (Last Name First)...":LOCATE 11,9:INPUT NM\$ 165% LOCATE 12,4:PRINT"Enter Street or PO Box Address...":LOCATE 13,9:INPUT ST\$ 166@ LOCATE 14,4:PRINT"Enter CITY - STATE - & ZIP CODE":LOCATE 15,9:INPUT CT\$ 1670 LOCATE 16,9:PRINT"Enter PHONE Number: ": LOCATE 17,9:INPUT PN\$

PCM

```
168@ LOCATE 18,4:PRINT"Enter REMARKS (32 Space Maximum):":LOCATE 19,9:INPUT RM$
1690 LSET A$=NM$:LSET B$=ST$:LSET C$=CT$:LSET D$=PN$:LSET E$=RM$
1700 PUT #1,RC%
                                                                                                                                              man and a summer of the summer
171Ø GOSUB 337Ø
1720 LOCATE 21,4:COLOR 15:PRINT"Add Another Record [ Y/N ]"
1730 AK$=INKEY$:IF AK$=""THEN 1730
1740 IF AK$="Y" OR AK$="y" THEN 1750 ELSE 1770
1750 LOCATE 21,4:PRINT SPACE$(40)
1760 GOTO 1620
1770 CLOSE 1:GOSUB 3370:GOTO 2900
1780 '
1790 '*** EDIT Existing File ***
1800 '
1810 LOCATE 23,1:COLOR 15,1:PRINT SPACE$(80):LOCATE 23,1:PRINT"EDIT an Existing
File": COLOR , Ø
1820 LOCATE 8,4:COLOR 2:INPUT"Enter Name of FILE to use ";FI$:IF FI$=""THEN 1770
183Ø FOR EX=1 TO LEN(FI$):IF MID$(FI$,EX,1)="." THEN COLOR 4:LOCATE 9,4:PRINT"IL
LEGAL Filename!":SOUND 300,2:FOR P=1 TO 2000:NEXT:LOCATE 8,4:PRINT SPACE$(50):LO
CATE 9,4:PRINT SPACE$(50):GOTO 1550:ELSE NEXT EX
1840 FIS=FIS+".FON"
185Ø OPEN "R",1,FI$,128
1869 FIELD 1,39 AS A$,26 AS B$,28 AS C$,12 AS D$,32 AS E$
187Ø SIZE=128
1889 LOCATE 21,55:COLOR 14:PRINT"Number of Records:";(LOF(1)/SIZE):IF (LOF(1)/SI
ZE)=Ø THEN LOCATE 1Ø,4:COLOR 4:PRINT"NO RECORDS in File by that Name!":FOR P=1 T
O 2999:NEXT:LOCATE 19,4:PRINT SPACE$(59):LOCATE 8,4:PRINT SPACE$(59):CLOSE 1:GOT
0 1820
1890 LOCATE 9,4:COLOR 2:INPUT"Enter Record Number to EDIT"; RC%
1900 IF RC% = THEN 2060
1910 IF RC% > (LOF(1)/SIZE) THEN LOCATE 11,4:COLOR 4,15:PRINT"No Such Record #":
FOR P=1 TO 2000:NEXT:COLOR ,0:LOCATE 11,4:PRINT SPACE$(50):LOCATE 10,4:PRINT SPA
CES(5Ø):GOTO 189Ø
1920 GET #1,RC%
193@ LOCATE 1@,4:PRINT"Change This:";:COLOR 15:PRINT A$;:COLOR 2:INPUT" Y/N";CG
S:IF CGS="Y" OR CG$="y" THEN LOCATE 11,4:PRINT"Input New";:COLOR 15:INPUT NM$:C
OLOR 2:ELSE A$=NM$
1940 FOR WIPE=10 TO 11:LOCATE WIPE, 4:PRINT SPACES(60):NEXT
195@ LOCATE 1@,4:PRINT"Change This:";:COLOR 15:PRINT B$;:COLOR 2:INPUT" Y/N";CG
$:IF CG$="Y" OR CG$="y" THEN LOCATE 11,4:PRINT"Input New";:COLOR 15:INPUT ST$:C
OLOR 2:ELSE B$=ST$
1960 FOR WIPE=10 TO 11:LOCATE WIPE, 4:PRINT SPACE$(60):NEXT
1970 LOCATE 10,4:PRINT"Change This:";:COLOR 15:PRINT C$;:COLOR 2:INPUT" Y/N";CG
 $:IF CG$="Y" OR CG$="Y" THEN LOCATE 11,4:PRINT"Input New";:COLOR 15:INPUT CT$:C
 OLOR 2:ELSE C$=CT$
 1980 FOR WIPE=10 TO 11:LOCATE WIPE, 4:PRINT SPACE$(60):NEXT
 1990 LOCATE 10,4:PRINT"Change This:";:COLOR 15:PRINT D$;:COLOR 2:INPUT" Y/N";CG
 $:IF CG$="Y" OR CG$="y" THEN LOCATE 11,4:PRINT"Input New";:COLOR 15:INPUT PN$:C
 OLOR 2:ELSE D$=PN$
 2000 FOR WIPE=10 TO 11:LOCATE WIPE, 4:PRINT SPACE$(60):NEXT
 2010 LOCATE 10,4:PRINT"Change This:";:COLOR 15:PRINT E$;:COLOR 2:INPUT" Y/N";CG
 $:IF CG$="Y" OR CG$="y" THEN LOCATE 11,4:PRINT"Input New";:COLOR 15:INPUT RM$:C
 OLOR 2:ELSE E$=RM$
 2929 FOR WIPE=19 TO 11:LOCATE WIPE, 4:PRINT SPACE$(69):NEXT
 2939 LSET A$=NM$:LSET B$=ST$:LSET C$=CT$:LSET D$=PN$:LSET E$=RM$
 2040 PUT #1,RC%
 2959 FOR WIPE=9 TO 11:LOCATE WIPE, 4:PRINT SPACE$(69):NEXT:GOTO 1899
 2060 FOR WIFE=8 TO 21:LOCATE WIPE, 4:PRINT SPACE$(74):NEXT:CLOSE 1:GOTO 2900
 2070 '
 2080 '*** PRINTER OPERATIONS ***
 2100 LOCATE 8,4:COLOR 14:INPUT"Input NAME Of FILE TO Use";FI$:IF FI$=""THEN 2100
 211@ FOR EX=1 TO LEN(FI$):IF MID$(FI$,EX,1)="." THEN COLOR 4:LOCATE 9,4:PRINT"IL
 LEGAL Filename!":SOUND 300,2:FOR P=1 TO 2000:NEXT:LOCATE 8,4:PRINT SPACE$(50):LO
 CATE 9,4:PRINT SPACE$(5Ø):GOTO 21ØØ:ELSE NEXT EX
 212Ø IF LEN(FI$)>8 THEN FI$=LEFT$(FI$,8)
 213Ø FI$=FI$+".FON"
 2140 OPEN "R",1,FI$,128
 215Ø FIELD 1,3Ø AS A$,26 AS B$,28 AS C$,12 AS D$,32 AS E$
 2160 SIZE=128
 217Ø LOCATE 9,4:COLOR 3,Ø:PRINT"Select TYPE of Printer List You Want:"
  2189 LOCATE 19,4:COLOR 15:PRINT"1> Complete Record (include remarks)"
 2190 LOCATE 11,4:PRINT"2> Name, Address and Phone Number"
 2200 LOCATE 12,4:PRINT"3> Phone Listing (Name and Phone #)"
 221Ø LOCATE 13,4:PRINT"4> Mailing Labels"
```





funny thing has happened in the home video market. As it gets easier and easier to watch what you want, it gets harder and harder to decide what that might be.

Dozens of new tapes are released into the stores every week, along with hundreds of hours of programming on the network and cable channels. It has reached a point where even the most devoted videophile can use a little help sorting through it all.

Now that help is available.

Inside VCR you will find clear, easy-to-read reviews of all the best new releases. You'll find out about littleknown videos - what they're about and where to get them. And in the feature articles, you'll find some very entertaining reading about the entertainment business.

Now that you've discovered VCR, you won't want to risk missing a single issue. You can save yourself the trouble of walking to the newsstand each month, and save yourself some money at the same time.

Just fill out the attached card and drop it in the mail. Or even easier, call (502) 228-4492 and ask for Sandy. She'll see to it that VCR is delivered right to your door each and every month of the year.



At only \$15, that's 36 percent off the regular newsstand price. ZIP _ State is enclosed. (In order to hold down costs, we do not bill.) Charge to: ☐ VISA ☐ MasterCard ☐ American Express *Subscriptions to VCR are \$15 a year in the United States. Canadian rate is U.S. \$22. Air mail rate elsewhere is U.S. \$60. All subscriptions begin with the current issue. Please allow 6 to 8 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill. To order by phone (credit card orders only) call 1-800-847-0309, 8 a.m. to 5 p.m. EST.

Mail to: VCR, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

GOING PORTABLE?

WHAT ARE THE TWO MOST IMPORTANT CONSIDERATIONS?

SIZE AND WEIGHT!

This printer is half the size and half the weight of your Model 100. Anywhere you happen to be, cruising at 30,000 feet or in a cab to an important business meeting, you can get a quick and quiet printout. A perfect companion for your Model 100/200/600.

FEATURES?

This printer has them all:

- 81/2" wide thermal paper
- 512 byte buffer
- Epson MX-80 bit-mapped graphics
- · Built-in automatic self test function
- Excellent User's Manual

(ACTUAL print sample)
80 Chars/Line, 40 CPS!
Enlarged!
underlined Emphasized!
CONDENSED gives you 160 chars. per line!

\$99 GRAND TOTAL

You get the printer and a specially made 18" cable (connects printer to your Model 100/200/600 or NEC 8201/8401), 20' roll of paper, a paper holder, and 4 "C" batteries — everything you need to start printing immediately with the push of a button. This price also includes free UPS surface shipping in the cont. USA. There is no surcharge for VISA/MC/Amex — even the phone call is free.

RUGGED

This printer was designed to print over 300,000 lines without maintenance — that's over 104 pages every week for a year.

DIRECT TO YOU

We've been selling this printer to our portable customers and corporate accounts for over a year. Two of our largest accounts, NBC and National Geographic, use them in the field all over the world. To meet the demand we have gone direct to the Japanese manufacturer. Our large volume cost is unbelievable — that's why we can offer it direct to you at this fantastic price, yet still give you great service and support (6 month parts/labor warranty, 30 day money back satisfaction guarantee).

SUPPORT

We stock paper (rolls and sheets), cables, and accessories for the printer. The full accessory kit costs only \$24 and includes a carrying case, 100' roll of paper, and an A/C adapter (saves batteries when A/C power is convenient).

NO RISK

Try it for 30 days, ask your friends and business associates if they've ever seen anything like it. You can return it in 30 days for any reason and get a full refund. Don't let yourself miss this portable printer bargain of a lifetime.





TANDY 200 24K Memory Module \$89 - two for \$170

Can be installed in less than 2 minutes, the only tool required is a coin to pop open the hatch. The TANDY 200 is expandable to 72K by adding two of our 24K modules. Built with the lowest power and most reliable memory chips available. The pins are made specifically for the TANDY 200 chip socket. 2-Year Warranty.

MODEL 100 NEC PC-8201A, Olivetti M10 **8K Memory Module** \$29 — three for \$79

Plugs into the socket providedexpanding your memory by 8,192 bytes. Super low power components for long battery life. Low profile which is very important to properly fit the NEC PC-8201A. Tens of thousands sold since 1983. 2-Year Warranty.

TANDY 600 96K Memory Unit \$249 — two for \$469

You can install one or two of these units inside your TANDY 600 giving you a maximum of 224K.

tax. Checks allow 3 weeks to clear. Institutions and Corporations call for purchase order approval.

1-800-732-5012 TOLL FREE Orders only (8am. - 5pm. PST)

In California (805) 987-4788 For orders or customer service

If you would like our latest product catalog or to find a dealer near you, please write or call (805) 987-4788

PURPLE COMPUTING

420 Constitution Ave. Camarillo, CA 93010 Telex: 888661 (PURPLE)

Canada: Canada Portable Computer. Langley, B.C. (604) 856-8858

RAM EXPANSIONS!

FOOLISH TO PAY MORE - DANGEROUS TO PAY LESS

```
2229 LOCATE 16,4:COLOR 2:PRINT"Press Number Of Choice":LOCATE 17,4:PRINT"
2230 TY$=INKEY$:IF TY$=""THEN 2230
2240 IF VAL(TY$)> 4 THEN 2230
225Ø GOSUB 337Ø
2269 LOCATE 9,4:COLOR 3:PRINT"Select Specifics Of Printer List:"
2270 LOCATE 10,4:COLOR 15:PRINT"1> All Records"
228Ø LOCATE 11,4:PRINT"2> Specific Record Numbers"
2290 LOCATE 12,4:PRINT"3> Search By 'TEXT' Occurrence"
23gg LOCATE 14,4:COLOR 2:PRINT"Press Number Of Choice":LOCATE 15,4:PRINT"
2310 NCS=INKEYS: IF NCS=""THEN 2310
232Ø IF VAL(NC$)> 3 THEN 232Ø
233Ø FOR WIPE=8 TO 15:LOCATE WIPE, 4:PRINT SPACE$(7Ø):NEXT
2349 LOCATE 19,4:COLOR ,9:PRINT SPACE$(79)
235Ø IF VAL(NC$)=2 THEN 248Ø ELSE IF VAL(NC$)=3 THEN 259Ø
236Ø RC%=1
2370 FOR MAX=1 TO (LOF(1)/SIZE)
2380 IF RC% =0 OR RC% > (LOF(1)/SIZE) THEN 2420
239Ø GET #1,RC%
2400 GOSUB 2760
2410 RC%=RC%+1:NEXT MAX
2420 CLOSE 1
243@ COLOR 3, @:FOR WIPE=8 TO 14:LOCATE WIPE, 4:PRINT SPACE$(7@):NEXT
2440 LOCATE 5,35:PRINT M$(4):LOCATE 5,3:COLOR 15,4:PRINT M$(1):GOTO 2900
2450
2460 '** PRINT OUT SPECIFIC RECORD NUMBERS
2479 '
248$ LOCATE 21,4:COLOR 13:PRINT"Enter $ To EXIT TO Menu":LOCATE 1$,4:COLOR 15,1:
INPUT"RECORD NUMBER TO PRINT": RC%
2490 IF RC%=0 THEN CLOSE 1:COLOR 3.0:LOCATE 10.4:PRINT SPACE$(50):LOCATE 21.4:PR
INT SPACE$ (49): GOTO 2449
2599 IF RC%> (LOF(1)/SIZE) THEN LOCATE 11,4:COLOR 4,15:PRINT"No Such Record #":F
OR P=1 TO 2000:NEXT:COLOR .0:LOCATE 11,4:PRINT SPACE$(50):LOCATE 10,4:PRINT SPAC
E$(5Ø):GOTO 248Ø
251Ø GET #1,RC%
252Ø GOSUB 276Ø
2539 LOCATE 18,4:COLOR 14:PRINT"Press ANY KEY for another Selection.."
2540 AK$=INKEY$:IF AK$=""THEN 2540
255@ COLOR ,@:LOCATE 1@,4:PRINT SPACE$(5@):FOR WIPE-12 TO 18:LOCATE WIPE,4:PRINT
 SPACE$(50):NEXT WIPE:GOTO 2480
2560 1
2570 '*** PRINT OUT BY TEXT STRING ***
2580 '
259@ RC%=1:LOCATE 21,4:COLOR 13:PRINT "Enter @ to EXIT To Menu":LOCATE 10,4:COLO
R 15,9:INPUT"Enter the Exact TEXT to match";ST$
2600 FOR MAX=1 TO (LOF(1)/SIZE)
261Ø GET #1,RC%
2620 IF INSTR(A$,ST$) THEN 2680
2639 IF INSTR(B$,ST$) THEN 2689
2649 IF INSTR(C$,ST$) THEN 2689
2659 IF INSTR(D$,ST$) THEN 2689
2669 IF INSTR(E$,ST$) THEN 2689
267Ø GOTO 269Ø
268Ø GOSUB 276Ø
2699 IF RC%=(LOF(1)/SIZE) THEN COLOR 15,4:LOCATE 16,4:PRINT"End of FILE Encounte
red":SOUND 300,2:FOR P=1 TO 1000:NEXT P:GOTO 2710
2700 RC%=RC%+1: NEXT MAX
2719 LOCATE 5,3:COLOR 15,4:PRINT M$(1):LOCATE 5,35:COLOR 3,9:PRINT M$(4):GOSUB 3
370
272Ø CLOSE 1:GOTO 29ØØ
2730
2749 '*** PRINTER ROUTINES ***
2750
2760 IF VAL(TY$)=1 THEN LPRINT A$:LPRINT B$:LPRINT C$:LPRINT D$:LPRINT E$:LPRINT
277Ø IF VAL(TY$)=2 THEN LPRINT A$:LPRINT B$:LPRINT C$:LPRINT D$:LPRINT:LPRINT
2780 IF VAL(TY$)=3 THEN LPRINT A$:LPRINT D$:LPRINT:LPRINT
279Ø IF VAL(TY$)=4 THEN GOSUB 282Ø
2899 IF VAL(TY$)=4 THEN LPRINT TAB(4); FIRST$; SECOND$: LPRINT TAB(4); B$: LPRINT TAB
(4); C$: FOR SKIP=1 TO 4: LPRINT: NEXT SKIP
2810 RETURN
282Ø FOR SW=1 TO LEN(A$):IF MID$(A$,SW,1)=" " THEN 283Ø ELSE NEXT SW:RETURN
283Ø FIRST$=RIGHT$(A$, LEN(A$)-SW):SECOND$=LEFT$(A$, SW-1)
```

```
284Ø FOR X=1 TO LEN(FIRST$):IF MID$(FIRST$,X,1)=" " THEN 285Ø ELSE NEXT X
285Ø FIRST$=LEFT$(FIRST$,X)
286@ FOR X=1 TO LEN(SECOND$):IF MID$(SECOND$,X,1)=" " THEN 287@ ELSE NEXT X
287Ø SECOND$=LEFT$(SECOND$,X)
288Ø RETURN
2890 '
2900 '** MENU Selection ***
2910 '
292Ø M$(1)="Add":M$(2)="Edit":M$(3)="List (Selective)":M$(4)="Print-Copy ":M$(5)
="Create (New)":M$(6)="Kill (Existing)"
2930 LOCATE 23,1:COLOR 15,0:PRINT SPACE$(80):LOCATE 23,1:PRINT"Menu Selections--
Hit [ space bar ] to CHANGE or [ ENTER ] to Select!
294Ø SELECT=1
295Ø CH$=INKEY$:IF CH$=""THEN 295Ø
296Ø IF ASC(CH$)=32 THEN 299Ø 'update menu display
2970 IF ASC(CH$)=13 THEN 3080 'exit menu and branch to action
298Ø GOTO 295Ø
299Ø SELECT=SELECT+1:IF SELECT=7 THEN SELECT=SELECT-6
3000 SOUND 2600,.8
3Ø1Ø IF SELECT=1 THEN LOCATE 5,64:COLOR 3,Ø:PRINT M$(6):LOCATE 5,3:COLOR 15,4:PR
INT M$(1)
3929 IF SELECT=2 THEN LOCATE 5,3:COLOR 3,9:PRINT M$(1):LOCATE 5,9:COLOR 15,4:PRI
NT M$(2)
3939 IF SELECT=3 THEN LOCATE 5,9:COLOR 3,9:PRINT M$(2):LOCATE 5,16:COLOR 15,4:PR
INT M$(3)
3949 IF SELECT=4 THEN LOCATE 5,16:COLOR 3,9:PRINT M$(3):LOCATE 5,35:COLOR 15,4:P
RINT M$(4)
3959 IF SELECT=5 THEN LOCATE 5,35:COLOR 3,9:PRINT M$(4):LOCATE 5,49:COLOR 15,4:P
RINT M$(5)
3969 IF SELECT=6 THEN LOCATE 5,49:COLOR 3,9:PRINT M$(5):LOCATE 5,64:COLOR 15,4:P
RINT M$(6)
3Ø7Ø GOTO 295Ø
3080 ON SELECT GOTO 1540,1810,560,2100,250,1400
3090 '
3100 CLOSE 1:GOTO 2900
3110
3120 '*** Graphic TITLE Screen ***
3130 '
3140 KEY OFF: SCREEN 1,1: COLOR Ø,7:CLS
3150 LINE(100,30)-(170,180),2,B:LINE(103,32)-(167,178),2,B:LINE(170,30)-(190,25)
,2:LINE-(12Ø,25),2:LINE-(19Ø,3Ø),2:LINE(19Ø,25)-(19Ø,17Ø),2:LINE-(17Ø,18Ø),2
3160 LINE(190,180)-(120,175),2:LINE-(120,30),2:LINE(120,175)-(167,175),2
317Ø PAINT(175,4Ø),3,2:PAINT(1Ø5,4Ø),3,2:PAINT(125,28),1,2
3180 PUB$="Public Phone"
319Ø X=6:Y=12
3200 FOR PT=1 TO 12:LOCATE X,Y:PRINT MID$(PUB$,PT,1):X=X+1:NEXT
321Ø LINE(85,34)-(99,14Ø),3,B:'PAINT(87,36),1,3
322Ø LINE(138,6Ø)-(148,8Ø),1,BF:LINE-(153,76),1:LINE-(153,56),1:LINE-(148,6Ø),1:
LINE(153,56)-(143,56),1:LINE-(138,60),1
323Ø CIRCLE(143,65),4:CIRCLE(143,65),3:LINE(14Ø,71)-(146,79),3,BF:LINE(15Ø,63)-(
153,76),3,BF
324Ø DRAW"bm14Ø,97;cld2g1Øf15e1Øh15":PAINT(14Ø,1Ø2),2,1:DRAW"bm14Ø,1Ø2;clg6bf3e6
bf3g4"
325Ø DRAW"BM22Ø,11Ø;ClR4ØD3ØL4ØU3ØE3R4ØG3BE3D3ØG3BH8BU5L25U5R25D5":PAINT(23Ø,123
),3,1:PAINT(224,112),2,1
3260 LOCATE 15,30:PRINT "US":LOCATE 17,29:PRINT"MAIL":LOCATE 16,34:PRINT"<-":LOC
ATE 15,36:PRINT"/
3270 LOCATE 2,10:PRINT"P H O N E - B O O T H"
328Ø LINE(4Ø,Ø)-(28Ø,2Ø),2,B:LINE(41,1)-(279,19),1,B:LINE(42,2)-(278,18),3,B
329Ø DRAW "bm151,77;c2d7g111hlu4":DRAW"bm125,95;c2r3@e213@f2"
3300 LINE(99,170)-(0,170),1:LINE(190,170)-(319,170),1:LINE(0,190)-(319,190),1
3310 FOR RING=1 TO 3:FOR K=2300 TO 1800 STEP-25:SOUND 1288,.37
332Ø LINE(134,54)-(137,58),3:LINE(134,78)-(137,74),3:LINE(155,58)-(158,54),3:LIN
E(155,74)-(158,78),3
333Ø FOR P=1 TO 1Ø:NEXT:LINE(134,54)-(137,58),Ø:LINE(134,78)-(137,74),Ø:LINE(155
 ,58)-(158,54),Ø:LINE(155,74)-(158,78),Ø:NEXT
3340 FOR P=1 TO 1000:NEXT:NEXT RING
335Ø LOCATE 23,3Ø:PRINT "by L. Hyre"
3360 FOR P=1 TO 2000:NEXT P:RETURN
337Ø FOR WIPE=8 TO 21:LOCATE WIPE,4:PRINT SPACE$(74):NEXT WIPE:RETURN
338Ø CLOSE: SYSTEM
```

PCM

Allow your program to make decisions with . . .

BASIC Control Structures

By Richard A. White

Richard White has a long background with microcomputers and specializes in BASIC programming. He has authored numerous programs and articles. His work has also appeared in PCM's sister publication, THE RAINBOW.

control structure is one of a number of statements that allows a program to make a choice. There is always some test made to determine which course of action to follow. Though the test may be complex and consist of a group of conditions, it boils down to either the conditions are true or false.

Consider the FOR . . . TO . . . NEXT control structure.

10 FOR X=1 TO 10 20 do something 50 finished doing it 60 NEXT

The first test is made when the NEXT in Line 60 is encountered. This means that the program will always do something at least once. When NEXT is encountered, X is incremented by one (the default since STEP was not specified), and a check is made to assure that X is equal to or less that 10. As long as this condition is true, the program returns to Line 20 and does "something" again.

Since X is just a variable like any other, you can use its value in your routine. A simple example is printing a menu where the menu text is in a string variable array called A\$(). Here is a program piece that does the job.

10 CLS: FOR X=1 TO 10 20 PRINT X; ""; A\$(X) 30 NEXT

The menu produced looks like this on the screen.

- 1 Choice A
- 2 Choice B
- 3 Choice C
- 4 Choice D
- 5 Choice E
- 6 Choice F
- 7 Choice G
- 8 Choice H
- 9 Choice I
- 10 Choice J

By using STEP, you can count up or down and do so in increments other than one. All the following FOR...TO...STEP...NEXT statements will work.

10 FOR X=10 TO 0 STEP -1
20 . . .
30 NEXT

100 FOR X=0 TO 1 STEP .01
110 . . .
120 NEXT

200 FOR X=1 TO -1 STEP - .4
210 . . .
220 NEXT

300 FOR X=A TO B STEP C
310 . . .
320 NEXT

Here is a sneaky bit of code that gives an insight to the way FOR . . . TO . . . STEP . . . NEXT works.

400 A=1:B=10:C=1 410 FOR X=A TO B STEP X+C: PRINT X""; : NEXT

The output to the screen looks like this:

1 3 5 7 9

BASIC goes through the beginning of Line 10 only once, establishing the initial value of X, its ending value and the STEP increment. NEXT sends the program to the code just after the FDR ... TO ... STEP definition. This code may be on the same line or on a new line.

Want to lock up your computer? Here is an easy way:

500 FOR X=1 TO 2 : X=0 : NEXT

To drop out of the loop, × must reach a value greater than two when incremented by NEXT, but × always equals zero when the program reaches the NEXT. Now one would not be likely to want to do this on purpose, but anyone who has done much programming has probably done something like it by mistake.

If the start and end values are integer values and STEP is an integer value, use an integer value for the loop variable. This significantly speeds operation of the loop since BASIC can use integer arithmetic rather than floating point math. Remember, the percent sign (%) specifies an integer variable.

500 FOR COUNT%=1 TO 100 STEP 2 510 . . . 520 NEXT

One place to purposely use a single or double precision count variable is when using FOR...TO...NEXT as a program delay. FOR COUNT#=1 TO 2000: NEXT works beautifully as a delay.

Note that I have never used the variable name after NEXT. NEXT COUNT% is acceptable code and some feel that it helps clarify a program. When memory is tight and every byte counts, then I am unwilling to waste bytes on unneeded names. If you do associate a variable with a NEXT, be sure it is the right one. BASIC knows full well which variable the NEXT is associated with and if you try to tell it something different, it will send a nastygram and quit.

FOR ... TO ... NEXT loops may be nested to any depth likely needed. Twoor three-deep nesting is very common. If the test proves true, the code following the THEN is executed. The program either goes to the next line in the program or branches if a GOTO is encountered. Note that there may be one or more GOSUBs after the THEN, but the program always returns to finally move on to the next program line.

If the test proves false, control goes to the code following the ELSE, if there is one. ELSE is optional. One limit is the ELSE must be in the same line as the IF and THEN. This might force the use of subroutine calls (GOSUBS) if a substantial amount of processing is required after the THEN, the ELSE, or both. There are ways to do the same thing with GOTOS, but things get confusing. Forget

"One place to purposely use a single or double

precision count variable is when using FOR

. . . TO . . . NEXT as a program delay."

It's here that it is easy to make a mistake when associating a variable name with a NEXT. Still, to make the association clear, I will show the associated variables in the following program that prints the multiplication table to the screen.

10 CLS:FOR X= TO 9:FOR Y=0 TO 9
20 PRINT X*Y; :NEXT Y :PRINT
30 NEXT X

There is more to program control than looping to a certain count. IF... THEN... ELSE is another workhorse control structure. If you could have only one control structure, it would have to be IF... THEN... ELSE because you can make it do the same job any of the other control structures can do. The others exist to make programming easier, but are not critical to being able to write a program.

In the beginning, there was IF . . . THEN. Then ELSE was added and how crude life was in the early days became apparent.

There are three parts to an IF ...
THEN ... ELSE statement. A test is performed after the IF key word. The test may be simple or complex, but BASIC boils it down to a final true or false and acts according to the result.

GOTO is in BASIC if at all possible. Look how straightforward subroutine calls can be.

1100 IF TESTWORDS="MORE" THEN FLAGS="TRUE":GOSUB 20:GOSUB 50 ELSE FLAGS= "FALSE:GOSUB 30:GOSUB 50

Here we made the test and set an initial condition, FLAG\$="TRUE" or FLAG="FALSE, and went off to two subroutines. All sorts of activity could have occurred in the subroutines, but the program still returns to Line 1100 when all is accomplished and "topdown" program flow continues. The fact that the subroutines are at the beginning of the program does not upset the top-down concept since it refers to flow within the particular program module. In PASCAL, everything you are ever going to need in procedures or subroutines must come before the "main" procedure.

Any test will include one or more relational operators. These are equal, (=), less than (<) and greater than (>); they may be combined.

<= or =< less than or equal >= or => greater than or equal <> or >< not equal

Logical operators are also provided and include AND, OR, NOT, XOR, EQV and IMP. AND, OR and NOT are most frequently used, as shown in the examples

IF COST <= PRICE THEN PROFIT = PRICE -COST ELSE LOSS = COST -PRICE IF A\$ < > "CONDITION1" AND B<=100 THEN . . . ELSE . . . IF C\$ = "SOMETHING" AND (C > 10 DR D > 100) THEN . . . IF NOT WARM THEN TEMPS = "COLD"

Obviously there are all sorts of things that can be tested. The first example is a simple "less than or equal" test. The < > essentially means "not equal to." It is typically used when comparing strings. There is also an AND in the example. It forces both conditions to be met before the test is "true." The third line contains two tests within parentheses. They are joined by an DR, which requires that only one be true for the parentheses to be true. The last example is a bit obscure. Microsoft BASIC uses zero to indicate false. Any other number indicates true.

You can make major programming errors by setting up code after the IF

without getting an error message. BASIC tries to do what you want, ends up with a true or false determination, and continues on.

IF . . . THEN . . . ELSE statements can be nested. The limit is how many you can get in one line. You can sometimes use ANDs and ORs after the first IF to do the same thing nested IFs do. Look at your problem both ways.

WHILE . . . WEND provides loop control with the test at the beginning of the loop. If the test proves false, program control goes to the statement immediately following WEND. The test may be any of the types used after IF. One nice feature is WEND may be on a different line from its WHILE. This means WHILE ... WENDs may be nested to any level and large amounts of code may be involved between a WHILE statement and its WEND.

Each WEND is matched to the most recent WHILE. There must be a WEND for each WHILE and vice versa. Failure to have this match causes "WHILE without WEND" or "WEND without WHILE" error messages.

WHILE . . . WEND is particularly useful in controling a loop where work continues until some definable finish criteria is met. A bubble sort is a simple

example. Suppose strings are held in an array with J members. The task is to start at the top of the array and compare two members. If a swap criteria is met, the two strings are swapped. Then, the second string is compared with the third and a swap is made if the criteria is met. Multiple passes are made until the array is in order. This is detected when there are zero swaps in a pass. Here is a short program to do this.

200 'Bubble sort array A\$() 210 SWAPS=1 'Force one pass through the array 220 WHILE SWAPS 230 SWAPS=0 240 FOR I=1 TO J-1 250 IF A\$(I) > A\$(I+1) THEN SWAP A\$(I),A\$(I+1): SWAPS=1 260 NEXT : WEND

SWAPS need only be set to one to force another pass. When the list is in order, SWAPS will remain zero and the loop will be exited.

The last set of control structures is of the ON . . . GOSUB and ON . . . GOTO type. They cause a branching to one of a number of lines depending on which of a number of criteria has been met. We will save these for next month.



22511 Katy Fwy., Katy (Houston) Texas 77450


Telex 774132

LOW LOW PRICES Hard Disk Drives Floppy Disk Drives Star Printers **Anchor Modems** Diskettes Color Computer Dr Ø SPECIAL

IBM XT COMPATIBLE 2 FLOPPY DRIVES 1 10 MEG HARD DISK MONOCHROME OR COLOR CARD 256 K MEMORY EXPANDIBLE TO 640 K \$1195.00

CALL US TODAY! 617-278-6555 ORDER TOLL FREE 4-800-635-0300

DEALER INQUIRIES INVITED 617-278-6555



Uxbridge, Mass 01569 Visa Master Charge Checks (allow 2 weeks for clearing) 617-278-6555 . COD Add \$200

(713) 392-0747



Each and every month, PCM offers an assortment of programs for the home and office — utilities, business applications, games and more — all for the price of typing in the listings.

If you're a person on the move, and too busy to spend time typing lengthy listings, then PCM has just what you need —

PCM ON DISK.

PCM ON DISK provides each issue's MS-DOS programs ready to load and run with only a few keystrokes!

AS AN ADDED BONUS, PCM ON DISK will include PCM's portable computer programs, which may be downloaded to portables for those readers who have both an MS-DOS machine and one of Tandy's portable computers.

That means you get a disk each month for a year, containing all programs listed in that month's issue, for an average cost of only \$8.25!* We think it's worth your time to subscribe.

*Disks for individual issues (beginning this month) may be ordered for only \$12 each.



PCM ON DISK

The Falsoft Building P.O. Box 385 Prospect, KY 40059 (502) 228-4492

To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.

☐ Full Year's Subscription (specify	y starting month)		
☐ Single Volume (specify month(s) & year)			
Name			
Address			
City	State ZIP		
Payment Enclosed □			
Charge: Visa □ MasterCard □	American Express □		
/ly Account#Card Exp. Date			
Signature			

*Subscriptions to PCM ON DISK are \$99 a year in the United States. Canadian rate U.S. \$115. All other countries U.S. \$130; PCM ON DISK single copy rate is: \$12 within the U.S.; U.S. \$14. Canadian rate; U.S. \$16, all other countries. Kentucky residents add 5% sales tax. All subscriptions begin with the current issue unless otherwise specified. Please allow 6 to 8 weeks for first copy. PCM ON DISK is not a stand-alone product. PCM magazine is a separate purchase. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.



"Ahead, Mr. Sulu. Warp Factor One. Thataway."

Star Trek

By John D. Shewchuk


ired of all those Star Trek "batch-type" games? You know, the type that allows a light-year between plays like chess or checkers. Did you ever see Scotty stand still for anything?


Mr. Spock would say, "How illogical." Well, this Star Trek game is "real-time"! It's a fast-paced, continuous-action fight to the finish. Both color and sound aid you (the Captain) to battle the enemy. Once the enemy is sighted, there is no turning back, and it's too late to review the ship's operating manuals. Luckily, Mr. Spock, Lt. Uhuru, Scotty and Sulu are on the bridge with you. With this game, you "earn" your efficiency rating.


This game makes use of many of the unique capabilities of the Tandy 1000's GW-BASIC. It will not work on IBM-type machines, primarily due to the use of the screen Mode 6 graphics, which allows both text and color graphics on the same screen. Tandy's unique SDUND, NDISE and PLAY commands are also used throughout the program for added realism. The minimum facilities required to play this game are: a Tandy 1000 with GW-BASIC, an RGB monitor, at least 256K memory, good eyes and ears, a strong cardiovascular system and — most importantly — a logical mind.

The program is subdivided into four parts: the title screen, the menu (with internal documentation), the game playing and your rating. All sections are relatively short and simple, except the game, which constitutes 80 percent of the program.

John Shewchuk is manager of over 60 computer programmers and systems analysts at the U.S. Air Force's Global Weather Central, Offutt AFB in Omaha, Nebraska. He has master's degrees in meteorology and public administration. He developed this program partially for his own pleasure and experience and partially for his wife, Judy, an original die-hard Trekker.







The Program

The title section starts with (you guessed it) a star scene and other Star Trek opening texts and themes. The screen turns into a colorful, musical display to satisfy the needs of those "Trekkies" who are truly addicted to the words — Star Trek. This display used the handy RESTORE command (Line 1880) for this sequence.

Next comes the menu. Here you are given your first three options: 1) view game rules, 2) view keyboard controls or 3) start the game.

The game rules consist of three pages of text, which outline information necessary toward understanding the capabilities of the *Enterprise* and the enemy. There are three types of enemies: a Romulan probe, a Klingon battle cruiser and Khan's warship. Each type increases in difficulty.

The second option, keyboard controls, shows a display of Tandy's numeric keypad section and the functions they represent (note: the NUM LOCK light must be on). The other keyboard controls are located in the function keys F1 through F8. All controls are located in logical patterns.

The last option, the game, is a non-stop Adventure against the enemy of your choice, which can only end with your final rating (last program section). Oh yes, Mr. Spock personally determines each of your efficiency ratings and recommends appropriate actions. Let's hope you don't display any emotions.

Knowledge of the rules and keyboard controls is essential to a successful encounter. Knowledge of the rules is helpful, but the experience of battle is the best teacher. This Star

Trek program is a game of skill.

The captain's chair (keyboard) has the following functions: First, the numeric keypad section. All number keys, I through 9, are used. In numerical order, the functions are: impulse engine start, rear photon torpedo launch, hyperdrive, left turn, phaser blast (forward only), right turn, decrease warp speed, forward photon torpedo launch and increase warp speed. Second, the function keys, from FI to F8, are: shields on, shields off, phasers on, phasers off, repair shields, repair weapons (phasers & torpedoes), repair ergosystems (ship's five support systems) and repair engines.

That's it, folks. All keys respond in real-time through the INKEY\$ function, which is always in a continuous loop (this loop is the heart of the main program in lines 3190 through 3450). There is, however, a slight response delay to commands when one of the program subroutines is active (such as repair activities or enemy actions). The computer remembers each and every keyboard command, and each command will eventually activate its respective function. Novice Captains almost always become over-anxious and give the Enterprise several commands before the enemy makes a corresponding response. One important rule is the Enterprise permits an unlimited number of commands before the enemy responds, except for one command type - a weapons release (this rule allows the enemy a fighting chance). Beware — hesitation or lack of commands will result in the *Enterprise's* destruction, a very low efficiency rating and worst of all — Mr. Spock's disapproval.

A few words about the battle screen. It is split into two parts — the command and tactical screens. The command screen echos commands, the responses from the crew and other *Enterprise*/enemy statistics. The tactical screen performs only graphical activities, once text labels are established. The combination of the two screens' text and graphics updates gives an accurate and timely status of all pertinent information about the battle — except what the

galley is cooking for supper

This battle screen is created in four steps. First, screen Mode 6 is used to allow a combination of high resolution color graphics and 80-column text. Next, VIEW is used to define the tactical portion of the screen (viewport) for graphics use. Third, WINDOW SCREEN is used to redefine the tactical screen's viewport in terms of "world coordinates" for ease of use. Finally, the *Enterprise*'s initial text and graphics information is entered onto the battle screen.

A note for those who only have Tandy's originally supplied BASIC information booklet, A Reference Guide; it indicates that screen Mode 6 has a "color set" of 16. Not true! Tandy's expanded BASIC Reference Manual (\$35) accurately indicates a "one" palette capability, which just allows four colors (Line 2830).

The objective of this game is to rid the Federation of hostile intruders. Simple? Well, for the Romulan probe, this may be true, but the Klingon and Khan encounters become increasingly difficult.

Enemy difficulty incorporates the following program activities: increased weapon releases, faster speeds, quicker repairs, more accurate weaponry and improved evasive tactics. The majority of these functions are located in lines 4330 through 5050. This section also includes the main space vector calculation logic. Each time the enemy position and statistics are updated on the screen, this logic uses trigonometry to recalculate the position of the enemy relative to the *Enterprise* (movement of the *Enterprise* is subtracted from the enemy's movement).

Enemy statistics are updated via screen text about once every second. The enemy's relative position to the *Enterprise* is displayed graphically using a red dot on a circular viewport. Dot positions are updated through a combination of the CIRCLE and PAINT commands (lines 4890 through 4900). The *Enterprise* vector arrow within this same viewport is updated using 36 different DRAW calls (lines 5250 through 5740) representing the 36 points of the compass. Before the arrow is updated with the new DRAW command, it has to be "blacked out" with a call to the previous DRAW. This also occurs for the enemy's red dot.

The first executable line of this program uses a powerful option of Tandy's BASIC language — the CLEAR command. In this program, CLEAR, ,1500,32768 is used. The 32,768 "video memory" value is necessary to access screen Mode 6. This also (unfortunately) requires more than the Tandy 1000's standard system of 128K RAM. The 1,500 "stack space" value was added to this program after the fact. During program development, I kept getting "Out of Mem-

ory" errors in the FOR/NEXT loops. After lots of headaches, I finally realized that the solution lay within this CLEAR command option. I used the 1,500 value, which is about double the default 768-byte value, and have had no trouble since.

This program uses the random number generator (RND) and the internal clock function (TIMER) throughout. These statements give this program a controlled degree of uncertainty and the real-time activities necessary for this type of game. The RND function is used primarily within the code that determines the enemy's activities — within predetermined limits. The TIMER function is needed mostly to keep track of spacecraft repair activities.

I'd like to make special mention of three versatile audio commands available in Tandy's BASIC and used throughout this program — PLAY, SOUND and NOISE. Hopefully your internal Tandy 1000 speaker works, otherwise you will miss an important dimension to this game. (Maybe someday this GW-BASIC will also allow stereo sound.)

The powerful PLAY command is used mostly for musical tunes. The longest tune used was the *Star Trek* theme (lines 1760 through 1790). It had to be divided into four sections because the PLAY buffer can only hold a limited number of notes at one time.

The SOUND command is also very powerful and used mostly for sound effects. The most effective application of the SOUND command was the simulation of the doppler effect of an enemy's plasma bolt (or whatever they fire at us) as it whizzes by the *Enterprise* (lines 4290 through 4310). Note that SOUND options (frequency, duration and volume) were all varied for this effect.

The NOISE command was only used to give the *Enter-prise*'s engines a representative background sound with an appropriate volume (Line 6880). This NOISE command was especially useful, since it can simultaneously operate with either the PLAY or SOUND commands. A valuable feature of all three "sound" commands is the option to specify volume. Other GW-BASICS do not allow the volume option.

Before trying this game, be sure to read the internal documentation associated with the first two options in the main menu — the rules and the controls. Each option has three pages of information.

The third main menu option puts you in the captain's chair. Don't forget to keep those shields up. Go ahead and clean the Federation of all those intruders and make Spock proud of you. Remember, it's only a game — so have fun!

```
The listing:
 10 REM
 20 REM
 30 REM
                    STARTREK -- A Real Time Game
 40 REM
 50 REM
              by John D. Shewchuk
                                    1968
                                            Version 1.0
 60 REM
 70 REM
                      for the Tandy 1000, w/256K
 80 REM
 90 REM **********************************
 100 REM
 110 CLEAR, ,1500, 32768!: KEY OFF: N=1
 120 GOTO 1540
 130 SCREEN Ø: KEY OFF: COLOR 10,9,13: CLS
 140 PRINT "
                                                     ": PRINT
 150 PRINT "
                                      STARTREK
                                                      <<<"
```

```
169 PRINT "
                                                ":PRINT
170 PRINT "
                                   * A Real-Time Game *": PRINT
189 COLOR 13: FOR I = 1 TO 89: PRINT CHR$(177);:NEXT I:PRINT:COLOR 11:PRINT
                                           THE MENU :"
200 PRINT "
                                             ":PRINT
                                           1 - The Rules": PRINT
210 PRINT
220 PRINT "
                                           2 - The Controls": PRINT
23Ø PRINT "
                                          3 - The Game": PRINT
240 COLOR 13: FOR I = 1 TO 80: PRINT CHR$(177);:NEXT I:PRINT:PRINT:COLOR 7
                                         by John D. Shewchuk -- 1986"
250 PRINT: PRINT "
269 LOCATE 24,32: PRINT "[ Version 1.9 ]";
270 AS="": AS=INKEYS: IF AS="" THEN 270 ELSE 280
28Ø IF A$=CHR$(5Ø) THEN 31Ø
290 IF A$=CHR$(49) THEN 870
300 IF AS=CHR$(51) THEN 1950 ELSE 270
31Ø COLOR 1Ø,1,4: CLS: PRINT
                                 BE SURE 'NUM LOCK' KEY IS ON ***"
320 PRINT "
33Ø PRINT
340 PRINT "
350 PRINT "
360 PRINT "
                                                                    WARP+
370 PRINT "
380 PRINT "
                                                                    Faster
39Ø PRINT "
400 PRINT
410 PRINT "
420 PRINT "
430 PRINT "
                    LEFT
Turn
                                                                 RIGHT
                                        PHASER |
440 PRINT "
45Ø PRINT "
                       Turn
                                              Blast
                                                                     Turn
460 PRINT "
470 PRINT
480 PRINT "
490 PRINT "
500 PRINT "
                                                                     HYPER
510 PRINT "
                       IMPULSE
                                             TORPEDO
                                           Rear Launch |
520 PRINT "
                       Engines
                                                                     Drive
53Ø PRINT "
540 LOCATE 25,8: PRINT "Press any key to continue . . ."
550 AS="": AS=INKEYS: IF AS\"" THEN 560 ELSE 550
560 CLS: PRINT: PRINT
                              *** BATTLE SUPPORT COMMANDS ***": PRINT: PRINT
570 PRINT "
58Ø PRINT "
                           F1 - SHIELDS ON F2 - SHIELDS OFF": PRINT
                           F3 - PHASERS ON
590 PRINT "
                                                    F4 - PHASERS OFF"
699 PRINT: PRINT:
619 PRINT "
629 PRINT "
                                       SHIP'S REPAIR ACTIVATORS ----": PRINT
                            F5 - SHIELDS": PRINT
                            F6 - WEAPONS (PHASERS & PHOTON TORPEDOS)": PRINT
                            F7 - ERGOSYSTEMS (ALL 5 FUNCTIONS)": PRINT
640 PRINT "
650 PRINT " F8 - DILITHIUM CRYSTALS (ENGINES)": PRINT 660 LOCATE 25,8: PRINT " Press any key to continue . . . "
679 AS="": A$=INKEY$: IF A$<>"" THEN 689 ELSE 679
680 CLS: PRINT
                            *** CONTROL CHARACTERISTICS ***": PRINT
690 PRINT "
700 PRINT "
              * The computer remembers and executes all function commands"
               entered. The program will consecutively execute all those"
710 PRINT "
720 PRINT "
              entered, until a phaser or torpedo is fired -- after which"
730 PRINT "
                 the enemy then takes a turn.": PRINT
740 PRINT "
              * The program will wait about 1 second after your last command"
                 before the enemy executes the next command.": PRINT
750 PRINT "
760 PRINT "
             * The repair function for Ergosystem #2 (Life Support - Oxygen)"
770 PRINT "
              must be activated within 10 seconds of enemy hit. Ship's Hull"
780 PRINT "
                (Ergosystem #1) will fail when hit twice, even if the Hull is"
             being repaired after the first hit. Use those shields.":PRINT * All functions are echoed on the Command Screen, except the"
79Ø PRINT "
800 PRINT "
810 PRINT "
                 Left & Right turn keys (#4 & #6, respectively).": PRINT
              * Portions of the program's openings can be skipped by pressing"
829 PRINT "
              any key. They are: the Star scene, the Title scene, and the"

Coded Message scene."
830 PRINT "
840 PRINT "
850 LOCATE 25,20: PRINT "Press any key for Menu . . . "
860 AS="": AS=INKEYS: IF AS>"" THEN 130 ELSE 860
870 COLOR 10,,2: CLS: PRINT
                     **** This game has the Vulcan Seal of Approval
880 PRINT "
890 PRINT "
```

Memory Upgrades for Tandy Portables!

Model 600

WEN THE MEN TH

96K RAM Upgrade \$249. or \$465. for two

Save up to \$335, with this upgrade designed specifically for the Model 600. The 96K upgrade card fits into existing slots in the Model 600 and adds either 96K or 192K of RAM to the computer.

Model 200

24K RAM Upgrade \$89.00 Two for \$170.

Save up to \$330. with this exact replacement while bringing your Model 200 up to 72K.

Model 100, 8201 or M10

8K RAM Upgrade \$27.00 \$75. for pkg. of 3

Save up to \$282. upgrading an 8K Model 100 to 32K. The modules also fit the NEC 8201 and the Olivetti M10.

* * * BUY QUALITY & SAVE * *


All three upgrades feature low power version of CMOS static RAM for minimum battery drain and maximum reliability. Our products are 100% tested before they leave the factory. Every upgrade carries with it a 30 day satisfaction money back guarantee and 1 yr. replacement warranty. Step by step illustrated instructions are included, and our customer service support is as close as your phone.

TO ORDER CALL 714-540-1174 or WRITE

M/C, VISA, CHECK or MONEY ORDER CALIF. RESIDENTS ADD 6% Sales Tax

SHIPPING-ADD UPS Ground \$1.50 2nd Day Air \$4.00 Next Day Air \$12.00


Tandy is a registered trademark of Tandy Corp.



(Formerly Cryptronics, Inc.) 1580 Corporate Drive, Suite 123 Costa Mesa, California 92626 (714) 540-1174

```
900 PRINT " * Difficulty -- Romulan Star Scout
                                                      > EASY"
            -- Klingon Battle Cruiser > MODERATE"
-- Khan's Warship > HARD": PR
910 PRINT "
920 PRINT "
920 PRINT " -- Khan's Warship > HARD": PRINT
930 PRINT " * Objective: There is only one winner - the Enterprise or the Enemy"
940 PRINT: PRINT " * Weapons -- The Enterprise: ": PRINT
950 PRINT "
                         - Phasers - Range: 10,000 KM"
960 PRINT "
                                      Direction: Foreward only"
970 PRINT "
                        - Torpedos - Range: 20,000 KM"
98Ø PRINT "
                                       Direction: Front and rear"
990 PRINT "
                                       Replenish: Only following Hyper-Drive"
                            -- The Enemy:":PRINT
1999 PRINT: PRINT "
1010 PRINT "
                          - Type: Plasma Bolts"
1020 PRINT "
                          - Range: 20,000 KM"
1939 PRINT "
                           - Direction: Any angle; foreward is most accurate"
1949 LOCATE 25,25: PRINT "Press any key to continue . . . "
1050 AS="": AS=INKEYS: IF AS="" THEN 1050 ELSE 1060
1969 CLS
1979 PRINT " * Defense -- Shields ( 2 banks )"
1080 PRINT "
                -- Enemy avoidance ( via speed and direction )": PRINT
1999 PRINT " * Engines -- Impulse engines can only be started ... not stopped"
1199 PRINT "
                        -- Warp speeds range from 1 to 10; Enemy warps go higher"
1110 PRINT "
                           The Enemy has no Hyper-Drive (count your blessings)."
1120 PRINT "
                        -- Hyper-Drive gets Enterprise to StarBase 6 ";
1130 PRINT "(only if enough power)"
1140 PRINT "
                           then the Enemy continues the attack !"
1150 PRINT "
                           Note: Each Hyper Flight reduces available power"
1160 PRINT
1179 PRINT " * Ergosystems -- Hull: Consists of inner and outer structures"
1180 PRINT "
                           -- Oxy: Life support (oxygen, etc) systems"
119Ø PRINT "
                            -- Aim: Target acquisition and aiming capabilities"
1200 PRINT "
                            -- Dat: Sensor data readings on enemy
1219 PRINT "
                           -- Com: Internal ship communications circuits": PRINT
1220 PRINT " * Repairs -- Enterprise repairs are activated via F5 - F8"
1230 PRINT "
                           (Ergosystem repair selection [F7] is pre-set)"
1240 PRINT "
                       -- Enterprise and Enemy repairs are internally"
1250 PRINT "
                          prioritized and timed according to difficulty": PRINT
1260 PRINT " * Note: The capability/advantage of turning 'off' the"
1279 PRINT "
              Shields and Phasers [F2 & F4] is to free power"
1289 LOCATE 24,19: PRINT"if extra is needed to achieve Hyper-Drive";
1290 LOCATE 25,53: PRINT "Press any key to continue...";
1300 AS="": AS=INKEYS: IF AS="" THEN 1300 ELSE 1310
131@ CLS: PRINT
1320 PRINT " * Color Codes:"
1339 PRINT " -- Light Blue - system OK / activated"
1350 PRINT "
                   -- Yellow - system under repair & still inactive"
until repairs are completed (computer controlled)"
1360 PRINT "
1370 PRINT "
                     Note: engine colors reflect engine speeds - not damage"
1380 PRINT: PRINT " * Damages:"
1390 PRINT " -- Shields are first systems damaged upon enemy hit."
                   After shields are gone (red or yellow), all other"
1400 PRINT "
1410 PRINT "
1420 PRINT "
                    -- Damage to both dilithium crystals prevent warp speeds."
1430 PRINT "
                        Further damage (one more hit) stops impulse engines."
1440 PRINT
1450 PRINT " * Phasers and forward torpedos usually hit enemy only when the"
1460 PRINT " Enterprise vector (bearing) arrow points toward the enemy"
1470 PRINT "
               position (red dot). Note: Skill can be achieved by leading the"
1480 PRINT "
               target using data displayed on the Enemy Status screen -- use of"
1490 PRINT " enemy's bearing and warp speed data are essential.": PRINT
1500 PRINT " * Enemy evasive actions, offensive tactics, and repair activities"
1510 PRINT " improve with selected degree of difficulty."; :PRINT
1529 LOCATE 25,26: PRINT "Press any key for Menu . . . ";
1530 AS=INKEYS: IF AS="" THEN 1530 ELSE 130
1540 OPTION BASE 1: TIMER ON: SCREEN 0
1550 DIM KB(2,36), SS(6), TE(5)
1560 GOTO 1590: REM - NEXT 2 LINES IS A JUMP FORWARD SUBROUTINE
1570 K$ = INKEY$: IF K$ <> "" THEN 1580 ELSE RETURN
158Ø GOTO 13Ø
1590 SCREEN 6: CLS: RANDOMIZE TIMER
1600 FOR I = 1 TO 200: GOSUB 1570
1610 \text{ MX} = \text{INT}(\text{RND}*639) + 1: \text{ NX} = \text{INT}(\text{RND}*190) + 1: \text{ PSET } (\text{MX}, \text{NX}), 9: \text{ NEXT } \text{I}
1620 PRINT: PRINT: PRINT: PRINT: PRINT: PRINT: PRINT: J = 500
163Ø STARS$ = "MBO5T4ØV9MLC.O4G.B-.F.P3ØC.O3G.B-.F."
```

```
1649 COLOR 1: PLAY STARS$
1650 PRINT " SPACE";: FOR I = 1 TO J: GOSUB 1579: NEXT I
1669 PRINT " -- THE FINAL FRONTIER.";: FOR I = 1 TO J: GOSUB 1579: NEXT I
1670 PRINT " THESE ARE THE VOYAGES OF"
1689 PRINT: PRINT " THE STARSHIP ENTERPRIZE, HER FIVE MINUTE MISSION --":
1699 FOR I = 1 TO J: GOSUB 1579: NEXT I
1799 PRINT : PRINT " TO EXPLORE STRANGE NEW WORLDS, TO SEEK OUT NEW LIFE";
1719 PRINT " AND NEW CIVILIZATIONS,": FOR I = 1 TO J: GOSUB 1579: NEXT I
1729 PRINT: PRINT " TO BOLDLY GO WHERE NO MAN HAS GONE BEFORE."
1730 FOR I = 1 TO J: GOSUB 1570: NEXT I:
1740 SCREEN 9: COLOR 9,9,9:CLS
1759 DIM CL(5): CL(1)=176:CL(2)=8:CL(3)=223:CL(4)=219:CL(5)=178
1760 X$="C.O4C.T190 O3 B-AGFE T60 E-. T120 D. O4 D. T190 C O3 B-AGF T60 E. P16"
1779 YS="EF.G T219 AB- 04 CDE- T129 E. T199 F. P16"
1789 Z$="AG.A T219 B- 04 CDEF T129 F+. T199 G. P16 03 B-4"
1799 AS="03 MB ML T129": DIM CLR(5)
1800 CLR(1)=14: CLR(2)=4: CLR(3)=3: CLR(4)=5: CLR(5)=1
1819 PLAY A$+X$
1829 FOR J = 1 TO 5
1830 COLOR CLR(J), J, CLR(J)
1849 FOR I = 1 TO 223
1850 K$ = INKEY$
186Ø IF K$ ◇ "" THEN 13Ø
1879 READ L,M: LOCATE L,M: PRINT CHR$(CL(J))
1889 NEXT I: RESTORE
1899 IF J = 1 THEN PLAY A$+Y$+A$+Z$
1900 IF J = 2 THEN PLAY AS+X$
1910 IF J = 3 THEN PLAY A$+Y$+A$+Z$
1920 NEXT J
1930 COLOR 26,12: LOCATE 21,26: PRINT " **** Fasten Seatbelts **** "
1949 FOR I = 1 TO 599: GOSUB 1579: NEXT I: GOTO 139
195@ SOUND OFF: SOUND ON: COLOR 5,2,12: CLS
1969 FOR I = 1 TO 3: SOUND 599*I,2,11: NEXT I
1970 LOCATE 1,1: FOR I = 1 TO 80: PRINT CHR$(210);: NEXT I
1980 LOCATE 5,1: FOR I = 1 TO 80: PRINT CHR$(208);: NEXT I
1990 DATE = INT(RND*777771)/100 + 1000.11
2000 LOCATE 3,32: COLOR 1: PRINT "STARDATE " DATE: COLOR 14,1
2010 PLAY "03 V11 T120 MB MS C4C16G.T255B-8G8E8G."
2929 LOCATE 7,19: PRINT "Welcome aboard the StarShip Enterprise."
2030 LOCATE 9,10: PRINT "This is Lt Uhura,"
2949 LOCATE 11,19: PRINT "Please enter your name in the Admiral's Log."
2050 LOCATE 13,30: COLOR 0,2: INPUT; "", NA$
2969 IF LEN(NA$) < 19 THEN 2139
2070 LOCATE 13,30: FOR I = 1 TO LEN(NA$): PRINT " ";: NEXT I
2080 PLAY "T255 CAE"
2999 LOCATE 7,19: PRINT "OK Captain -- We know you're proud of your heritage,"
2100 LOCATE 9,10: PRINT "But these computers can only handle 9 alphanumerics,"
2110 LOCATE 11,10:PRINT "So let's try it one more time [P.S. Spock's watching]."
2120 GOTO 2050
2130 COLOR 14,1: LOCATE 15,10: PRINT "Thank you Captain " NA$ "."
2149 PLAY "V19 MN T255 06 C8C8"
2150 FOR I = 1 TO 1000:NEXT I: COLOR 14,1,1
2160 LOCATE 17,1: FOR I = 1 TO 80: PRINT CHR$(32);: NEXT I
217@ PLAY "T22501C1602C1603C1604C1605C1606C16"
2189 LOCATE 18,1: PRINT "Sir, urgent coded message arriving from "
2190 LOCATE 18,41: PRINT "StarFleet Command ....."
2200 FOR I = 1 TO 1000: NEXT I
2219 LOCATE 19,1: FOR I = 1 TO 89: PRINT CHR$(32);: NEXT I: COLOR 12
2229 FOR J = 29 TO 23: FOR I = 1 TO 89: LOCATE J,I,9: K$=INKEY$
2239 SOUND INT(RND*4999)+1999,.8,19: IF K$ <> "" THEN 2489
2240 PRINT CHR$(RND*221+33);: NEXT I: NEXT J
2250 FOR I = 1 TO 1000: NEXT I
226@ COLOR 11.1.6: CLS
227@ PRINT " Ship's computer now decoding message.......
228% COLOR 15: PRINT: SOUND ON: FOR I = 1 TO 3: SOUND I*2000,2,15: NEXT I
2299 FOR I = 1 TO 2999: NEXT I: SOUND 1999,15,11: COLOR 14
2300 PRINT SPC(10) CHR$(4) " CONDITION YELLOW " CHR$(4): PRINT: COLOR 7
2310 FOR I = 1 TO 900: NEXT I: SOUND 4000,5,12
2320 PRINT SPC(10) CHR$(4) " StarBase #" INT(RND*9+1);
233@ PRINT "reports unidentified craft,"
2340 X = INT(RND*9+1)
2350 FOR I = 1 TO 900: NEXT I: SOUND 4000,5,12
2369 PRINT SPC(19) CHR$(4) " approaching at WARP Factor" X "."
2370 FOR I = 1 TO 900: NEXT I: SOUND 4000,5,12
```



Make The Right Connection With A Tandy® Printer

We've got a Tandy printer for your every need

When you buy a printer, the last thing you want is to find that it's not compatible with your computer, or that you can't find accessories or support. So why take chances? Come to Radio Shack, where you'll find a wide selection of printers that are ready to use with Tandy and other popular compatible computers. Plus, we give you the professional support you demand.



Triple-mode "personal printer"

If you need correspondencequality printing with variety, our DMP 130 is the ideal printer for you. It prints in four character styles: standard or cursive italic, in front-panel selected draft or correspondence modes at up to 100 characters per second. It also supports super/subscripts, doublewidth, bold, double strike and microfonts. IBM® PC compatible, too. (26-1280, \$349.95.)



Budget-priced high performer

If you're looking for an affordable printer, you'll find our DMP 105 is ideal. This speedy printer produces 80 upper and lower case characters per line at 43 lines per minute (80 cps). With a bit-image graphics mode and removable adjustable tractor, our DMP 105 is a true performer! (26-1276, \$199.95.)



132-colung printer with 18-wire print head

Never before has such fine print quality been so affordable! The print head of our DMP 430 contains 18 wires to produce excellent correspondence-quality fonts in a single pass. Prints 10, 12 or 16.7 characters per inch, plus elongated standard, elite and condensed at up to 180 characters per second. You can choose from micro, italic and double-high fonts, too. The DMP 430 features a true pin-driven tractor—not sprocket. IBM PC compatible. (26-1277, \$899.)



Dot-matrix power for business

The DMP 2200 is our most versatile business printer. Because it's so fast, there are no more long delays for reports—and that means your business saves money. It supports elongated, double high, bold, underline, super/subscripts, italics and double strike, plus bit-image graphics. You can print your original report, plus up to six copies at 380 characters per second. It also has a built-in tractor for perfect paper alignment. Plus, it's IBM PC compatible. (26-1279, \$1695.)

Save time while printing

With a PTC 64 Printer Controller, you can print one job while working on another. The "print buffer" accepts and stores information from your computer, then feeds it to your printer as fast as the printer can handle it. It features a



clear-memory function, a pause function and a copy function for printing up to 100 consecutive originals. The built-in Z-80 processor can be programmed by the host computer to handle graphics and special text. (26-1269, \$249.95.)

Tandy...Clearly Superior™

We've got over 1200 Computer Centers nationwide ready to help you choose the very latest in computer technology, and we'll give you the service and support you need. With over 188 strategically located, company-owned Service Centers, you can be assured of excellent service when you need it.

And we've got a wide variety of accessories too—everything from paper and pre-printed forms to print-wheel cleaning kits. Visit your nearest Radio Shack Computer Center and see our complete line of printers and accessories today.

Available at over 1200
Radio Shack Computer Centers and at participating Radio Shack stores and dealers.

Radio Shaek

A DIVISION OF TANDY CORPORATION

Radio	Shack, Dept. 86-A-901
300 One Tand	dy Center, Fort Worth, TX 760
Name	A Very Market State of the Control o
Company	
Address	Lietti on
City	RITER PART TORK
State	ZIP

Prices apply at Radio Shack Computer Centers and participating stores and dealers. IBM/Registered TM International Business Machines Corp.

```
2389 PRINT SPC(19) CHR$(4) " You must stop their advance at all cost."
2390 X = INT(RND*9+1)
2400 FOR I = 1 TO 900: NEXT I: SOUND 4000,5,12
241@ PRINT SPC(10) CHR$(4) " Identify your last known contact in Sector" X ","
2420 FOR I = 1 TO 900: NEXT I: SOUND 4000,5,12
2430 PRINT SPC(10) CHR$(4) " Proceed at once !"
2449 FOR I = 1 TO 999: NEXT I: SOUND 5999,5,13
2450 PRINT SPC(10) CHR$(4) " < END OF MESSAGE >"
2469 FOR I = 1 TO 2999: NEXT I
2470 GOTO 2490
2489 COLOR 11,1,8: CLS: PRINT:PRINT:PRINT: X=INT(RND*9+1)
249Ø COLOR 1,2,8: SOUND ON: NOISE 3,11,32ØØØ
2500 PRINT "
2510 PRINT "
                                  *** Computer Memory: Sector " X ".
252Ø PRINT "
253Ø FOR I = 1 TO 1ØØØ: NEXT I
2540 PRINT "
                                       >>>
                                                     Enter 1 - Romulan Probe
255Ø PRINT "
                                                     Enter 2 - Klingon Battle Cruiser "
                                        >>>
2560 PRINT "
                                        >>> Enter 3 - Khan's Warship
257Ø PRINT "
258Ø A$ = ""
259Ø A$ = INKEY$: IF A$ = "" THEN 259Ø
2600 IF A$ = "1" THEN EN=4: EM=7: ME=2: EN$="ROMULAN": GOTO 2640
2610 IF A$ = "2" THEN EN=3: EM=4: ME=4: EN$="KLINGON": GOTO 2640
2620 IF A$ = "3" THEN EN=2: EM=2: ME=6: EN$=" KHAN'S": GOTO 2640
263Ø GOTO 258Ø
2640 SOUND ON: SOUND 777,20,8
2650 COLOR 12,1: EMISS=EN*14: MEX=ME+5
2669 FOR I = 1 TO 89: PRINT CHR$(254);: NEXT I:PRINT:FOR I = 1 TO 599:NEXT I
2679 COLOR 29,3,4:LOCATE 29,25: PRINT " C O N D I T I O N - R E D "
2689 FOR J=1 TO 5:FOR I=1 TO 19:SOUND I*599,.5,12:SOUND I*1999,.5,12:NEXT I,J
269Ø COLOR 10,Ø
2700 LOCATE 24,13: PRINT "Captain " NA$ " !";
2719 LOCATE 24,31: PRINT " >>> You're wanted on the Bridge.";: PLAY OFF
2729 T$ = "03 V11 T129 MF MS C4C16G. T255 C8E8F8G8 T159 B-. 04 T59 C."
273Ø PLAY T$
2749 REM ************ MAIN PROGRAM ******************
2769 \text{ FOR I} = 1 \text{ TO } 6: \text{SS(I)} = 9: \text{NEXT I: FOR I} = 1 \text{ TO } 5: \text{TE(I)} = 9: \text{NEXT I}
2770 SCREEN 6: CLS: TIMER ON: TIMEX=TIMER: MISS=0: PA=0: PO=0: SP=0: SX=0
278Ø KP=25: PR=3Ø: ZAP=Ø: TORMIS=Ø: YD=Ø: SD=Ø: PD=Ø: TD=Ø: CD=Ø: TL=Ø: SH=Ø
 279Ø TS=Ø: TT=Ø: TP=Ø: TC=Ø
 2800 SOUND ON: PLAY "T99MB05V9ML C.04G.B-.F.P30C.03G.B-.F."
 2819 EE = 39: REM - ENTERPRIZE REPAIR TIMER FACTOR
 2820 GOSUB 2830: GOTO 2840
 2839 PALETTE 3,1 : PALETTE 9,3: PALETTE 2,14: PALETTE 1,12: RETURN
 2840 FOR I = 1 TO 12: KEY I, "": NEXT I
 2850 REM -- W1$ - W3$ ARE FOR WORK PARTY SOUNDS
 2860 REM W1$ = "MBV10L16T25504C.FGEDC+FFG-CEA."
 2879 REM W2$ = "MBV19L16T255ML05EFG+G+GE-DA+CGDF"
 2880 REM W3$ = "MBV10L16T255MSO3A.DAGFE-DCC+BG"
 2890 \text{ KB}(1,1)=340 \text{:KB}(2,1)=49 \text{:KB}(1,2)=347 \text{:KB}(2,2)=52 \text{:KB}(1,3)=353 \text{:KB}(2,3)=55
 2999 \text{ KB}(1,4)=357:\text{KB}(2,4)=59:\text{KB}(1,5)=361:\text{KB}(2,5)=63:\text{KB}(1,6)=364:\text{KB}(2,6)=68
 2910 \text{ KB}(1,7)=366:\text{KB}(2,7)=73:\text{KB}(1,8)=368:\text{KB}(2,8)=79:\text{KB}(1,9)=368:\text{KB}(2,9)=85
 292\% \text{ KB}(1,1\%) = 368 : \text{KB}(2,1\%) = 91 : \text{KB}(1,11) = 366 : \text{KB}(2,11) = 97 : \text{KB}(1,12) = 364 : \text{KB}(2,12) = 1\%2 : \text{KB}(2,12) = 1\%2 : \text{KB}(1,1\%) = 368 : \text{KB}(2,1\%) = 91 : \text{KB}(1,1\%) =
 293Ø KB(1,13)=361:KB(2,13)=1Ø7:KB(1,14)=357:KB(2,14)=111:KB(1,15)=353
 294Ø KB(1,16)=347:KB(2,16)=118:KB(1,17)=34Ø:KB(2,17)=12Ø:KB(1,18)=333
 2950 \text{ KB}(1,19) = 326 : \text{KB}(2,19) = 120 : \text{KB}(1,20) = 319 : \text{KB}(2,20) = 118 : \text{KB}(1,21) = 313
 296Ø KB(1,22)=3Ø9:KB(2,22)=111:KB(1,23)=3Ø5:KB(2,23)=1Ø7:KB(1,24)=3Ø2
 297Ø KB(1,25)=3ØØ:KB(2,25)=97:KB(1,26)=298:KB(2,26)=91:KB(1,27)=298:KB(2,27)=85
 2980 \text{ KB}(1,28) = 298 : \text{KB}(2,28) = 79 : \text{KB}(1,29) = 300 : \text{KB}(2,29) = 73 : \text{KB}(1,30) = 302 : \text{KB}(2,30) = 68
 2990 \ \text{KB}(1,31) - 305 : \text{KB}(2,31) - 63 : \text{KB}(1,32) - 309 : \text{KB}(2,32) - 59 : \text{KB}(1,33) - 313 : \text{KB}(2,33) - 55 : \text
 3999 KB(1,34)=319:KB(2,34)=52:KB(1,35)=326:KB(2,35)=49:KB(1,36)=333:KB(2,36)=48
  3919 KB(2,15)=115:KB(2,18)=121:KB(2,21)=115:KB(2,24)=192
 3929 WRS="** WARNING ** Insufficient Power **": MS$="Mr Spock, ":MZ$="Sulu, "
 3939 RAŞ="Raise shields quick.": LOŞ="Lower shields.": SRŞ="Sir, "
 3949 CA$="Captain ": SC$="Scotty, ": RP$="- Repeat your order Sir."
 3959 AD$=" are damaged!": TT$="Torpedo tubes": PB$="Phaser banks"
  3969 CD$=" crystal damaged!": WE$="Warp engines"
  3070 CMS="Main computers": LSS="Long range sensors": TSS="Targeting systems"
  3989 LFS="Life support systems": HLS="Ship's structures"
  3999 EX=36: SH=9: DY=3: KX=36: ER=9: KF$="": K$=""
  3100 KH!=0: KV!=25000: KD=180: KS=3: RG=25000
  311Ø PT=1Ø: PX=Ø: GOSUB 349Ø: CDPR=3
```


```
3120 LOCATE 5,7: PRINT CAS NAS "...."
3130 LOCATE 7,7: PRINT "Target is rapidly approaching."
3140 VT = TIMER: QT=10+(EM*4): REM - ENEMY REPAIR TIMER
3150 KEY 1, "S": KEY 2, "L": KEY 3, "P": KEY 4, "O"
3160 KEY 5,"C": KEY 6,"W": KEY 7,"E": KEY 8,"D"
3170 NV=0: HYPER=0
3180 SOUND ON
3190 TM = TIMER: SOUND ON: NOISE 2,NV,32000
3200 SOUND 1986,3,11
3210 GOSUB 4140
3220 GOSUB 4200
3230 GOSUB 8710
3240 COUNT = 0
3250 A$ = INKEY$: COUNT = COUNT + 1
3260 IF AS = "" THEN 3450
3270 IF A$ = CHR$(49) THEN GOSUB 6230: GOTO 3250: REM - 1, IMPULSE
328Ø IF AS = CHR$(83) THEN GOSUB 582Ø: GOTO 325Ø: REM - F1, SHIELDS ON
3290 IF A$ = CHR$(80) THEN GOSUB 7100: GOTO 3250: REM - F3, PHASERS ON
3300 IF AS = CHR$(51) THEN GOSUB 6270: GOTO 3250: REM - 3, HYPER
3310 IF AS = CHR$(67) THEN GOSUB 8310: GOTO 3250: REM - F5, FIX SHIELDS
332Ø IF A$ = CHR$(87) THEN GOSUB 837Ø: GOTO 325Ø: REM - F6, FIX WEAPONS
333Ø IF A$ = CHR$(69) THEN GOSUB 851Ø: GOTO 325Ø: REM - F7, FIX SYSTEMS
3349 IF A$ = CHR$(68) THEN GOSUB 8459: GOTO 3259: REM - F8, FIX ENGINES
335Ø IF A$ = CHR$(55) THEN GOSUB 628Ø: GOTO 325Ø: REM - 7, WARP -
336Ø IF A$ = CHR$(53) THEN GOSUB 729Ø: GOTO 319Ø: REM - 5, PHASER
337Ø IF A$ = CHR$(57) THEN GOSUB 629Ø: GOTO 325Ø: REM - 9, WARP +
3389 IF A$ = CHR$(52) THEN GOSUB 5269: GOTO 3259: REM - 4, LEFT
3399 IF A$ = CHR$(56) THEN GOSUB 7449: GOTO 3199: REM - 8, TORPEDO
3499 IF A$ = CHR$(54) THEN GOSUB 5289: GOTO 3259: REM - 6, RIGHT
341Ø IF A$ = CHR$(76) THEN GOSUB 576Ø: GOTO 325Ø: REM - F2, SHIELDS OFF
342Ø IF A$ = CHR$(79) THEN GOSUB 719Ø: GOTO 325Ø: REM - F4, PHASERS OFF
343Ø IF A$ = CHR$(5Ø) THEN GOSUB 346Ø: GOTO 319Ø: REM - 2, TORPEDO AFT
344Ø GOTO 325Ø
3450 IF COUNT > 50 THEN 3190 ELSE 3250
3460 REM ************ AFT TORPEDO LAUNCH *************
3470 XE=EX: EX=EX+18: IF EX>35 THEN EX=EX-36
3480 GOSUB 7440: EX=XE: RETURN
3490 REM ******* TACTICAL SCREEN SETUP **************
3500 VIEW (0,102)-(639,199),3
3510 WINDOW SCREEN (0,0)-(400,140):PAINT (240,125),3
3520 FOR I = 1 TO 80: PRINT CHR$(220); NEXT I
3539 PRINT CHR$(221) SPC(19);
3540 PRINT "USS ENTERPRISE COMMAND SCREEN";
3550 PRINT SPC(10) CHR$(219) "
3560 PRINT ENS " STATUS
3570 PRINT CHR$ (222);
3580 FOR I = 1 TO 80: PRINT CHR$(223);: NEXT I
3590 PRINT CHR$(221) SPC(49) CHR$(219) SPC(28) CHR$(222);
3600 PRINT CHR$(221) SPC(49) CHR$(219) "
                                                             KM
                                               Range:
3610 PRINT CHR$ (222);
362Ø PRINT CHR$(221) SPC(49) CHR$(219) "
                                             Heading:
                                                             " CHR$(248);
363Ø PRINT SPC(6) CHR$(222);
                                             Warp # : " SPC(13) CHR$(222);
364Ø PRINT CHR$(221) SPC(49) CHR$(219) "
366Ø PRINT CHR$(219) " " CHR$(222);
367Ø FOR I = 6 TO 8:PRINT CHR$(221) SPC(49) CHR$(219) SPC(28) CHR$(222);: NEXT I
3680 FOR I = 1 TO 80: PRINT CHR$(220); NEXT I
369Ø PRINT CHR$(219) SPC(24);
3799 PRINT "TACTICAL SCREEN";
371@ PRINT SPC(25) CHR$(219);
3720 LOCATE 15,3
3730 PRINT "Impulse
                                  WARP
                                                       Hyper"
3749 LOCATE 15,62: PRINT "Target Bearing"
3750 LOCATE 16,3: PRINT "Engines 1 2 3 4 5 6 7 8 9 10
                                                                    Drive"
3760 LOCATE 16,62: PRINT "Enterprise Bearing"
3779 LOCATE 19,7: PRINT "Shields"
3780 LOCATE 19,24: PRINT "Phasers": LOCATE 19,38: PRINT "Photon-Torpedos"
3790 LOCATE 22,6: PRINT " Ship's ErgoSystems "
3800 LOCATE 22,35: PRINT "Dilithium Crystals"
3810 LOCATE 23,6: PRINT "Hull Oxy Aim Dat Com"
3820 LOCATE 23,37: PRINT " # 1
3830 VIEW PRINT 4 TO 11
3840 CIRCLE (333,85),29,2,,,.45: SOUND 4000,1,11
3850 CIRCLE (333,85),42,2,,,.45: SOUND 4500,1,12
```

```
386@ PSET (333,85),2: DRAW "TA36@ N D9 U13"+"TA14@ N U5"+"TA22@ U5": EX=36
3870 PSET (283,30),2:DRAW "A3 U13" + "TA50 N U5" + "TA140 U5"
388Ø CIRCLE (291,19),3,1: PAINT (293,19),1
3890 LINE (9,40)-(53,52),2,B: REM FOR IMPULSE ENGINES
3900 FOR I = 1 TO 10: LINE (41+I*16,40)-(55+I*16,52),2,B
3919 SOUND 599*I,1,(2+I): NEXT I
3920 LINE (218,40)-(261,52),2,B: REM FOR HYPER DRIVE
3930 LINE (15,73)-(80,90),2,B: REM FOR SHIELDS
3940 SOUND 1000,2,11
3950 LINE (111,81)-(133,72),2: LINE (133,72)-(155,81),2: REM PHASER TOP
396Ø LINE (111,81)-(133,9Ø),2: LINE (133,9Ø)-(155,81),2: REM PHASER BOTTOM
3979 SOUND 2999,2,11
3980 LINE (180,74)-(264,91),2,B
399Ø SOUND 3000,2,11
4999 FOR I = 1 TO 5: J = I * 21
4919 LINE (11+J,129)-(29+J,126),2: LINE (29+J,126)-(11+J,133),2
4929 LINE (11+J,133)-(2+J,126),2: LINE (2+J,126)-(11+J,129),2
4030 IF YD=1 THEN RETURN ELSE PAINT (5+J,126),0,2:SOUND 700*1,1,11: NEXT I
4949 GOSUB 4959: GOTO 4969
4050 CIRCLE (196,127),6,2: PAINT (196,127),0,2: RETURN: REM D.C. #1
4060 SOUND 1000,1,11:SOUND 2000,1,12:SOUND 1000,1,13
4070 GOSUB 4080: GOTO 4090
4989 CIRCLE (249,127),6,2: PAINT (249,127),9,2: RETURN: REM D.C. #2
4999 SOUND 1999,1,11:SOUND 2999,1,12:SOUND 1999,1,13
4199 LOCATE 19,3: PRINT "Available Generator Power " CHR$(16) " 199%"
4110 LOCATE 10,60: PRINT "Status:"
412Ø GOSUB 725Ø
4130 RETURN
4149 REM ***** OXYGEN ****************************
4150 IF SS(2)=0 OR TE(2)>0 THEN RETURN
4169 IF (TM-TL) < 12 THEN RETURN ELSE Z$="*** Life Support Failure ***
4179 GOSUB 6919: FOR I = 1 TO 15: SOUND 3999,5,I: LOCATE 6,12
4180 COLOR 1: PRINT Z$: SOUND 1000,5,1: LOCATE 6,12
419Ø PRINT "
                                         ": NEXT I: GOTO 9130
4200 REM **** HIT ON ENTERPRISE ? ********************************
4210 IF RG>20000 THEN 4340
4229 L-INT(RND*EM)*2: IF L-2 THEN 4239 ELSE 4349
423@ FOR I = 1 TO 3: SOUND 2000,1,15: SOUND 1000,1,14: NEXT I: SOUND 600,1,15
4240 GOSUB 6010: LOCATE 6,7: PRINT CAS NAS " - We're under attack!"
4250 X1=ABS(EX-KX): IF X1>18 THEN X1=36-X1
4260 L=INT(RND*(X1/3+SP+KS+EMISS))
4279 REM * THIS FACTORS ENEMY TYPE AND DAMAGE INTO HIT ON ENTERPRISE
4280 IF L<(KP+MEX) THEN GOSUB 7580: GOTO 4340
4290 FOR I = 0 TO 15: FOR J = 1000 TO 400 STEP -100: SOUND J,.1,I: NEXT J,I
4300 FOR K = 15 TO 0 STEP -1: FOR L = 1300 TO 300 STEP -100
4310 SOUND L, .2, K: NEXT L, K: GOSUB 6010: LOCATE 6,7
4320 PRINT "Sir .... That was a near miss!": SOUND 3000,2,13
4340 TV=TIMER-VT
4350 GOSUB 5210
4360 IF SP=0 THEN X=10: GOTO 4380
4370 IF SP=1 THEN X=10 ELSE X=25*(SP-1)
4380 X = X * TV
439Ø AN! = EX * .1745329
4400 EV1= X * COS(AN1)
4410 EH! = X * SIN(AN!)
4420 X = KS * 25 * TV
4430 IF KHIT > 0 THEN 4450
4440 IF HIT = 0 THEN 4500
4450 IF KHIT=2 THEN KHIT=9: GOTO 4500
4460 KHIT = KHIT + 1
4479 IF KHIT > 1 THEN 4499
4480 IF RG = 2*INT(RG/2) THEN SIGN = -1 ELSE SIGN = 1
 4490 KD = KD + SIGN*(INT(RND*ME*5)+ME*7): REM-FACTORS ENEMY VEERING IF HIT
4500 AN! = KD * 1.745329E-02
4510 KH! = KH!+ (X*SIN(AN!))-EH!
4520 KV! = KV!+ (X*COS(AN!))-EV!
4530 RG! = SQR(KH!*KH! + KV!*KV!)
4540 IF RG!>30000! THEN RG! = 300001: KD=KD+45
4550 RG =CINT(RG!)
4560 IF VV>0 THEN 4580
4570 IF RG<3000 THEN KD=KD+(15+RND*(ME+KP)): KS=KS+ME: VV=1: GOTO 4420
4580 IF KV!=0 THEN KV! = .0001
4590 KB = ABS(INT(ATN(KH!/KV!) * 57.29578))
```

128K



Installs as easily as plugging in a socket



Software included, transfers from bank to bank. Works like main menu! Includes powerful RAM Basic that lets programs store and access data from any other bank.

PCSG says: Satisfaction guaranteed or your money back within 30 days

As amazing as it seems you can upgrade your Model 100 to 128K of RAM in just 60 seconds.

It comes to you right out of the box looking just like the picture. You just open the little compartment on the back of your Model 100 with a quarter and it just pushes right into place. You can then put the cover back in its place.

You then have 4 banks of RAM of 32K each. The additional three banks also work just like your Main Menu.

You push a function key and you are in the second bank. Push again and you are in third, again, then fourth. Press it once again for your original bank.

It has its own built-in NiCad battery that recharges right from the Model 100 and its guaranteed for a full year.

What is really great is that you can copy a file from one bank to another with just a function key.

Each bank is like having another Model 100, and all the built-in programs as well as any snap-in ROM programs appear in all four banks and work the same way. Your widebar cursor moves from file to file and you access any file or run any program just by pressing ENTER.

What lets you copy any file from one bank to another is a snap-in ROM from PCSG called RAM+, that comes at no extra charge. It just pushes right into the little socket in that same compartment with the 96K expansion unit.

Not only does this firmware let you copy a file from bank to bank, but you can make a copy of any file within the same bank instantly with a function key. Great for Lucid spreadsheets!

Copy a file from bank to bank with a function key

You can also rename a file, or kill any file with just a function key. Plus you can do a whole lot of other useful things like setting the date, day and time with function key ease. You even have a function key that lets you use non-Radio Shack printers without having to make those tricky dipswitch settings.

RAM + lets you cold start any one of your banks without affecting the other three. That means that anytime you want you can clean out a bank's entire memory, but leave intact all the files in the other banks.

What is also fantastic is that you don't have to have the ROM in place to use the additional RAM. Whenever you take out the snap-in ROM it leaves behind a tiny machine code program that lets you switch from bank to bank just by pressing ENTER.

This lets you use your ROM socket to snap-in other ROMS like LUCID spreadsheet, WRITE ROM text processor, or DISK + ROM file transfer program, and use them in any or all four banks. All of these, by the way, are available from PCSG.

When you are ready to copy a file from one bank to another or use any of the other fantastic functions we talked about you can just snap the RAM + ROM back into place.

Everybody that has this 128K system in their Model 100 is so excited, because it gives them four times the capacity and all banks work just like the Main Menu.

And what has made a lot of people happy is that the system bus, located in the same compartment, is left free for you to plug in a DVI or the Holmes Engineering PCSG portable disk drive.

The ability to copy a file from bank to bank instantly with a function key, plus all of the other features make this RAM extension truly an engineering masterpiece.

Some people hesitate when they think of installing something, and then others are skeptical that any additional hardware could be as good as the Model 100 itself. That's why we sell these 96K expansions on a 30 day trial. Simply return it within 30 days for a full refund if you are not satisfied. Priced at \$425. MC VISA COD.

1-214-351-0564

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

VISA / MASTER CARD / AM. EXP. / C.O.D.

```
4699 IF KV1<9 AND KH1<9 THEN KB=KB+189: GOTO 4649
4610 IF KV!>0 AND KH1>0 THEN 4640
462Ø IF KH!>Ø THEN KB=18Ø-KB: GOTO 464Ø
4630 KB=360-KB
4640 X! = PR/15!
4650 IF X1>1! THEN X!=1!
4660 X = INT(9*X1)
467@ KS = CINT(X*SIN(16@*RG/3@@@@*1.745329E-@2))+CINT(3@-KP)/(EM+1)
468Ø IF VV=2 THEN KS=KS+ME*2
4690 IF VV=0 THEN 4730 ELSE IF VV=2 THEN 4710
4799 IF RG<15999 THEN 4729 ELSE VV=9: GOTO 4739
4710 IF RG>15000 THEN VV=0: GOTO 4730
4720 X = SIGN*EN*10: GOTO 4760
4739 X1 = KP/15
4740 IF X!>1! THEN X!=1!
475Ø X=CINT(18Ø*X1)
476Ø IF KS>2Ø THEN KS=2Ø
4770 \text{ KD} = \text{KB+X+INT}(\text{RND*KS*2})
4780 IF KD>360 THEN KD=KD-360
4790 IF KD<1 THEN KD=1
4800 IF SS(4)=0 THEN 4840 ELSE 4870: REM - NEXT 3 LINES ARE A SUBROUTINE
481g LOCATE 5,67: PRINT "??????"
4829 LOCATE 6,79: PRINT "???"
4830 LOCATE 7,67: PRINT "???": RETURN
4840 LOCATE 5,67: PRINT USING "##,###"; CINT(RG!)
4850 LOCATE 6,69: PRINT USING " ###"; KD
4860 LOCATE 7,67: PRINT INT(KS)
4870 KQ! - KB
4889 \text{ KB} = \text{KB}/19: IF KB < 1 OR KB > 35 THEN KB = 36
489@ PAINT (KB(1,KX),KB(2,KX)),3
49gg CIRCLE (KB(1,KB),KB(2,KB)),3,1: PAINT (KB(1,KB),KB(2,KB)),1
 4910 KX=KB
 4920 REM * KP IS USED TO FACTOR ENEMY HIT ON ENTERPRISE
 4930 IF KP<11 AND KFS="YELLOW" THEN KFS="RED ": COLOR 1,2: GOTO 4980
 4940 IF KP<21 AND KFS="GREEN" THEN KFS="YELLOW": COLOR 2,3: GOTO 4980
 4950 IF KP>10 AND KF$="RED " THEN KF$="YELLOW": COLOR 2,3: GOTO 4980
 4960 IF KFS="GREEN" THEN 5030
 4979 IF KP>29 THEN KFS="GREEN ": COLOR 3,9: GOSUB 2839
 4980 IF K$ KF$ THEN 4990 ELSE 5030
 4999 LOCATE 19,68: PRINT KF$: COLOR 3,9: GOSUB 2839
 5000 FOR K = 5 TO 15: SOUND 1500, .7, K: NEXT K
 5010 SOUND 2000,1,15
 5020 K$=KF$
 5030 VT=TIMER
 5949 IF VV=1 THEN VV=2
 5050 RETURN
                                  5060 REM ****
                 HIT ON ENEMY?
 5979 LOCATE 7,6: HIT = 9
 5989 X=INT(ABS(19*EX-KQ!)): IF X>189 THEN X=369-X
 5999 IF X > (11-SS(3)) THEN 5199 ELSE 5139
                      Sir ..... we missed.": MISS=MISS+2
 5100 PRINT "
 5110 PLAY "02 V12 T150 MF C4 02 E-16G8F16E-16D16C"
 5120 GOTO 5240
 5130 IF X > (6-SS(3)) THEN 5140 ELSE 5170
40 PRINT " We just missed " CAS NA:
                   We just missed " CA$ NA$ ".": MISS=MISS+1
 5150 PLAY "03 V12 T150 MF C4 02 E-16G8F16E-16D16C"
 5160 GOTO 5240
                       - - - DIRECT HIT - - -"
 5170 PRINT "
 5180 PLAY "03 V12 T180 MF C4C16E16G8E16G16 04 C"
 5190 KP=KP-5: HIT=1 ZAP=ZAP+1
  5200 IF KP=0 THEN 9130 ELSE 5210
  5210 IF TIMER>TO AND KP<30 THEN 5220 ELSE 5240
  522Ø KP=KP+5
  5230 TQ=TIMER+QT
  5240 RETURN
  5250 REM ******** ENTERPRISE BEARING ******************
  5260 IF(EX=1) THEN EB=36 ELSE EB=EX-1
  527Ø GOTO 529Ø
  5280 EB=EX+1: IF(EX=36) THEN EB=1
  5290 PS=3: PLAY "V10T25505F"
  5300 PSET (333,85),PS
  5310 IF (EX>24) THEN NX=EX-24: GOTO 5350
  5320 IF (EX>12) THEN NX=EX-12; GOTO 5340
  533Ø ON EX GOTO 536Ø,537Ø,538Ø,539Ø,54ØØ,541Ø,542Ø,543Ø,544Ø,545Ø,546Ø,547Ø
```

64

```
534Ø ON NX GOTO 548Ø,549Ø,559Ø,551Ø,552Ø,553Ø,554Ø,555Ø,556Ø,557Ø,558Ø,559Ø
535Ø ON NX GOTO 56ØØ,561Ø,562Ø,563Ø,564Ø,565Ø,566Ø,567Ø,568Ø,569Ø,57ØØ,571Ø
536Ø DRAW "TA35Ø N D9 U13"+"TA13Ø N U5"+"TA21Ø U5": GOTO 572Ø
537Ø DRAW "TA34Ø N D9 U13"+"TA12Ø N U5"+"TA2ØØ U5": GOTO 572Ø
5389 DRAW "TA339 N D9 U13"+"TA119 N U5"+"TA199 U5": GOTO 5729
539Ø DRAW "TA32Ø N D9 U13"+"TA1ØØ N U5"+"TA18Ø U5": GOTO 572Ø
5400 DRAW "TA310 N D9 U13"+"TA90 N U5"+"TA170 U5": GOTO 5720
541g DRAW "TA3gg N D9 U13"+"TA8g N U5"+"TA16g U5": GOTO 572g
5420 DRAW "TA290 N D9 U13"+"TA70 N U5"+"TA150 U5": GOTO 5720
543@ DRAW "TA28@ N D9 U13"+"TA6@ N U5"+"TA14@ U5": GOTO 572@
5440 DRAW "TA270 N D9 U13"+"TA50 N U5"+"TA130 U5": GOTO 5720
5450 DRAW "TA260 N D9 U13"+"TA40 N U5"+"TA120 U5": GOTO 5720
546@ DRAW "TA25@ N D9 U13"+"TA3@ N U5"+"TA11@ U5": GOTO 572@
5479 DRAW "TA249 N D9 U13"+"TA29 N U5"+"TA199 U5": GOTO 5729
5480 DRAW "TA230 N D9 U13"+"TA10 N U5"+"TA90 U5": GOTO 5720
549Ø DRAW "TA22Ø N D9 U13"+"TA36Ø N U5"+"TA8Ø U5": GOTO 572Ø
5500 DRAW "TA210 N D9 U13"+"TA350 N U5"+"TA70 U5": GOTO 5720
5519 DRAW "TA299 N D9 U13"+"TA349 N U5"+"TA69 U5": GOTO 5729
552Ø DRAW "TA19Ø N D9 U13"+"TA33Ø N U5"+"TA5Ø U5": GOTO 572Ø
5530 DRAW "TA180 N D9 U13"+"TA320 N U5"+"TA40 U5": GOTO 5720
5540 DRAW "TA170 N D9 U13"+"TA310 N U5"+"TA30 U5": GOTO 5720
5550 DRAW "TA160 N D9 U13"+"TA300 N U5"+"TA20 U5": GOTO 5720
5560 DRAW "TA150 N D9 U13"+"TA290 N U5"+"TA10 U5": GOTO 5720
5570 DRAW "TA140 N D9 U13"+"TA280 N U5"+"TA360 U5": GOTO 5720
5580 DRAW "TA130 N D9 U13"+"TA270 N U5"+"TA350 U5": GOTO 5720
5590 DRAW "TA120 N D9 U13"+"TA260 N U5"+"TA340 U5": GOTO 5720
5600 DRAW "TA110 N D9 U13"+"TA250 N U5"+"TA330 U5": GOTO 5720
561@ DRAW "TA1@@ N D9 U13"+"TA24@ N U5"+"TA32@ U5": GOTO 572@
5629 DRAW "TA99 N D9 U13"+"TA239 N U5"+"TA319 U5": GOTO 5729
5630 DRAW "TA80 N D9 U13"+"TA220 N U5"+"TA300 U5": GOTO 5720
5640 DRAW "TA70 N D9 U13"+"TA210 N U5"+"TA290 U5": GOTO 5720
565@ DRAW "TA6@ N D9 U13"+"TA2@@ N U5"+"TA28@ U5": GOTO 572@
5660 DRAW "TA50 N D9 U13"+"TA190 N U5"+"TA270 U5": GOTO 5720
5670 DRAW "TA40 N D9 U13"+"TA180 N U5"+"TA260 U5": GOTO 5720
5680 DRAW "TA30 N D9 U13"+"TA170 N U5"+"TA250 U5": GOTO 5720
5690 DRAW "TA20 N D9 U13"+"TA160 N U5"+"TA240 U5": GOTO 5720
5700 DRAW "TA10 N D9 U13"+"TA150 N U5"+"TA230 U5": GOTO 5720
571Ø DRAW "TAØ N D9 U13"+"TA14Ø N U5"+"TA22Ø U5"
5720 IF (PS = 2) THEN 5740
573Ø PS = 2: EX = EB: GOTO 53ØØ
5740 RETURN
575@ REM ***** SHIELDS *************************
576@ GOSUB 599@: LOCATE 5,7: PRINT MS$ LO$: IF SH=@ THEN 597@
577Ø IF SH-1 THEN 579Ø
578Ø FOR I = 12 TO 8 STEP -1: SOUND 666,1,I: NEXT I: PAINT (60,80),3: PR=PR+2
579Ø FOR I = 8 TO 4 STEP -1: SOUND 666,1,I: NEXT I: PAINT (25,8Ø),3: PR=PR+2
5800 SH=0
5819 LOCATE 7,7: PRINT "Sir, Shields deactivated.": GOTO 5989
5820 GOSUB 5990: LOCATE 5,7: PRINT MS$ RA$: IF SH=2 THEN 5970
5830 IF SD=0 THEN 5850 ELSE LOCATE 7,7: PRINT SR$ "Shields" AD$
584Ø GOSUB 615Ø: GOTO 865Ø
5850 IF PR>10 THEN 5870
5860 LOCATE 7,7:PRINT CAS "- we have no more shield power!":GOTO 58400
5870 IF SH=1 THEN 5910
5889 LINE (64,87)-(17,87),9:LINE (17,87)-(17,76),9:LINE (17,76)-(64,87),9
589Ø FOR I = 4 TO 8:SOUND 666,1,I:NEXT I:PAINT (25,8Ø),Ø:PR=PR-2:SH=1
5900 IF SD=1 THEN 5930
5910 IF PR>8 THEN 5930 ELSE LOCATE 7,7: PRINT "Only 50% Shield activation."
592Ø GOTO 595Ø
5930 LINE (31,76)-(78,76),0:LINE (78,76)-(78,87),0:LINE (78,87)-(31,76),0
5949 FOR I = 8 TO 12:SOUND 666,1,I:NEXT I:PAINT (69,89),9:PR-PR-2:SH-2
5950 IF SD=1 THEN RETURN
5960 LOCATE 7,7: PRINT "Shields FIRM.": GOTO 5980
597Ø LOCATE 7,7: PRINT CAS RPS: GOSUB 615Ø
5980 GOSUB 6180: RETURN
599@ REM ***** ZAP SCREEN ************************
6000 SOUND 500,1,8
6919 FOR I = 5 TO 7: LOCATE I,3
6020 PRINT "
6030 NEXT I: RETURN
6949 REM **** BLAST/LAUNCH RANGE/HIT
                                         ***********************
6050 X=0
6060 IF X$ = "L" THEN 6070 ELSE 6090
6979 IF RG>29999 THEN 6989 ELSE 6149
```

FINALLY, A MEMORY RESIDENT TIME AND BILLING SYSTEM! TIMESLIPS times your activities right at your desk

with pop-up "stopwatch" screens. And it keeps track of your expenses. TIMESLIPS also allows quick batch entry of time sheets. Then TIMESLIPS automatically generates bills your way with user-definable billing phrases.

FINALLY, TIME-BILL SOFTWARE THAT GENERATES BUSINESS REPORTS, FINANCIAL REPORTS AND GRAPHS. TIMESLIPS converts your time records into analytical tools that help you manage precious resources.

FINALLY, MENU DRIVEN TIME-BILL SOFTWARE. And TIMESLIPS is written in plain English, with on-line help and telephone support at no additional cost, so you'll never be lost.

timeslips (

FINALLY, AFFORDABLE TIME-BILL SOFTWARE. It's the only complete system for under \$100. With a 30-day money back guarantee to boot.



THE SOFTWARE THAT FITS THE BILL FINALLY! IBM PC/XT/AT compatible.	has been assessed to the second of the secon
To order toll-free, call 1-800-225-5669. For more information on TIMESLIPS, call North Edge Software Corp. directly at (617) 468-7358.	Surprise timeslips which is timed to the surprise times times to the surprise times ti
☐ Yes, I am finally convinced that I have found the software that fits the bill. Please rush me copies of TIMESUPS at \$99.95 each plus \$7.00 s/h (Mass. residents add \$5.00 tax) for a total of \$ ☐ Enclosed is my check with this coupon. ☐ Please charge to my Visa M/C Expiration Card # ☐ I'd like to get more information on TIMESUPS, the software that fits the base of the software the software that fits the base of the software that	for the period and compacting
Name	
Company	oorth adoa
Address	north edgesoftware
City	
StateZip	corp
Phone	PO BOX 286 HAMILTON, MASS. 01936 617-468-7358

```
6989 X=1: X$ = " Torpedo": TORMIS=TORMIS+1: GOTO 6119
6999 IF RG>19999 THEN 6199 ELSE 6149
6100 X=1: X$ = " Phaser'
6110 LOCATE 6,4
6120 PRINT SPC(4) ENS " target out of" X$ " range!"
6130 FOR I = 10 TO 1 STEP -1: SOUND 200*I, .1, 10: NEXT I
6140 RETURN
6150 REM *** RESPONSE **********
6169 SOUND 3999,5,19:SOUND 2999,4,19:SOUND 3999,3,19
6170 RETURN
6190 IF SS(5)=1 THEN RETURN
6200 LOCATE 10,31: PRINT USING "###"; CINT(PR*3.33)
6210 RETURN
6229 REM ******* ENGINE SPEED ************************
6230 GOSUB 5990: LOCATE 5,7:PRINT SC$ "Give me Impluse Power."
6240 IF DY=0 THEN LOCATE 7,7: PRINT SR$ "Impulse engines" AD$: GOTO 6580
6250 IF PR>5 THEN SP=1: GOTO 6380
6260 GOTO 6550
627Ø GOSUB 599Ø:LOCATE 5,7:PRINT SC$"Give me Hyper-Drive - now!":SP=12:GOTO 637Ø
628Ø GOSUB 599Ø: X=Ø: W$="Decrease": GOTO 63ØØ
629Ø GOSUB 599Ø: W$="Increase": X=1
6300 LOCATE 5,7: PRINT SC$ W$ " our WARP Factor."
631Ø IF X=1 AND SX=Ø THEN 632Ø ELSE 633Ø
6320 LOCATE 7,7: PRINT CAS ", power up Impulse Engines first.": GOTO 6150
6330 IF X=1 THEN 6360
6340 IF SX<2 THEN 6400 ELSE SP=SX-1
635Ø GOTO 637Ø
6360 IF SX=11 THEN 6400 ELSE SP=SX+1
637Ø IF DY<2 THEN LOCATE 7,7: PRINT SR$ WE$ AD$: GOTO 658Ø
6380 IF(SP>SX) THEN 6410
639Ø IF(SP<SX) THEN 663Ø
6400 LOCATE 7,7:PRINT CAS NAS " " RPS: GOTO 6150
6410 IF(SP=1) THEN 6420 ELSE IF(SP=12) THEN 6530 ELSE 6460
642Ø I=1: GOSUB 684Ø: LINE (12,43)-(5Ø,49),Ø,BF
6430 IF(SP>1) THEN SX=1: GOTO 6460
6440 LOCATE 7,7: PRINT CAS "- Impulse power attained.": PR=PR-1
6450 SX=SP: GOTO 7080
6460 IF(SX=0) THEN 6420
647Ø S2=SP-1: XS=SX: FOR I = XS TO S2: IF(I=11) THEN 654Ø
648Ø IF PR<I THEN SX=I: GOTO 655Ø
649Ø GOSUB 684Ø: PR=PR-1: SX=SX+1: GOSUB 688Ø
6500 LINE (43+1*16,43)-(53+1*16,49),2,BF: NEXT I
6510 LOCATE 7,7:PRINT "WARP Factor #" SP-1 "has been achieved."
652Ø SX=SP: GOTO 7Ø8Ø
6539 IF (SX<11) THEN 6469
6540 IF PR>12 THEN 6560 ELSE SX=11
6550 LOCATE 7,7: PRINT WRS: GOSUB 6150: GOTO 7080
6560 IF DY=3 THEN 6600 ELSE SK=11: GOSUB 6010: LOCATE 5,6: PRINT CA$ NA$
6570 LOCATE 7,6: PRINT "We need both engines for Hyper-Drive!"
658Ø GOSUB 615Ø: PLAY "05T25ØV11GFG"
659Ø GOTO 7Ø8Ø
6600 LINE (221,43)-(258,49),1,BF
6610 GOSUB 6890
662Ø SX=12: SP=Ø
6630 REM - GO SLOWER
6649 IF(SX=1) THEN 6769
6650 IF(SX<12) THEN 6700
6660 GOSUB 6860
6670 PAINT (225,45),3,2; SX=11: PR=PR+1
6680 IF(SP<11) THEN SX=11: GOTO 6700
669Ø GOTO 674Ø
6700 STP=SX-1: FOR I = STP TO SP STEP -1: IF(I=0) THEN 6760 6710 PR=PR+1: SX=SX-1: GOSUB 6880
6729 PAINT (48+I*16,46),3: GOSUB 6869
673Ø NEXT I
674Ø IF (SP=1) THEN 675Ø ELSE 651Ø
6750 PR=PR+1: GOTO 6440
676Ø I=
677Ø PAINT (20,45),3: GOSUB 6869
678Ø SX=Ø: PR=PR+1
6790 LOCATE 6,7: PRINT CA$ NA$ " - all engines stop !
                                                    ": HYPER=HYPER+1
6800 SOUND 1111,10,14: PR=PR-4: IF DY=0 THEN RETURN
681Ø PT=1Ø: GOSUB 725Ø: VT=Ø: GOSUB 433Ø
```

June 1986

```
6820 IF GO=1 THEN RETURN
683Ø RG=25ØØØ: VT=TIMER: KH!=Ø: KV!=25ØØØ: KD=1: KS=3: GOTO 7Ø8Ø
6840 FOR K = 1 TO 12: FOR J = 1 TO 5: SOUND 25*K*I, 05, K: NEXT J: NEXT K
6850 GOTO 6880
6860 FOR K = 12 TO 1 STEP -1: FOR J = 1 TO 5
6879 SOUND 25*K*I, .95, K, 2: NEXT J: NEXT K
688@ NV=(SX+2)/2: SOUND ON: NOISE 2,NV,32@@@: RETURN
6890 REM ***** SOUND FOR HYPER-WARP
                                                                 **********
6900 GOSUB 5990
6910 FOR I = 1 TO 10: COLOR 2
6920 LOCATE 6,15: PRINT "H Y P E R - D R I V E"
693Ø FOR J = 4ØØ TO 1ØØØ STEP 1ØØ
6949 SOUND J, . 2, 11
6950 M = 900 - J
6969 SOUND M, .2,11,1
6970 NEXT J
6989 LOCATE 6,15: PRINT "
6990 FOR K = 1000 TO 400 STEP -100
7999 SOUND K, . 2, 11
7010 L = 100 + K
7929 SOUND L, .2, 11, 1
7030 NEXT K
7040 NEXT I
7050 COLOR 3: GOSUB 2830
7060 LOCATE 6,15: PRINT "STARBASE 6 - dead ahead."
7979 TL=TIMER: RETURN
 7080 IF GO=1 THEN RETURN ELSE GOSUB 6180: RETURN
 7090 REM *** PHASERS
                                         7100 GOSUB 5990: LOCATE 5,7: PRINT MZ$ "Energize Phasers.":LOCATE 7,7
7110 IF PD=1 THEN PRINT SR$ PB$ AD$: GOSUB 6150: GOTO 7240
7120 IF PA=1 THEN 7230
7130 IF PR<4 THEN PRINT WRS: GOSUB 6180: GOTO 8650
7140 LINE (118,81)-(133,76),0: LINE (133,76)-(148,81),0: REM FILL PHASER
7159 LINE (118,81)-(133,85),9: LINE (133,85)-(148,81),9: PAINT (125,81),9
 7160 FOR I = 1000 TO 10000 STEP 1000: SOUND I,1,10: NEXT I
7170 PR=PR-2: IF PD=1 THEN RETURN
718Ø PA=1: PRINT CA$ "- Phasers at FULL power.": GOTO 724Ø
719@ GOSUB 599@: LOCATE 5,7: PRINT MZ$ "Deactivate Phasers.": IF PA=@ THEN 723@
7200 PAINT (125,81),3,2: PR=PR+2: PA=0
7219 FOR I = 19999 TO 1999 STEP -1999: SOUND I,1,19: NEXT I
7220 LOCATE 7,7: PRINT CA$ "Phasers are deactivated.": GOTO 7240
7230 LOCATE 7,7: PRINT CA$ NA$ RP$: GOSUB 6150
7240 GOSUB 6180: RETURN
 7260 FOR I = 1 TO PT: CIRCLE (I*8+178,82),2.2,2,,,2
727@ PAINT (I*8+178,82), Ø, 2: SOUND 1234, 1, 9: NEXT I: PO=1
 7280 RETURN
                 7290 REM
 7300 QQ=1
 731Ø GOSUB 599Ø: X$="B": GOSUB 6Ø4Ø: IF X=1 THEN 743Ø
 7320 IF PD=1 THEN 7420
 7330 IF PA=0 THEN 7410
 7349 FOR I = 599 TO 5999 STEP 199: SOUND I, .1, 15: NEXT I: SOUND 3999, .2, 15
 7350 LOCATE 5,14:PRINT "*** PHASER - BLAST
 7360 FOR I = 1 TO 31 STEP 2: X = 375/(24+I)
 7370 FOR J = 500 TO 2500 STEP 500: SOUND J, .1, X: NEXT J
 7389 FOR K = 2599 TO 599 STEP -599: SOUND K, .1, X: NEXT K
 7390 NEXT I
 7400 GOSUB 5060: GOTO 7430
 741Ø LOCATE 6,4: PRINT CA$ " - Phasers have not been energized.": GOTO 615Ø 742Ø LOCATE 6,4: PRINT CA$ ", " PB$ AD$: GOTO 615Ø
 7430 RETURN
 7449 REM WICHOK LAUNCH Welelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelandelelan
 7450 GOSUB 5990: X$="L": GOSUB 6040: IF X=1 THEN 7570
 7460 IF TD=1 THEN 7560
 747Ø IF PO=Ø THEN 755Ø
 7480 IF PT=0 THEN LOCATE 6,7: PRINT CAS "- Torpedos are all gone!": GOTO 6150
 749Ø FOR K=0 TO 15:SOUND K*1ØØØ,.2,15:SOUND K*25Ø,.2,15:NEXT K:SOUND 5ØØØ,2,15
 7500 LOCATE 5,13: PRINT "*** TORPEDO - LAUNCH ***"
 7510 PX=PT: GOSUB 7520: GOTO 7530
 7520 FOR I = PT TO PX STEP -1: PAINT (I*8+178,82),3: NEXT I: RETURN 7530 FOR I = 15 TO 0 STEP -.1: SOUND 7000,.1,I: SOUND 5000,.1,I: NEXT I
 754Ø PT=PT-1: GOSUB 5Ø6Ø: GOTO 757Ø
 7550 LOCATE 6,6: PRINT CAS " - Torpedos have not been armed.": GOTO 6150
```

```
7560 LOCATE 6,6: PRINT CAS ", " TTS ADS: GOTO 6150
 7570 RETURN
 7589 REM **** HIT
                       ***************
 7599 FOR I = 9 TO 15: FOR J = 1999 TO 499 STEP -199: SOUND J, 1, I: NEXT J, I
 7600 PLAY "V15MB04T90B"
 7610 GOSUB 6010: LOCATE 5,7: PRINT CAS NAS
 7620 LOCATE 7,7: PRINT "We've been HIT !
 7639 PLAY "T259 V14 MF 06 C16 05 C16 04 C16 03 C16 02 C16 01 C16 09 C16"
 7649 FOR J=199 TO 1999 STEP 25:SOUND J,.91,19:SOUND 1199-J,.91,19:NEXT J
 7650 LOCATE 5,7: PRINT "Standby for Engineering damage report.
 7660 FOR I = 100 TO 5000 STEP 1000: SOUND I, .01, 10: NEXT I
 7670 LOCATE 7.7
 7680 ON (SH+1) GOTO 7750,7720,7690
 769Ø SH=1: PAINT (6Ø,8Ø),1,3: PR=PR+2
 7700 PRINT "Shields 50% destroyed!"
 771Ø SD=1: GOTO 824Ø
772Ø SH=Ø: PAINT (25,8Ø),1,3: PR=PR+2
 7739 IF TS>9 THEN PAINT (25,89),2,3
7740 PRINT "All Shields destroyed!": GOTO 7710
7750 L-INT(RND*7)+1: ON L GOTO 7760,7790,7850,7960,7960,7960,7960
 7760 IF PA=0 THEN 7750
777Ø PA=Ø: PAINT (125,81),1,3: PR=PR+2: PD=1
7780 PRINT PB$ " are gone!": GOTO 8240
779Ø IF PO-Ø THEN 775Ø
7800 IF PT=0 THEN 7750 ELSE LP=PT
 781Ø PO-Ø: TD-1
7820 FOR I = 1 TO PT: CIRCLE (I*8+178,82),2.2,1,,,2
7839 PAINT (I*8+178,82),1: SOUND 1234,1,9: NEXT I
7840 PRINT TTS " are blocked!": GOTO 8240
7850 ON (DY+1) GOTO 7750,7940,7860,7920
786@ DY-1: PAINT (24@,127),1,2: PRINT "Secondary" CD$
7879 SOUND 5999,29,15: FOR I - 1 TO 199: NEXT I
7880 IF TC>0 THEN PAINT (240,127),
7890 LOCATE 5,7: PRINT CAS NAS "
                                  " WES " are useless!"
7900 IF SX<2 THEN 8230 ELSE SP=1
7910 GO=1: GOSUB 6700: GO=0: GOTO 8230
792Ø DY=2: PAINT (196,127),1,2: PRINT "Primary" CD$
7930 CD=1: GOTO 8230
7940 DY=0: PRINT "Impulse engines have shorted out!": SP=0
7950 SOUND 4000,10,15: GOSUB 6010: GO=1: GOSUB 6770: GO=0: GOTO 8230
7960 L=INT(RND*6)+1: IF SS(L)=1 THEN 7960 ELSE SS(L)=1
797Ø YD=1
7989 ON L GOTO 8169,8199,8989,8969,8939,8169
7990 PRINT BS: LOCATE 5,7: PRINT
8000 LOCATE 5,7: J=L*21: PAINT (5+J,126),1,2: GOSUB 4010
8010 FOR I = 10 TO 1 STEP -1: SOUND 1000*I,1,15: NEXT I
8020 RETURN
8939 B$ = SR$ + CM$ + AD$: GOSUB 7999
8949 PRINT "Generator readings have malfunctioned."
8959 LOCATE 19,31: PRINT "???": GOTO 8249
8969 B$ = SR$ + LS$ + AD$: GOSUB 7999
8979 PRINT "Target vector data unavailable.": GOSUB 4819: GOTO 8249
8080 B$ = SR$ + TS$ + AD$: GOSUB 7990
8090 PRINT "Weapons accurracy is reduced!": GOTO 8240
8199 B$ = SR$ + LF$ + AD$: GOSUB 7999
8119 PRINT "Remaining oxygen ** 19 seconds **": FOR I = 1 TO 15
8120 LOCATE 5,27: PRINT "
                          ": FOR J = 2500 TO 5000 STEP 250
813Ø SOUND J, 1,11: NEXT J: LOCATE 5,27: PRINT " 10"
8140 FOR J = 2500 TO 1000 STEP -250: SOUND J, 1,11: NEXT J: NEXT I
8159 TL-TIMER: GOTO 8249
8160 IF SS(1)=1 AND SS(6)=1 THEN 8220
8170 B$ = SR$ + HL$ + AD$: L=1: GOSUB 7990
8180 PRINT "Outer hull is near collapse !!!": LOCATE 7,7
8199 PRINT ">>> We can't sustain another hit <<<": FOR I - 1 TO 2
8299 FOR J = 19 TO 49 STEP 2: SOUND 1599, 93, 12: LOCATE 6, J: PRINT "*"
8210 LOCATE 6, J: PRINT " ": NEXT J: NEXT I: GOTO 8240
8220 SOUND OFF: SOUND ON: Z$="** Enterprise Is Collapsing **": GOTO 4170
823Ø PR=PR-CDPR
8240 REM
8250 FOR I = 15 TO 1 STEP -1: SOUND 3000, 4, I: SOUND 1000, 3, I: NEXT I
8260 GOSUB 6180: RETURN
8279 REM **** REPAIR START **********************
8280 GOSUB 5990: LOCATE 5,7: PRINT "Engineering. . Repair " AS: LOCATE 7,7
8290 BAD=9: IF PR<10 THEN GOSUB 8590: BAD=1
```

```
8399 RETURN
8319 AS="those Shields!": GOSUB 8289: IF BAD-1 THEN RETURN
8329 IF SD-9 THEN 8629
8339 IF TS>9 THEN 8699 ELSE TS=TIMER
8349 PAINT (69,89),2,3
8359 IF SH=9 THEN PAINT (25,89),2,3
8369 GOTO 8669
8379 AS="our Weapons!": GOSUB 8289: IF BAD-1 THEN RETURN
8389 IF PD=9 AND TD=9 THEN 8629
8390 IF PD=0 THEN 8420
8499 IF PD=1 AND TP=9 THEN TP=TIMER: PAINT (125,81).2.3: GOTO 8669
8419 IF TD=9 THEN 8699
8429 IF TT>9 THEN 8699 ELSE TT=TIMER
8439 FOR I = 1 TO PT: CIRCLE (1*8+178,82),2.2,2,,,2
8449 PAINT (I*8+178,82),2: SOUND 1234,1,9: NEXT I: GOTO 8669
8450 AS="the Crystals!": GOSUB 8280: IF BAD=1 THEN RETURN
8469 IF CD-9 THEN 8629
8479 IF TC>9 THEN 8699 ELSE TC=TIMER
8480 PAINT (196,127)
8490 IF DY=1 THEN PAINT (240,127),2,3
8500 GOTO 8660
8510 AS="Ergosystems!": GOSUB 8280: IF BAD-1 THEN RETURN
8520 IF YD-9 THEN 8629
 8539 IF SS(6)=1 THEN SS(1)=1
 8549 X-9: FOR I - 1 TO 5: IF SS(I)-1 THEN 8559 ELSE 8569
 8550 IF TE(I)>0 THEN 8560 ELSE TE(I)=TIMER:X=1:PAINT (5+I*21,126),2:GOTO 8660
 8569 NEXT I: IF SS(6)=9 THEN 8589
 8579 IF TE(1)>9 THEN 8589 ELSE TE(1)-TIMER: X-1
 8580 IF X=0 THEN 8600 ELSE 8660
 8599 PRINT WRS: GOSUB 6159: GOTO 8659
 8699 PRINT "Work party already dispatched - Sir.
             - 1 TO 19: SOUND 499+I*29,1,(5+I): NEXT I: RETURN
 8619 FOR I
 8629 PRINT "But Sir, Ship monitors read normal!"
 8639 FOR I = 1999 TO 799 STEP -199: SOUND I,1,11: NEXT I
 8649 FOR I = 1 TO 3: SOUND 1299,2,11: NEXT I
 8659 SOUND 2999, 19, 19: RETURN
 8660 LOCATE 7,7: PRINT "Yes Sir, We're on our way!"
 8679 PLAY "MBV19L16T25504C.FGEDC+FFG-CEA.
 8680 IF PLAY (0) - 0 GOTO 8700
 8699 GOTO 8689
 8799 PR-PR-2: GOSUB 6189: RETURN
 8719 REM **** FIX *************
 8720 X=TIMER-EE
 8739 IF TE(2)>9 THEN 8899
  8749 IF TS>9 THEN 8839
 8759 IF TE(1)>9 THEN 8859
  8760 IF TT>0 THEN 8880
  8770 IF TP>0 THEN 8920
  8789 IF TC>9 THEN 8959
  8790 FOR I = 3 TO 5: IF TE(I)>0 THEN 8980 ELSE NEXT I: RETURN
  8899 IF (TE(2)+12)>TIMER THEN 8749 ELSE TE(2)=9: SS(2)
  8819 FOR I = 1 TO 6: IF SS(I)=1 THEN 8829 ELSE NEXT I: YD=9
8829 AS=LFS: I=2: GOSUB 9969: GOTO 9199
  8839 IF X<(TS+79) THEN 8759 ELSE TS=9: GOSUB 5889: SD-9
  8849 AS="All Shields": GOTO 9199
  8859 IF X<TE(1) THEN 8769 ELSE TE(1)=9: SS(1)=9: SS(6)=9
  8869 FOR I = 1 TO 6: IF SS(I)-1 THEN 8879 ELSE NEXT I: YD-9
  8879 A$=HL$: I=1: GOSUB 9969: GOTO 9199
  8889 IF X<(TT+5) THEN 8779 ELSE TT=9: PT-LP: TD=9
  8890 FOR I = 1 TO PT: PAINT (I*8+178,82),3: NEXT I
  8900 GOSUB 7250: TD-0
  8919 AS=TTS: GOTO 9199
  8929 IF X<(TP+19) THEN 8789 ELSE TP=9: GOSUB 7149: PD=9
  8930 PA-1
  8940 AS=PBS: GOTO 9100
  8950 IF X<TC THEN 8790 ELSE TC-9: CD-9
  896@ PAINT (196,127),3: PAINT (24@,127),3: PR=PR+CDPR*(3-DY): DY=3
  897g GOSUB 495g: GOSUB 498g: AS="Ship's Engines": GOTO 9199
  8989 FOR K = I TO 5: IF X<TE(K) OR TE(K)=9 THEN NEXT K ELSE 9999
  8990 RETURN
  9999 I=K: TE(I)=9: SS(I)=9: J=I: GOSUB 9969
  9919 FOR K = 1 TO 6: IF SS(K)=1 THEN 9929 ELSE NEXT K: YD=9
  9929 ON (J-2) GOTO 9939,9949,9959
  9939 AS=TSS: GOTO 9199
```

```
9949 A$-LS$: GOTO 9199
9050 AS=CMS: GOTO 9100
9969 J=1*21: PAINT (5+J,126),3: SOUND 759,19,19
9979 LINE (11+J,129)-(29+J,126),2: LINE (29+J,126)-(11+J,133),2
9989 LINE (11+J,133)-(2+J,126),2: LINE (2+J,126)-(11+J,129),2
9999 PAINT (5+J,126),9,2: RETURN
9100 GOSUB 6010: LOCATE 6,7: PRINT "Scotty here, " A$ " are fixed."
9119 FOR I = 1 TO 19: SOUND 1999,1,19: SOUND 799,1,19: NEXT I
9120 PR=PR+2: GOSUB 6180: RETURN
9150 IF KP-0 THEN WL-1 ELSE WL-0
9160 TIME - TIMER - TIMEX
9179 RATE = INT(WL*1999+ZAP*29-TIME-399*HYPER-299*TORMIS-MISS*75+19*PR-29*KF)
9179 RATE = INT("B" 1979)
9189 IF WL=9 THEN 9299
9199 PRINT " YOU WIN! ": PLAY "T259MF03V13 C8E8G804C8P803C804T59C.": GOTO 9219
9299 PRINT " YOU LOSE ": PLAY "T175MF01V12 G.G.G16GFE-DC."
9219 COLOR 11,1: LOCATE 3,35: PRINT "______"
9220 LOCATE 6,15: IF WL-9 THEN 9240
9230 PRINT "Congratulations " CA$ NA$ " -": GOTO 9250
9240 PRINT CA$ NA$ ", your tribunal has convened -"
9250 FOR I = 1 TO 50: SOUND I*100,.5,10: NEXT I
926@ LOCATE 8,15:PRINT "Standby for your Efficiency Rating :
9270 FOR I = 10 TO 1 STEP -1: SOUND 1000*1,5,11: SOUND 1500*1,5,12: NEXT I 9280 COLOR 14,8:LOCATE 10,30: PRINT ">>> " RATE " <<<": COLOR 13,1
9290 IF WL-0 THEN 9360
9300 LOCATE 12,10: IF RATE < 300 THEN 9330 ELSE IF RATE < 1 THEN 9370
931@ PRINT "If you continue this outstanding performance,": LOCATE 13,100
9320 PRINT "the Federation will surely promote you to Admiral !": COTO 9410
9330 PRINT "The Federation reviewed this mission and recommends": LOCATE 13,10
9340 PRINT "that you increase your life insurance before the next mission."
935Ø GOTO 941Ø
936Ø LOCATE 12,1Ø:IF RATE < -499 THEN 939Ø
9370 PRINT "Starfleet Command has notified all Federation agencies":LOCATE 13,100
9380 PRINT "that you are hereby on probation unit1 further notice.": GOTO 9410
```

Accounting and Business Management Software

Basic Business II \$249.95 MS-DOS or PC-DOS

Basic Business I MS-DOS, PC-DOS or CP/M

Advanced Color On-Screen-Help Windows

N ever again wonder what to do next, or how to do it. Basic Business is the only advanced accounting system that provides a complete windowed help and index system. Answers to your questions are as close as the touch of a key.

Not another cigar box system, Basic Business II offers features equivalent to those found in systems costing hundreds more. Accounting has never been easier or more complete.

Need less help? Considere the popular Basic Business I. It has most of the features found in Basic Business II without the windows and help, and is upward compatible should your needs change.

Consider the flexibility of Basic Business. You can generate over 300 reports or use the optional dBase File Formats for ultimate information gathering and reporting. Transfer information to a database or spreadsheet program for total custom reporting ability. Source code is also available for those companies requiring customization or having specialized accounting

Minimum Hardware Requirements; 80 X 24 CRT, 2-360K floppies, 132 column printer, 64K CP/M 2.x, 128K MS-DOS or PC-DOS 2.0, PC/XT/AT or compatible.

30 day money back guarantee if all claims and features listed in this ad are not true. MasterCard and VISA welcome. Add \$2.50 for shipping. CA residents add 6% sales tax.

Optional Products

Point-of-Purchase Module... \$99.95 dBASE II/III File Formats ... \$29.95

some disk formats slightly higher

with computerized indexing into the users manal

General Information

- All modules are menu driven / password protected
- Unlimited data entry in all modules
- Prints hundreds of detailed management reports
- · Superior documentation for ease of use
- · Stock or preprinted forms available
- Supports user defined notes / comments on all forms All modules completely integrated

General Ledger

- Unlimited user defined Chart of Accounts
- Prints all standard financial reports
- Up to 99 user-defined departments

Accounts Receivable & Billing

- · Open item or balance forward
- · Verifies customer credit limit at invoice entry
- · Supports service or inventory billing
- Prepares customer statements with dunning notes
- · Maintains full cash flow analysis

Prepares mailing labels and customer lists **Accounts Payable**

- Cash disbursement management for all vendors
- Supports hand written checks
- Automatically posts recurring invoices monthly
- User defined aging periods
- Prints vendor mailing labels and lists

Payroll & Job Costing

- Supports labor related job costing
- Maintains federal, state and local tax tables

Trademarks: CP/M - DRI; dBASE - Ashton-Tate; MS-DOS - Microsoft; PC-DOS - IBM

- Handles vacation and sick leave time
- Prints W-2 forms and 941 information

PARTIAL LIST OF FEATURES

Inventory

- Up to 12 digit alphanumeric part numbering
- Supports standard / average / suggested resale costing methods
- Integrated with Sales and Purchase Order systems

- · Maintains PO and Inventory files
- Prints confirming POs
- Prints price variance report by part number
- Maintains vendor purchase history

Order Entry & Sales Analysis

- Supports ordering and shipment of stock and non-stock items
- Handles partial shipments / cancellations / changes of any SO
- Automatic credit checking during SO entry / invoicing / billing
- Provides extensive sales analysis reporting
- Maintains MTD billing and booking totals
 Line item/total invoice discounts during SO entry and/or invoicing

Point of Purchase (optional)

- Entry of invoices posts to all pertinent modules Invoices stock / non-stock items
- · Line item discount and tax application
- Verifies customer credit limits
- Supports cash/ check/credit card/ payment on account and returns
- · Controls electronic cash drawer

National CALL TODAY California (800) 821-8778 (800) 521-7182

Hours: Mon - Fri 8 am - 5 pm PDT DEALER INQUIRIES WELCOME.



3154-F E. La Palma Ave.

```
9390 PRINT "Starfleet Command is now reviewing all your records": LOCATE 13,10
9499 PRINT "to consider a full Federation Courts Martial
9410 COLOR 1,4:LOCATE 15,1:FOR I = 1 TO 160: PRINT CHR$(176);:NEXT I:COLOR 10,1
9420 FOR I = 1 TO 300: NEXT I
943Ø PLAY "T255L8MF02V1Ø CEDFEGFAGBABA32G32F32E32D32C.L4"
9449 LOCATE 18,19: IF WL=9 THEN 9469
9450 PRINT "Mr. Spock wants to know if you wish to ...": GOTO 9470
9460 PRINT "Meanwhile, Mr Spock recommends that you either .
9470 IF ENS = " KHAN'S" THEN ENS = "Mad KHAN'
9480 LOCATE 20,13: IF WL-0 THEN 9500
949Ø PRINT "... 1 - Take on another " EN$ " ,": GOTO 951Ø 95ØØ PRINT "... 1 - Risk challenging another " EN$ " ,"
9510 IF ENS = "Mad KHAN" THEN ENS = " KHAN'S"
9520 LOCATE 21,13: IF WL-0 THEN 9550
9530 PRINT "
                 2 - Return to Starfleet Command for your Staff Meeting [menu]"
954Ø GOTO 956Ø
9550 PRINT "
                2 - Return to Starfleet Command for more combat training [menu]
9560 LOCATE 22,13: IF WL=0 THEN 9590
9570 PRINT "
                 3 - Or, beam down to Earth for your annual vacation [exit] ?"
958g GOTO 96gg
9590 PRINT " 3 - Or, accept a temporary relief of Command [exit]
9600 A$ = "": A$ = INKEY$: IF A$ = "" THEN 9600
961Ø IF A$ = CHR$(49) THEN 275Ø
962Ø IF A$ = CHR$(5Ø) THEN 13Ø
9639 IF AS = CHR$(51) THEN SYSTEM
964Ø GOTO 96ØØ
9659 REM ********************************
9660 DATA 9,10,6,32,6,52,8,69,15,46,12,37,15,48,12,61,6,18,3,27,5,46,6,61
967Ø DATA 12,14,12,31,14,43,17,61,5,1Ø,3,32,7,48,3,65,12,15,15,29,18,47
968¢ DATA 14,66,3,14,4,32,7,52,9,61,12,19,12,27,15,45,17,69,6,13,7,46
969¢ DATA 6,69,16,33,12,52,12,7¢,9,18,9,43,4,71,18,27,18,54,15,62,9,14,3,48
97¢¢ DATA 6,64,17,35,12,45,15,64,7,2¢,3,35,6,45,6,66,18,15,13,37,12,49
971Ø DATA 13,69,6,15,4,5Ø,3,61,15,36,18,43,14,61,3,11,8,61,15,32,15,47,13,68
972Ø DATA 3,18,7,67,14,27,18,51,16,66,6,20,7,45,3,68,12,34,18,49,15,65,6,11
973Ø DATA 9,54,7,66,15,34,12,43,13,61,9,16,9,32,5,51,9,7Ø,16,27,12,47,16,67
9740 DATA 9,20,8,54,3,63,18,37,18,45,18,70,3,16,8,43,5,71,14,15,14,37,12,54
9750 DATA 18,61,9,12,7,32,4,47,6,62,15,31,16,43,12,71,6,17,7,44,3,70,12,29
976Ø DATA 15,43,17,68,9,19,3,29,3,37,8,68,12,10,15,37,18,53,18,71,3,15,7,51
977Ø DATA 6,71,17,15,12,36,12,51,3,10,17,43,9,11,3,33,7,49,6,67,12,20,17,34
9789 DATA 13,43,16,61,6,14,8,32,3,66,12,17,12,48,3,12,3,67,12,33,18,48,9,15
979Ø DATA 6,63,15,35,12,5Ø,6,19,6,7Ø,12,32,18,46,6,16,5,61,13,27,18,52,9,13
9800 DATA 3,36,6,68,12,11,17,27,15,47,3,20,15,27,18,50,6,10,3,28,6,64,12,18
9810 DATA 15,33,12,46,15,61,6,12,3,31,7,53,4,61,12,31,15,30,3,13,3,69,9,17
982Ø DATA 3,3Ø,7,5Ø,3,64,12,16,12,35,15,44,14,67,3,17,5,32,7,61,15,15,12,28
983@ DATA 18,44,4,10,9,71,13,15,15,28,12,53,3,19,7,47,3,62,18,36,12,44,8,20
9849 DATA 3,34,3,71,12,12,12,39,15,63,16,32,12,13,16,15,6,65,3,49
9850 END
                                                                                                       PCM
```

ONESTAR SOFTWARE PROUDLY PRESENTS



CREATE YOUR OWN BANNERS, LOGOS, GRAPHS, CHARTS, AND MORE!

INTERACTIVE AN GRAPHICS EDITOR FOR THE MODEL 100 24K

FEATURES:

- SUSER FRIENDLY
- *ON SCREEN MENU
- *CURSOR CONTROL
- *SAVEABLE DISPLAY
- *PRINT OPTION
- *TEXT EDITOR
- *SKETCH MODE
- *STRETCHABLE RECTANGLE
- *STRETCHABLE SEGMENTS
- *CIRCLE OPTIONS
- * ANGLE LOCKS *FILL PATTERNS
- FAST MACHINE CODE *CONSTANT X, Y READOUT

**Coming soon for the MODEL 200!

\$49.95

To order call: 1-800-835-2246 ext.298 In Kansas 1-800-362-2421 ext.298 VISA & MASTERCARDS WELCOME

LONESTAR SOFTWARE & IC DESIGN CO. HOUSTON, TEXAS

he metric system is showing up in more places these days — the grocery store, the gas station, lumber yard and in my children's homework!

Accurate measurements are easier to make in base 10 (the base number for our monetary system and the metric system) and dividing things up is simpler. It is much easier to find the center of a 120 cm board than the center of a 3-foot 117/32-inch board! I use metric measurements for all of my woodwork and gardening projects with a substantial reduction in measurement errors. The problem was that the local supply houses sell materials in board feet and ounces instead of meters and liters! You guessed it - I moved my Tandy 1000 and my copy of Turbo PASCAL a little closer to my shop!

The Metric Calculator supports 36 metric-to-English and English-tometric conversions in six categories. The entire program is menu driven and selections are made with one keystroke. Once a specific conversion is selected, it can be repeated over and over until the letter x is entered instead of a value. Pressing the ESC key at any menu returns to the main menu and will abort the program from the main menu.

Printed results can be supported by adding this line in the Main Program segment (see documentation in the program listing):


Writeln(lst.'

',Uservar:5:5,OrigId,'=

,Answer:5:5,ConId);

Note the operation values (OpVAL) for the temperature conversions are actually flags that trigger the use of specific formulas. All of the other OpVals are used as a factor in a simple multiplication formula (see the DoThe Calculation procedure). The value assigned to the While . . . do statement in the main program segment can never be entered by the user, this forces the

Bob Mills is a Master Sergeant in the United States Air Force working at Walter Reed Army Medical Center, Washington, D.C. He has written numerous programs for his USAF duty sections and is the president of MS-AGES, a Frederick, Maryland user's group.



loop to continue until the user enters the the program to run. letter x instead of a value. The program listing is complete, no special include files or compiler directives are required.

The remarks in braces are for clarity only, you don't need to type them in for

If you have any questions, drop me a line at 300 Heather Ridge Drive, Frederick, MD 21701. The program is also on this month's PCM ON DISK. My handle on Delphi is BOBMILLS.

```
The listing:
{*********************************
          METRIC CALCULATOR
            By: Bob Mills
           Copyright 1986
program MetricCalculator;
(*** DEFINE GLOBAL VARIABLES HERE ***)
Titles=string[49];
var
Choice, ch: char;
OpVal, Answer, UserVar:real;
ColorFlag:boolean;
OrigId, ConId, TitleId: Titles;
CalcCode, x, y: integer;
UserString: string[20];
label PopToHere;
( Set up for Color or Black and White Monitors )
procedure ColorYesNo(var ColorFlag:boolean);
begin
   ClrScr;
   TextMode(bw40);
   gotoXY(1,12);
   Writeln('Are You Using A Color Monitor Y or N ?');
   repeat
   read(kbd,ch);
   ch:=UpCase(ch);
   until ch in ['Y','N'];
   Case ch of
      'Y' : begin
            ColorFlag:=true;
                                      (Bright White on Blue)
            TextMode(c8g); TextColor(15); TextBackground(1);
            end;
      'N' : begin
            ColorFlag:=false;
                                       (Light Gray on Black)
            TextMode(bw8g); TextColor(7); TextBackground(g);
            end;
    end; (Case)
end; (Procedure ColorYesNo)
```



Discover a Whole New World of TV Entertainment!

SATELLITE SYSTEM





User Installable! Over 100 Channels!
Uncut Movies! Specials! Sports!
News! Weather! Music Videos!

Entire Systen \$1519

- Totally Automatic System With 8½ -Ft.
 Dish, Receiver and Wireless Remote Control
- Comes With All Accessories Needed for Complete Do-it-Yourself Installation
- Descrambler Ready

Handy Wireless Remote Lets You Change Channels, Control Volume and Fine-Tune





Now you can enjoy it all! 24-hour non-stop entertainment that you simply can't get from local TV, cable, and even video tape! You'll see the hottest stars, recent uncut and uninterrupted movies, the ultimate in sports coverage—and the best part is, there are no monthly fees to pay. You'll see exciting family-oriented pro-

grams, plus music videos, FM broadcasts and movies with provision for stereo, and 24-hour news coverage on both TV and radio. It all adds up to out-of-this-world TV viewing at a down-to-earth price. Come in today and discover how easy it is to enjoy satellite programming! Includes complete installation manual.

(817) 825-4027

NOCONA ELECTRONICS . Box 593 . Nocona, TX 76255

UPS Shipping

```
procedure NormColor; ( Return to normal colors )
begin
 if ColorFlag THEN begin
 TextBackground(1);TextColor(15); ( Bright White on Blue )
 end else begin
 TextBackground(Ø);TextColor(7); { Light gray on Black }
 end:
end; { procedure }
procedure HighColor; ( Set colors for highlights )
begin
 if ColorFlag then begin
 TextBackground(4);TextColor(15); { Bright White on Red }
 end else begin
   TextBackground(Ø); TextColor(15); { Bright White on Black }
   end;
end; { procedure }
procedure RevColor; ( Set colors for Reverse Video )
 if ColorFlag then begin
 TextBackground(15);TextColor(1); { Blue on Bright White }
 end else begin
 TextBackground(15);TextColor(0); ( Black on Bright White )
  end:
end; { procedure }
( Wait for a key to be pressed and then proceed )
procedure TapAKey;
begin
  ch:=chr(1); (set ch to nonkeyboard character)
  repeat:
  read(kbd, ch);
  until ch 	 chr(1);
end; { TapAKey }
{ Abort program execution }
procedure Stop;
begin
    ClrScr;
    TextMode(bw89);
    gotoXY(1,12);
    Writeln('Program execution has been aborted.');
    Writeln('Thank You for using the Metric Calculator ! Bob Mills....');
    Halt;
end; ( Stop procedure )
procedure TitleScreen:
begin
  ClrScr;
  gotoXY(28,3);HighColor;
  write(' METRIC CONVERSIONS ');gotoXY(28,5);
  gotoXY(30,7); write('Version 1.00.00');
  gotoXY(36,10); write('By:');
  gotoXY(33,12);write('Bob Mills');
  gotoXY(26,15); write('300 Heather Ridge Drive');
  gotoXY(28,16); write('Frederick, MD 217Ø1');
  gotoXY(32,17); write('3Ø1-695-5228');
  gotoXY(3,24);RevColor;write('Press any key ->');NormColor;
  TapAKey;
end; (of procedure)
{ MENU FOR LENGTH CALCULATIONS }
procedure LengthCalc(var CalcCode:integer;var ch:char);
  begin
```

```
ch:=chr(1); TitleId:=' LENGTH ';
 clrscr; HighColor;
 gotoXY(5,1);write(' <<< LENGTH CONVERSIONS: >>> '); NormColor;
 gotoXY(20,6); write(' A = CENTIMETERS to INCHES');
 gotoXY(2Ø,8);write(' B = INCHES to CENTIMETERS');
 gotoXY(2Ø,1Ø); write(' C = METERS to FEET');
 gotoXY(20,12); write(' D = FEET to METERS');
 gotoXY(2Ø,14); write(' E = YARDS to METERS');
 gotoXY(20,16); write(' F = METERS to YARDS');
 gotoXY(20,18); write(' G = KILOMETERS to MILES');
 gotoXY(2Ø,2Ø);write(' H = MILES to KILOMETERS');
   gotoXY(1Ø,23);RevColor;
   write(' --> Which conversion would you like to do ? ');
   NormColor;
   read(kbd,ch); ch := UpCase(ch);
   until ch in ['A'..'H', CHR(27)];
 Case ch of
  'A' : CalcCode:=1;
  'B' : CalcCode:=2;
  'C' : CalcCode:=3;
  'D' : CalcCode:=4;
  'E' : CalcCode:=5:
  'F' : CalcCode:=6:
  'G' : CalcCode:=7;
  'H' : CalcCode:=8;
  end { of Case };
end; ( of procedure )
( MENU FOR AREA CALCULATIONS )
procedure AreaCalc(var CalcCode:integer;var ch:char);
  begin
  ch:=chr(1); TitleId:=' AREA ';
  clrscr; HighColor;
  gotoXY(5,1);write(' <<< AREA CONVERSIONS: >>> '); NormColor;
  gotoXY(17,6);write(' A = SQ. CENTIMETERS to SQ. INCHES');
  gotoXY(17,8); write(' B = SQ. INCHES to SQ. CENTIMETERS');
  gotoXY(17,10); write(' C = SQ. METERS to SQ. FEET');
  gotoXY(17,12); write(' D = SQ. FEET to SQ. METERS');
  gotoXY(17,14); write(' E = SQ. METERS to SQ. YARDS');
  gotoXY(17,16); write(' F = SQ. YARDS to SQ. METERS');
  gotoXY(17,18);write(' G = SQ. KILOMETERS to SQ. MILES');
  gotoXY(17,20); write(' H = SQ. MILES to SQ. KILOMETERS');
    gotoXY(10,23);RevColor;
    write(' --> Which conversion would you like to do ? ');
    NormColor;
    read(kbd,ch); ch := UpCase(ch);
    until ch in ['A'..'H', CHR(27)];
  Case ch of
  'A' : CalcCode:=9;
  'B' : CalcCode:=10;
  'C' : CalcCode:=11;
  'D' : CalcCode:=12;
  'E' : CalcCode:=13;
  'F' : CalcCode:=14;
  'G' : CalcCode:=15;
  'H' : CalcCode:=16;
  end ( of Case );
end; { of procedure }
( MENU FOR VOLUME CALCULATIONS )
procedure VolumeCalc(var CalcCode:integer; var ch:char);
  begin
  ch:=chr(1); TitleId:=' VOLUME ';
  clrscr: HighColor:
  gotoXY(5,1);write(' <<< VOLUME CONVERSIONS: >>> '); NormColor;
  gotoXY(17,6);write(' A = CU. CENTIMETERS to CU. INCHES');
  gotoXY(17,8);write(' B = CU. INCHES to CU. CENTIMETERS');
  gotoXY(17,10); write(' C = CU. METERS to CU. FEET');
  gotoXY(17,12); write(' D = CU. FEET to CU. METERS');
  gotoXY(17,14); write(' E = CU. METERS to CU. YARDS');
```

PCM


```
gotoXY(17,16); write(' F = CU. YARDS to CU. METERS');
 repeat
   gotoXY(10,23);RevColor;
   write(' --> Which conversion would you like to do ? ');
   NormColor:
   read(kbd,ch); ch := UpCase(ch);
   until ch in ['A'..'F', CHR(27)];
 Case ch of
  'A' : CalcCode:=17;
  'B' : CalcCode:=18;
  'C' : CalcCode:=19;
  'D' : CalcCode:=29;
 'E' : CalcCode:=21;
 'F' : CalcCode:=22;
 end ( of Case );
end; ( of procedure )
{ MENU FOR CAPACITY CALCULATIONS }
procedure CapacityCalc(var CalcCode:integer; var ch:char);
 begin
 ch:=chr(1); TitleId:=' CAPACITY ';
 clrscr; HighColor;
 gotoXY(5,1);write(' <<< CAPACITY CONVERSIONS: >>> '); NormColor;
 gotoXY(17,6);write(' A = MILLILITERS to OUNCES [U.S. Liquid]');
 gotoXY(17,8);write(' B = OUNCES [U.S. Liquid] to MILLILITERS');
 gotoXY(17,10); write(' C = LITERS to QUARTS [U.S. Liquid]');
 gotoXY(17,12);write(' D = QUARTS [U.S. Liquid] to LITERS');
 gotoXY(17,14); write(' E = LITERS to GALLONS [U.S. Liquid]');
 gotoXY(17,16); write(' F = GALLONS [U.S. Liquid] to LITERS');
    gotoXY(10,23);RevColor;
   write(' --> Which conversion would you like to do ? ');
   NormColor:
   read(kbd,ch); ch := UpCase(ch);
    until ch in ['A'..'F', CHR(27)];
  Case ch of
  'A' : CalcCode:=23;
  'B' : CalcCode:=24;
  'C' : CalcCode:=25;
  'D' : CalcCode:=26:
  'E' : CalcCode:=27;
  'F' : CalcCode:=28;
  end ( of Case );
end; { of procedure }
( MENU FOR MASS CALCULATIONS )
procedure MassCalc(var CalcCode:integer; var ch:char);
  begin
  ch:=chr(1); TitleId:=' MASS ';
  clrscr; HighColor;
  gotoXY(5,1);write(' <<< MASS CONVERSIONS: >>> '); NormColor;
  gotoXY(17,6);write(' A = GRAMS to OUNCES [Avoirdupois]');
  gotoXY(17,8);write(' B = OUNCES [Avoirdupois] to GRAMS');
  gotoXY(17,19); write(' C = GRAMS to OUNCES [Troy]');
  gotoXY(17,12); write(' D = OUNCES [Troy] to GRAMS');
  gotoXY(17,14);write(' E = KILOGRAMS to POUNDS [Avoirdupois]');
  gotoXY(17,16);write(' F = POUNDS [Avoirdupois] to KILOGRAMS');
  repeat
    gotoXY(10,23);RevColor;
    write(' --> Which conversion would you like to do ? ');
    NormColor;
    read(kbd,ch); ch := UpCase(ch);
    until ch in ['A'..'F', CHR(27)];
  Case ch of
   'A' : CalcCode:=29;
  'B' : CalcCode:=30;
  'C' : CalcCode:=31;
  'D' : CalcCode:=32;
   'E' : CalcCode:=33;
  'F' : CalcCode:=34;
  end { of Case };
```


```
end; { of procedure }
( MENU FOR TEMPERATURE CALCULATIONS )
procedure TempCalc(var CalcCode:integer; var ch:char);
  begin
  ch:=chr(1); TitleId:=' TEMPERATURE ';
  clrscr; HighColor;
  gotoXY(5,1);write(' <<< TEMPERATURE CONVERSIONS: >>> '); NormColor;
  gotoXY(17,12);write(' A = CENTIGRADE to FAHRENHEIT');
  gotoXY(17,14);write(' B = FAHRENHEIT to CENTIGRADE');
  repeat
    gotoXY(10,23); RevColor;
    write(' --> Which conversion would you like to do ? ');
    NormColor;
    read(kbd,ch); ch := UpCase(ch);
    until ch in ['A','B',CHR(27)];
  Case ch of
  'A' : CalcCode:=35;
  'B' : CalcCode:=36;
  end ( of Case );
end; ( of procedure )
( GET STRINGS AND VALUES FOR SELECTED OPERATION )
procedure GetParams(var OrigId, ConId: Titles;
                    var OpVal : Real);
begin
  Case CalcCode of
    1 : begin
        OrigId:=' Centimeters ';
        ConId:=' Inches ';OpVal:=Ø.394;end;
    2 : begin
        OrigId:=' Inches ';
        ConId:=' Centimeters '; OpVal:=2.54; end;
    3 : begin
        OrigId:=' Meters ';
        ConId:=' Feet '; OpVal:=3.2808; end;
    4 : begin
        OrigId:=' Feet ';
        ConId:=' Meters ';OpVal:=0.305;end;
    5 : begin
        OrigId:=' Meters ';
        ConId:=' Yards '; OpVal:= 1.0936; end;
    6 : begin
        OrigId:=' Yards ';
        ConId:=' Meters '; OpVal:=9.9144; end;
    7 : begin
        OrigId:=' Kilometers ';
        ConId:=' Miles ';OpVal:=Ø.62137;end;
    8 : begin
        OrigId:=' Miles ';
        ConId:=' Kilometers '; OpVal:=1.60935; end;
        OrigId:=' Sq. Centimeters ';
        ConId:=' Sq. Inches ';OpVal:=0.1550;end;
   10 : begin
        OrigId:=' Sq. Inches ';
        ConId:=' Sq. Centimeters '; OpVal:=6.452; end;
   11 : begin
        OrigId:=' Sq. Meters ';
        ConId:=' Sq. Feet '; OpVal:=10.764; end;
   12 : begin
        OrigId:=' Sq. Feet ';
        ConId:=' Sq. Meters '; OpVal:=0.99299; end;
   13 : begin
        OrigId:=' Sq. Meters ';
        ConId:=' Sq. Yards '; OpVal:=1.1960; end;
        OrigId:=' Sq. Yards ';
        ConId:=' Sq. Meters '; OpVal:=0.8361; end;
   15 : begin
         OrigId:=' Sq. Kilometers ';
         ConId:=' Sq. Miles ';OpVal:=0.3861;end;
   16 : begin
```

Megabytes for Mini-Bucks

Tandy 1000 Hard Drives by Hard Drive Specialist







Shop and compare. Hard Drive Specialist has been building hard drive systems for years and have sold thousands of subsystems to satisfied Radio Shack/Tandy customers. We use the latest state-of-the-art disk drives and controllers. Our drives all use buffered seek logic and plated media to result in almost one-fourth the average access times found on our competitors drives. Plated media results in longer platter life and high resistance to head crashes not found on coated media drives. We utilize high quality construction throughout including heavy duty power supplies and gold edge card connectors. Internal drive systems include an interface card and a half-height hard drive that replaces the top disk drive in both size and power consumption. External units include an interface card, case, power supply and hard drive unit. All units require a memory board with DMA such as the TanPak™ multifunction card, or a Tandy Board, Part #25-1004.

Hard Disk System Features:

- : All sizes rated after formatting.
- : One secondary drive may be added.
- : Error checking and correcting controller.
- : Software drivers included.
- : Buffered seek drives for improved access time.
- : Built in power up diagnostics.
- : Plated media for long disk life.
- : Gold connectors used throughout.
- : 1 year warranty.
- : Boots directly from Hard Drive.
- : Uses Tandy 1000 MS DOS.

10	Megabyte	Internal.									\$	549.	0
20	Megabyte	Internal.	. ,								\$	749.	
	Megabyte												
	Megabyte												
20	Megabyte	External									\$	899.	,
	Megabyte												

Ordering Information


Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or, mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request. Tandy and Radio Shack are trademarks of the Tandy Corporation. TanPak, is a trademark of Hard Drive Specialist, a division of Compukit Corporation.

Hard Drive Specialist

16208 Hickory Knoll Houston, Texas 77059 1-713-480-6000

Order Line 1-800-231-6671

The Ultimate Expansion for the Model 1000! TanPak ™ by Hard Drive Specialist



7 Functions include:
DMA
Serial Port
Memory up to 512K
Clock/Calendar
Printer Spooler
Memory Disk
Expansion Port for
Future Options

Features Include:
Gold Edge Cards
Pre-Tested and Burned In
Full Documentation
Supporting Software
One Year Warranty
Expandable to 512K

TanPak ™

The TanPak ™ expansion board has been designed to allow expansion beyond the scope of the standard Model 1000. Seven of the most needed functions/ features have been combined into one package using only one expansion slot. Your remaining spaces are left free for future expansion needs.

Seven Function/Features on One Board

512K Memory Expansion

Socketed and expandable to 512K. This is done by two banks of memory using either two 64K increments (128K), or 256K increments (256K or 512K). This allows a total of 640K in the Tandy 1000.

Serial Port

Using the same configuration as the Model 1000 port you are assured of complete compatibility as well as being able to configure it as COM1 or COM2.

Clock-Calendar

Quartz-controlled for a high degree of accuracy, featuring a battery backup.

DMA

The DMA (Direct Memory Access) is used on the Model 1000's first memory card. It increases memory speed and is a must for hard drive operation.

Printer Spooler

Use part of your TanPak ™ memory as a printer buffer. Choose the amount of buffer space you need and stop waiting on your printer.

Memory Disk

Use part of your TanPak ™ memory as a RAM drive. With a solid state drive you can store, retrieve, and sort data quickly and easily.

Expansion System

The TanPak ™ was designed with an expansion port that will allow upgrading with additional features when they become available. Some of the possible features are: a second parallel port, a second serial port, mouse, hard drive port, bubble memory, A/D, and D/A as well as many others.

TanPak ™ Secondary

If you already have a Model 1000 memory board and do not wish to replace it, the TanPak * Secondary is for you. It features Memory up to 256K, Clock/Calendar, Serial Port, Printer Spooler, and Printer Buffer.

TanTel **

Internal 300/1200 baud Modern for the Tandy 1000. Supported by the DeskMate software package.

TanTel ™ \$249.

Ordering Information

Use our W.A.T.S. line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request. Tandy and fladio Shack are trademarks of the Tandy. Corporation. TanPak, and TanTel are trademarks of Hard Drive Specialist, a division of Compukit Corporation.

Hard Drive Specialist

16208 Hickory Knoll Houston, Texas 77059 1-713-480-6000 Order Line 1-800-231-6671

```
OrigId:=' Sq. Miles ';
       ConId:=' Sq. Kilometers '; OpVal:=2.590; end;
  17 : begin
       OrigId:=' Cu. Centimeters ';
       ConId:=' Cu. Inches ';OpVal:=0.0610;end;
  18 : begin
       OrigId:=' Cu. Inches ';
       ConId:=' Cu. Centimeters '; OpVal:=16.3872; end;
  19 : begin
       OrigId:=' Cu. Meters ';
       ConId:=' Cu. Feet '; OpVal:=35.314; end;
  20 : begin
       OrigId:=' Cu. Feet ';
       ConId:=' Cu. Meters ';OpVal:=Ø.Ø2832;end;
  21 : begin
       OrigId:=' Cu. Meters ';
       ConId:=' Cu. Yards '; OpVal:=1.3079; end;
  22 : begin
       OrigId:=' Cu. Yards ';
       ConId:=' Cu. Meters '; OpVal:=0.7646; end;
  23 : begin
       OrigId:=' Milliliters ';
       ConId:=' Ounces [U.S. Liquid] ';OpVal:=Ø.Ø3382;end;
       OrigId:=' Ounces [U.S. Liquid] ';
       ConId:=' Milliliters ';OpVal:=29.573;end;
  25 : begin
       OrigId:=' Liters ';
       ConId:=' Quarts [U.S. Liquid] '; OpVal:=1. Ø5671; end;
  26 : begin
       OrigId:=' Quarts [U.S. Liquid] ';
       ConId:=' Liters '; OpVal:=Ø.94633; end;
  27 : begin
       OrigId:=' Liters ';
       ConId:=' Gallons [U.S. Liquid] ';OpVal:=Ø.26418;end;
  28 : begin
       OrigId:=' Gallons [U.S. Liquid] ';
       ConId:=' Liters '; OpVal:=3.78533; end;
  29 : begin
       OrigId:=' Grams ';
        ConId:=' Ounces [Avoirdupois] ';OpVal:=Ø.Ø3527;end;
  30 : begin
       OrigId:=' Ounces [Avoirdupois] ';
        ConId:=' Grams '; OpVal:=28.3495; end;
  31 : begin
        OrigId:=' Grams ';
        ConId:=' Ounces [Troy] ';OpVal:=0.03215;end;
  32 : begin
        OrigId:=' Ounces [Troy] ';
        ConId:=' Grams '; OpVal:=31.10348; end;
  33 : begin
        OrigId:=' Kilograms ';
        ConId:=' Pounds [Avoirdupois] ';OpVal:=2.20462;end;
  34 : begin
       OrigId:=' Pounds [Avoirdupois] ';
        ConId:=' Kilograms ';OpVal:=0.45359;end;
  35 : begin
        OrigId:=' Degrees Centigrade ';
        ConId:=' Degrees Fahrenheit ';OpVal:=1111.0;end;
  36 : begin
        OrigId:=' Degrees Fahrenheit ';
        ConId:=' Degrees Centigrade '; OpVal:=2222.0; end;
  end (of Case);
end; (of Procedure)
{ MAIN SELECTION MENU }
procedure MainMenu(var Choice:char; var TitleId:Titles);
 begin
  ch:=chr(1);
  clrscr; HighColor;
  gotoXY(25,3);write(' <<< MAIN CONVERSIONS MENU: >>> '); NormColor;
```

```
gotoXY(30,6); write(' A = LENGTH ');
 gotoXY(30,8); write(' B = AREA ');
 gotoXY(3Ø,1Ø); write(' C = VOLUME ');
 gotoXY(30,12);write(' D = CAPACITY ');
 gotoXY(30,14); write(' E = MASS ');
 gotoXY(30,16); write(' F = TEMPERATURE ');
 gotoXY(2,21); write('Press [ESC] at any menu to abort !');
 repeat
   gotoXY(1Ø,23);RevColor;
   write(' --> Which Menu do you want to see ? ');
   NormColor:
   read(kbd,ch); ch := UpCase(ch);
   until ch in ['A'..'F', CHR(27)];
 if ch = chr(27) then Stop else Choice:=ch;
end; ( of procedure )
( CALCULATIONS ARE PERFORMED HERE )
procedure DoTheCalculation(var Answer:real);
begin
 if OpVal=2222.Ø then begin
                                 ( F to C CONVERSION )
 Answer:=(5*(UserVar-32))/9;
 end else if OpVal=1111.0 then begin ( C to F CONVERSION )
 Answer:=((UserVar*9)/5)+32;
 end else begin
 Answer:=UserVar*OpVal;end; { ALL OTHER CONVERSIONS }
end;
(**** Main Program ****)
begin
ColorYesNo(ColorFlag);
TitleScreen;
PopToHere:
MainMenu(Choice, TitleId):
  Case Choice of
  'A' : LengthCalc(CalcCode, ch);
  'B' : AreaCalc(CalcCode, ch);
  'C' : VolumeCalc(CalcCode, ch);
  'D' : CapacityCalc(CalcCode, ch);
  'E' : MassCalc(CalcCode,ch);
  'F' : TempCalc(CalcCode, ch);
  end ( of Case );
if ch=chr(27) then goto PopToHere;
GetParams (OrigId, ConId, OpVal);
UserVar:=1; ch:=chr(1);
  ClrScr:
  HighColor;gotoXY(15,5);write(' <<< ',TitleId,' >>> ');
  NormColor:
  gotoXY(5,8);write('To exit this area enter the letter X .');
  gotoXY(5,9); write('Valid values are -1000 thru 10000.');
  gotoXY(1Ø,12); HighColor;
  write(' Converting: ',OrigId,' to ',ConId,' ! '); NormColor;
  while UserVar 19991 do begin { LOOP CANNOT END USING THIS VALUE }
  gotoXY(5,23);write(' How many ',OrigId,' to convert ? ');
  repeat
   gotoXY(5,24);ClrEol;HighColor;write(' ---->
   gotoXY(13,24);
   readln(UserString); NormColor;
   if UserString ='X' then goto PopToHere
      else if UserString='x' then goto PopToHere
         else val(UserString, UserVar, x);
  until (UserVar >=-1000) and (UserVar<=10000);
   DoTheCalculation(Answer);
   gotoXY(1,15); write(' Result: ');
   gotoXY(10,16);ClrEol;write(Uservar:5:5,OrigId);gotoXY(20,17);
   { Printer support can be added here *** }
   ClrEol:
   HighColor; write(' is equal to ', Answer: 5:5, ConId); NormColor;
  end { while . . do };
  end. ( Of source listing )
```



PCM



A Good PILOT for Lost Programmers

By John McCormick

ith the perennial presence of BASIC on most small computers, many people try to force their programs to fit the mold of this language, whether it is a good fit or not. Many who know better do this, but I am more concerned with all those who are new to computers and perhaps don't realize there are other languages available at a reasonable cost. Even those who have become familiar enough with programming to know there are other languages, such as assembler or PASCAL, seldom know

about some of the other highly useful languages.

I am always distressed in particular to see teachers attempting to create educational programs in these other languages. Perhaps part of the problem with BASIC is its simple sounding name. I think more people would be willing to tackle some of the other languages (with their sometimes strange-sounding names) if everyone called BASIC by its full name: Beginners' All-purpose Symbolic Instruction Code.

If you think of BASIC in those terms, then a great language like PILOT (Programmed Inquiry, Instruction or Teaching) might receive the attention it deserves from those who want to prepare question-and-answer sessions for use on their computer.

I know BASIC or even PASCAL can be used to produce a program that will solicit responses to a series of questions, but you haven't lived until you've seen how easy this sort of program is to write

in PILOT. Don't get me wrong; PASCAL is a great language and BASIC is probably not as bad as many of its critics claim, but the reason there are literally hundreds of different languages is simple: each language is designed to do a different job and do it more easily than other languages.

PILOT is designed specifically for teachers and for writing programs that work the way most teachers teach (or would like to have the time to teach) — through a dialog with students, giving hints where necessary.

OK, so I have another language I want you to learn; it must be hard or people would be using it instead of BASIC, right? Wrong! PILOT is incredibly easy to use for writing simple programs, unlike BASIC or other languages that require a fairly complete understanding of complex commands and punctuation to write even simple code. Here is an example of a PILOT program:

T: Is 2+2+2=5? (the command T:

John McCormick is a free-lance writer and computer consultant who studied physics and math in college. He was formerly with Wang Labs where he worked with IBM mainframes. He has also written a number of product reviews for PCM and its sister publication, THE RAINBOW.



causes text to be printed on the screen)

A: gets a response from keyboard M: no (this tests for a match with the specified text no)

TY:CORRECT !! (TY: displays the text if a match is made)

TN:SORRY, THAT ISN'T CORRECT (TN: displays this text if the keyboard response A: does not match the contents of M:, here no)

That's it! This is a "runable" PILOT program, although you might want to add a few more questions to your session, it should give you the idea. Pretty simple, isn't it? Yet it asked a question (displayed it on the screen), waited for an answer and responded to the answer. How quickly could you write that program in BASIC?

If you want to run a series of questions past the student, all you need do is enter that series of: commands into a word processor file and use the word processor's COPY command to produce

as long a program as you want. That's right! This language is so simple to use that you can extend Q&A sessions by just using your word processor's COPY function to produce more lines of code, then filling in the questions and responses you want. What could be simpler?

PILOT also provides an easy way to provide additional information dependent on the given answer. Remember, this language is designed for programmed learning and that is how programmed learning operates: first some text gives information, next a question is asked to test understanding, then additional help is given in the area where it is needed.

How about writing information from a BASIC program that is longer than one screen full? How do you make the longer text easy to read using BASIC? Using PILOT'S FOOT: command, the program stops and prints a message at the bottom (foot) of the screen, such as Press RETURN to go on, then goes to

the next page when the RETURN button is depressed. That's all, just FOOT:, no INKEY\$ or anything else. The PILOT language provides all that, just as it provides all the strings needed for the matching and keyboard entry functions.

PILOT also has other commands, such as PAUSE:, that make this sort of programming easier. For example, PAUSE:n causes the program to pause for 'n' seconds, a very useful command. Switching to other topics dependent on answers and simple computation are other functions available to the PILOT programmer, along with commands to keep track of scores or correct answers to questions.

PILOT is so much faster than BASIC for writing these question-and-answer types of programs that I write the code much faster than I can think up good questions, certainly something that doesn't happen with BASIC. I have no trouble turning out a 20- or 30-question-and-answer program in an hour or less. I am only slowed down by stopping to think up questions and most of the time is taken up typing in the text—the actual programming takes only a minute or two.

So where do you find this miraculous language, and how much does it cost? One of the best inexpensive PILOT interpreters is available from Ellis Computing, complete with a good, easy-to-read instruction manual and several sample programs for \$39.95. This package even includes a program that leads you through questions and answers while creating a PILOT program for you.

If you use computers in training or teaching, I urge you to look into PILOT. This language is easier to learn than many educational programs I have used, and it offers the opportunity to write unlimited numbers of different programs for your own use.

PILOT doesn't do everything, for instance, it can't be used to balance your checkbook or solve problems of any sort. The reason PILOT is easy to use and simple to learn is that it only performs certain functions. PILOT is not a general purpose language like BASIC or PASCAL, which can do almost anything (though they do almost nothing very easily), but if your work is the kind PILOT is designed to do, then you will bless the day you found it.

(Ellis Computing's address is: 3917 Noriega St., San Francisco, CA 94122.)

85



Machine language programming on your Portable

Model 100 Machine Code Made Easy

By Michael R. Henning

The execution speed of machine code compared with a BASIC interpreter is like the difference between night and day. Machine code executes much faster because each byte does not have to be interpreted by software into hardware terms. The primary drawback to using machine code is having to manually generate the numeric values for the code since most PCs only come equipped with BASIC.

The first computer languages were called "assemblers." The purpose of an assembler is to eliminate the work of generating numeric values representing machine code. The assembler input is a set of machine code mnemonics that mean more to the programmer than a series of ones and zeros. Through the use of labels, data and mnemonics, the programmer can generate a program that runs in direct code and performs a specific function.

This article describes the 8085 assembler enclosed in Listing 2. This is a two-pass assembler written in BASIC for use on the TRS-80 Model 100. Because of the necessity to conserve memory and the I/O limitations of the Model 100, a quasi-dual pass assembly and only basic error-checking are the two characteristics of this program.

Dual-pass assembly means each source statement is analyzed twice. This is a quasi-dual pass assembler because the first pass is only used to generate the label table and no intermediate code is generated. Consequently, the input code is actually assembled twice. This takes longer to run than a single-pass assembler but it allows forward referencing during assembly.

The mnemonic language used for the 8085 is the same as the 8080 with the addition of the SIM/RIM instructions. There are three different types of instructions that, for the purposes of this article, we will call Format I, II and III.

Format I instructions are those defined in a single byte. An example of a Format I instruction is a PUSH B. This instruction is totally defined by the operation code C5 Hex. It means push the contents of the Register BC pair onto the stack. Another example of a Format I instruction is MOV A,B. This is represented by the Hex code 78. This is a one-byte instruction with two fields that contain operand data.

In this case, bits 3 to 5 represent 'A' (seven) and bits 0

to 2 represent 'B' (zero). All Format I instructions are one byte and may or may not have operands associated with them.

Format II instructions occupy two bytes. These use immediate operands. An example of a Format II instruction is MVI A,1270. This instruction moves 177 octal to Register A. The second byte in the Format II instructions is always the immediate operand.

The final class of instruction is the Format III. In like manner, Format III uses three bytes. These are the direct instructions of load/store and program branching instructions, jumps/calls. An example of a Format III instruction is CALL FF00H. Its execution causes the program to call the routine at FF00 hexadecimal and put the current program counter on the stack.

The instruction repertoire is available in many different places. Books on the 8085 and machine language programming are available and very helpful. Table 1 gives a list of instruction mnemonics and the operands expected by the assembler.

The input to this assembler program is somewhat free form. Labels must begin in Column 1. All operators must be separated by at least one space, a comma, a tab, or a plus or minus sign. Comments may be added to the input line following a period and, for the sake of attractive output, should be limited to 20 characters. The following is an example of an input line.

1 2 3 4 123456789Ø123456789Ø123456789Ø LABEL JMP LABEL+1Ø . EXAMPLE

The only restriction on a label is that it cannot be named REM and cannot end with a 'B', 'D', 'H' or 'O'. REM is used to denote a remark and causes all data up to the next carriage return to be printed out. No attempt is made to find any valid statements in a remark. REM must begin in Column 1 just like a label. The endings 'B', 'D', 'H' and 'O' are reserved for numeric operands.

The program allows any size label but the output only uses a maximum of eight characters. My personal preference for labels is no more than seven characters; that way I can use tabs to separate labels and mnemonics. Another restriction of labels is that only 256 are allowed. This is to save memory and can be expanded by changing the program

Michael Henning is a systems analyst for Sperry Corporation. He has over 20 years of experience working with computers. at lines 5, 40 and 1350. Labels are optional on all statements with the exception of EQU, which requires a label.

Two arithmetic operators are allowed on operands. Any label or numeric operand can be modified with a plus or minus sign and a decimal number. Therefore, in the example line, the jump would be to the address of LABEL+10 decimal.

Numeric operands must designate whether they are binary, octal, decimal or hexadecimal. These different number bases are shown by 'B', 'O', 'D' or 'H', respectively, in the last digit of the field. Therefore, 1770 represents 177 octal. If the number base is left off, the assembler treats the number as a label. The exception to this rule is arithmetic modification, described in the previous paragraph, which is always a decimal number and cannot have a number base identifier.

In addition to numeric values, the '\$' signifies the current contents of the address counter. If an operand such as \$+2 is used, the generation is the current address of the instruction being assembled plus two.

In addition to the full 8085 mnemonic table, the assembler uses the following special mnemonics:

- ENTRY This is used to note the entry point of the program. The format is [label] ENTRY [numeric value]. It has no significance for the program and serves only as a programmer reminder.
- DATA This mnemonic is used to designate input data. The format is [label] DATA [operand]. The generation for the data statement is either one or two bytes. If the operand, which can be a numeric expression or label, is in the range 0-255, one byte is allocated. If the value is 256-65,535, then two bytes are allocated.
- EQU EQU allows the programmer to equate a value to a label. The format is [label] EQU [operand]. The operand can be a numeric expression or a label. The EQU operator must have a label.
- ORG ORG allows the programmer to set up the address counter. ORG is normally the first mnemonic encountered and contains the start address of the assembly in the format, [label] ORG [numeric value]. In addition, ORGs can be placed anywhere the address counter needs to be changed.
- RES RES is used to reserve a number of bytes of data.
 The format is [label] RES [number of bytes]. This instruction increments the address counter to reserve a specified number of bytes for dynamic storage.
- STR This operator allows the programmer to enter ASCII string data. The format is [label] STR [xxxxxxxx], where xxxxxxx is string data.
- END This is the final statement in the assembly. The format is [label] END. The label is optional but the statement must be included or a fatal assembly error occurs.

The program contains a limited amount of error checking, and the following errors may appear on the output listing:

- *I* (Instruction error) This occurs when a mnemonic is not recognized or there are improper fields in the statement.
- *U* (Undefined error) This error occurs when a label used as an operand cannot be found in the label table.
- *D* (Duplicate definition) This occurs when a label being used has been previously defined.
- *W* (Warning) Occurs when the data in an operand overflows the maximum possible value.

In addition, the assembler gets a fatal error if there are operands it does not understand. The assembly stops and all files are closed. As previously mentioned, if there is no END statement in the program, a fatal error also occurs.

The program allows the programmer to specify the name and device for the input file and the print file. The operator also specifies whether an object file is desired. The object file is a text file that contains hexadecimal addresses and generated code data.

The program in Listing 1 loads the object file into memory. The loader program sets HIMEM to the first address encountered in the object file and loads the program into memory. At completion, the first and last addresses and the number of bytes are displayed. The loader program requires no operator intervention.

The printed output of the program is set up for an Epson RX-80. The format is in 80 columns and includes headers. If this needs to be changed for your printer, the control codes are contained in lines 1520 and 1600.

My objective in writing this program was to provide a versatile assembler that could use all of the capabilities of the Model 100 and not use all of its memory. Because the device for the files can be designated, larger input files can be read from tape (the file should be on tape twice, once for each pass). The output can be directed to the printer, and leftover memory can be used for the object file and an expanded label table.

For those who have access to CompuServe, the following files are in the XA4 database of the Model 100 Users Group (PCS-154):

ASM.BA Assembler program
LDASM.BA Loader program

ASM.DOC Assembler documentation

ASMEX.TXT Sample assembly

Table 2 is a sample input file for an assemble and Table 3 is the assemble output.

If you have any questions concerning this program you may contact Mr. Henning at P.O. Box 2155, Arlington, VA 22202, phone (703) 548-2989. Please enclose an SASE when writing.

	Table 1		
	FORMAT I		
5 B B B B B B B B B B B B B B B B B B B		STAX d XCHG	Store A indirect Exchange HL and DE
	Put register pair on stack	POP s	Get register pair
XTHL pointer	Exchange top of stack and HL	SPHL	HL pair to stack
INX t	Increment 16 bit register	DCX t	Decrement 16 bit

1	register	HL to program	counter	RET	Unconditional return
	RC	Return on car	**************************************	RNC	Return on no carry
	RZ	Return on zer	医多体医医检验 医医安全性病	RNZ	Return on not zero
ij	RP	Return on pos	itive	RM	Return on negative
H	RPE	Return on par	· 医克里斯斯 医闭塞皮肤多种	RPO	Return on parity odd
	RST u	Restart at ad	******	INR r	Increment register
Đ	DCR r	Decrement reg	医温度温度 医海绵 医海绵皮氏征	ADD r	Add A + r
	ADC r	Add A + r wit		DAD t	Add HL + t
1	SUB r	Subtract A -		DDD I	Subtract A - r with
	ANA r	And A with r	BBBBBB	XRA r	Exclusive or A with
u	x			IIIIIIIII	
ď,	ORA T	Or A with r	HHHHH	CMP r	Compare A with r
	RLC	Rotate A left		RRC	Rotate A right
Ŧ,	RAL	** * * * * * * * * * * * * * * * * * *	through carry	RAR	Rotate A right
	through car	2. 京东安东东东南南南安东沿	MMMMM		
H	CMA	Complement A		STC	Set carry flag
	CMC EI	Complement ca		DAA DI	Decimal adjust A Disable interrupts
	NOP	Enable interr	apes	HLT	Halt
1	RIM	Read interrup	t mack	SIM	Set interrupt mask
		Read Intellig	C Mask	3111	Set Intellapt mask
ł,	HHHH	MMMMM	FORMAT I	I	[]44]]44]]44]]44]]44]]44]]44]]44]
ij		HHHHHH		HUHUH	
	MVI r,opl	Move immediat		ADI opl	Add A + opl
	ACI opl	Add A + opl w	工 医 是 安 沙 医 安 上 市 是 走 次 多	SUI opl	Subtract A - opl
	SBI opl	Exclusive or	opl with borrow	在 不 京 图 图 图 图 图 图 图	And A with opl
	CPI opl	Compare A wit	李孝 医 连 梁 安 思 声 音 语 音 音 声	ORI opl	Or A with opl Input A from chan
	opl	Compare A wit		TI, OPT	Tipde A from Chan
Ĭ,	OUT opl	Output A on o	han opl		
h		HHHHHH	FORMAT I	11	
	197 4 200			OTA - 2	
	LXI t, op2	建设 医医皮肤 医皮肤 医皮肤	e register pair	印刷 把洗涤 医不足多虫	Store A direct
	LDA op2	Load A direct	建金沙河 医原位性肾经过有效原	SHLD op2 JMP op2	Unconditional jump
	JC op2	Jump on carry		JNC op2	Jump on no carry
Ž.	JZ op2	Jump on zero		JNZ op2	Jump on not zero
	JP op2	Jump on posit	ive	JM op2	Jump on negative
g.	JPE op2	Jump on parit	市里 不 引 不 不 不 中 不 从 下 市 在	JPO op2	Jump on parity odd
	CALL op2	Unconditional		CC op2	Call on carry
1	CNC op2	Call on no ca	arry	· · · · · · · · · · · · · · · · · · ·	Call on zero
l g	CNZ op2	Call on not a	zero	CP op2	Call on positive
ŧ,	CM op2	Call on negat	ive	CPE op2	Call on parity even
	CPO op2	Call on parit	y odd		######################################
H		HHHHH	SPECIAL ASSEMBL	ED CODES	0.0000000000000000000000000000000000000
	anan in	internation in the contract of	SILCIAL ASSEMBL	ER CODES	
	DΑ	TA opl or	Data for use by	assembled	code 1 byte
3	allocated		Data for use by	assembled	code. I byce
	allocated	op2	op1, 2 bytes al	located whe	$n \cdot on2 > 255$
f	EN		Required at the		
F &	古典五正古 田 安 正文	TRY op2	Entrance addres	化高级 医电影图 医电影图	() 打造水泥 医多生性 医多生性 医多生性 医多种性 医多种生物 (
f.		U opl or op2	Equates value t	****	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)
		G op2	Sets address co	unter to va	lue of op2.
F.	REM	umumm	Remark, must st	art in colu	ımn 1.
	E P B E E P P E E E F E	ES opl or op2	(2) (基 (基) (第) 第) 第) 第 (第) (· · · · · · · · · · · · · · · · · · ·	pecified in operand.
	ST	R [string]			string character
1	Sountan		Uperand designa	ting curren	t value of address
	counter.				
	r = B, C, D	E,H,L,M(conter	nts of HL),A	d = B, D	
-	s = B, D, H,			t = B, D, H,	SP
-		8,18,20,28,30,	38		ric or label operand
-	Ø-255			HHIIII	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	op2 = nume	eric or label	operand Ø-65535		
E B	4277427441	医安全皮肤 经交易基金总统	· · · · · · · · · · · · · · · · · · ·	* # 2 # 2 # 2 # 2 # 2 # 4 # 2 # 4 # 2 # 4 # 2 # 4 # 2 # 4 # 2 # 4 # 2 # 4 # 4	在中国美国外国家 计专业计算基金工具 化电压基金管接流器

GFOW Up!

Wondering where to grow?


Why not get IBM compatibility with Tandy's 1200, or the new 3000, and take your OS-9 programs with you?

TLM's PC68K puts the 68000/68010 processor and Microware's OS-9 together in any IBM, or compatible, PC/XT/AT system, providing the best of both worlds with fully concurrent PC/68000 operation.

- Powerful languages such as BASIC09, PASCAL and C
- DYNACALC for spread sheet processing
- The power of the 68000/68010
- The price/performance and flexibility of the Tandy 1200 and 3000

TLM's PC68K...A great family to grow up with!

IBM is a registered trademark of International Business Machines DYNACALC is a registered trademark of Computer Systems Center OS-9 is a registered trademark of Microware Systems Corp CPM 88K is a registered trademark of Digital Research Corp MK68000 MK68010 are registered trademarks of Motorola UNIX is a registered trademark of AT&1



CLOCK SPEED

8/10/12.5 MHZ Without wait states

HARDWARE

2 Parallel Ports 3-9 Serial Ports

68881 Floating point co-processor (optional)

Memory mapped dual port bus for high speed DMA transfers Real time clock with battery backup

Up to 16 boards can run concurrently from one AT/XT/PC bus

MEMORY

1-2 MB OF RAM (1 MB on board standard) 8K-32K of ROM 2K-8K of battery backed RAM

MULTI-USER

3-9 users (3 standard)
High speed "Tick" timer with 10ms accuracy for efficient multi-user time slicing.

OPERATING SYSTEMS

OS-9 (Multi-user UNIX look-alike) C/PM-68K (popular single user OS) Both support concurrent access to PC DOS

SOFTWARE

Software selectable OS environment IBM Color/Mono Graphics Support Local and Global disk caching for maximum speed and efficient data transfer

COMMUNICATIONS

Powerful asynchronous/ synchronous data communications capability Bisynchronous SNA 3270, X.25, etc.

MISCELLANEOUS FEATURES

Remote and Local reset (hardware or software selectable) Remote and Local Non-maskable Interrupts (NMI) Stand alone hardware capability (without AT/XT/PC support)



Table 2 SAMPLE PROGRAM FOR 8085 ASSEMBLER WRITTEN BY M. HENNING REM stockelesterkelest START ADDRESS ORG 62000D BEGIN ENTRANCE BYTE TEST START ENTRY .177 OCTAL 1770 DATA DATA1 Ø1ØØ1B BINARY 9 DATA DATA2 32768D . DECIMAL NUMBER DATA DATA3 DATA4 DATA FFØØH .HEX NUMBER DATA1+4 . EQUATE EQUAL1 EQU .RESERVE 16 BTS 1ØH RES DATA5 STR THIS IS A TEST. STR DATA STRING REM Sederal control of the control o REM END DATA TEST MOV A,B MOVE B TO A .JUMP 2 BYTES JMP \$+2 CPI FFH . COMPARE A JZ TEST1 FORWARD REFER CALL DATA4 . CALL MVI D,89D .DUPLICATE LBL TEST TEST1 CPI EQUAL1 . WARNING END . END SAMPLE

```
Table 3
work 19:99:99 97/92/84 work
#PAGE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     COMMENTS
ERROR LINE NO. ADDR
                                                                                                                                                                                                                CODE
                                                                                                                                                                                                                                                                                                                                   LABEL
                                                                                                                                                                                                                                                                                                                                                                                                             MNEMONIC
  And the property of the proper
 REM interpretational extra proportion de la company de la 
                                                   SAMPLE PROGRAM FOR 8085 ASSEMBLER WRITTEN BY M. HENNING
  REM Activities to the text of 
                                                                                                                                                     F23Ø
                                                                                                                                                                                                                                                                                                                                                                                                                        ORG 620000 START ADDRESS
                                                                    gggg1
                                                                                                                                                                                                                                                                                                                                  BEGIN
                                                                     ØØØØ2
                                                                                                                                                                                                                                            54 F2
                                                                                                                                                                                                                                                                                                                                     ENTRY
                                                                                                                                                                                                                                                                                                                                                                                                                    ENTRY TESTO. ENTRANCE BYTE
                                                                                                                                                                                                                                                                                                                                                                                                                    DATA 17706.177 OCTAL
DATA Ø1ØØ1B6.BINARY 9
                                                                                                                                                       F23Ø 7F
                                                                     gggg3
                                                                                                                                                                                                                                                                                                                                  DATA1
                                                                                                                                                     F231 Ø9
                                                                     99994
                                                                                                                                                                                                                                                                                                                                     DATA2
                                                                                                                                                                                                                                                                                                                                                                                                                     DATA 32768DÓ. DECIMAL NUMBER
                                                                                                                                                        F232 ØØ 8Ø
                                                                                                                                                                                                                                                                                                                                  DATA3
                                                                     gggg5
                                                                                                                                                                                                                                                                                                                                                                                                                       DATA FFØØHÓ.HEX NUMBER
                                                                                                                                                       F234 ØØ FF
                                                                                                                                                                                                                                                                                                                                     DATA4
                                                                     gggg6
                                                                                                                                                                                                                                                                                                                                                                                                                        EQU
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 DATA1+46 . EQUATE
                                                                                                                                                                                                                                                34 F2
                                                                                                                                                                                                                                                                                                                                  EQUAL1
                                                                     99997
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    10Hó. RESERVE 16 BTS
                                                                                                                                                                                                                                                                                                                                     DATA5
                                                                                                                                                                                                                                                                                                                                                                                                                       RES
                                                                                                                                                       F236
                                                                     99998
                                                                                                                                                                                                        54
                                                                                                                                                                                                                                                                                                                                   STRING
                                                                                                                                                                                                                                                                                                                                                                                                                         STR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  TO STR DATA
                                                                                                                                                       F246
                                                                     99999
                                                                                                                                                         F247 48
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Hó
                                                                     99919
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Ió
                                                                                                                                                        F248
                                                                                                                                                                                                              49
                                                                     99911
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Só
                                                                                                                                                       F249 53
                                                                      99912
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ó
                                                                     ØØØ13
                                                                                                                                                         F24A 20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Ió
                                                                      99914
                                                                                                                                                            F24B 49
                                                                                                                                                         F24C 53
                                                                     ØØØ15
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Só
                                                                                                                                                                                                            20
                                                                                                                                                            F24D
                                                                      99916
                                                                                                                                                                                                         41
                                                                                                                                                         F24E
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Aó
                                                                     00017
                                                                                                                                                         F24F
                                                                                                                                                                                                             20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            ó
                                                                        99918
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Tó
                                                                      99919
                                                                                                                                                           F250
                                                                                                                                                                                                                 54
                                                                                                                                                         F251
                                                                                                                                                                                                             45
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Eó
                                                                        99929
                                                                      99921
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Só
                                                                                                                                                            F252
                                                                                                                                                                                                                    53
                                                                                                                                                            F253
                                                                        99922
    REM state to the destruction of the contract o
     REM
                                                                                                                                                                                                                                                                                                END DATA
     REM Here the local translation to the contract of the contract
                                                                        ØØØ23
                                                                                                                                                                                                                                                                                                                                          TEST
                                                                                                                                                                                                                                                                                                                                                                                                                                MOV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                      A, BÓ. MOVE B TO A
                                                                                                                                                               F254
                                                                                                                                                                                                                78
```

```
F255
                    C3 57 F2
                                           JMP
                                                 $+26.JUMP 2 BYTES
      99924
      ØØØ25
               F258 FE FF
                                           CPI
                                                 FFH6. COMPARE A
                                                 TEST16. FORWARD REFER
      00026
               F25A CA 62 F2
                                           JZ
               F25D CD 34 F2
      00027
                                           CALL DATA46. CALL
                                                 D,89Dó.DUPLICATE LBL
*D*
                     16 59
                                  TEST
      99928
               F26Ø
                                           MVI
*W*
      9992
```

```
Listing 1:
                                                                       PCM BAR CODED LISTING
5 DEFSTR F
6 DEFSNG T
10 OPEN "OBJT. DO"FORINPUTAS1
11 INPUT #1,A$
12 GOSUB 1000
13 CLEAR 256, T
14 DEFSTR F
15 DEFSNG T
16 OPEN"OBJT. DO"FORINPUTAS1
20 IFEOF(1) THEN300
30 INPUT#1, A$
35 IFAS="END"THEN300
40 IFLEN(AS) $\ightarrow$4THEN200
50 GOSUB1000
60 IFBG=0THENBG=T
70 AD=T
80 GOTO30
200 GOSUB1000
210 POKE AD, T
215 AD=AD+1
22Ø GOT03Ø
300 CLS: PRINT@40, "BEGINING ADDRESS: "; CHR$(9); BG;
310 PRINT@80, "ENDING ADDRESS: "; CHR$(9); CHR$(9); AD-1
                              "; CHR$(9); CHR$(9); AD-BG
329 PRINT@129, "LENGTH:
330 CLOSE
340 END
1000 T=0
1010 FORX=1TOLEN(AS)
1020 F=MID$(A$,X,1)
1939 IFASC(F)>47ANDASC(F)<58THENT1=ASC(F)-48ELSET1=ASC(F)-55
1040 T=T*16+T1
1050 NEXT
1060 RETURN
```

Listing 2:

- 1 MAXFILES=3
- 5 CLEAR2000
- 6 ONERRORGOTO3220
- 10 DEFINTX, P
- 20 DEFSTRF, H, L, R, E
- 30 DEFSNGT, V
- 49 DIMH(6),R1(7),R2(3),R3(3),R4(87),LBL(256),V(256)
- 50 XX=0:PC=1:LC!=59:E1="":LN="00001":XA=2
- 55 GOSUB995Ø
- 60 CLS
- 70 INPUT"ENTER INPUT FILE NAME: ";FI
- 80 INPUT"ENTER LISTING FILE NAME: ";FL
- 85 INPUT"DO YOU WANT AND OBJECT OUTPUT (Y/N):"; FO: IFFO="Y"THENFO="OBJT"ELSEFO=""
- 87 P=Ø
- 88 CLS: PRINT@137, "PASS "; P+1; : XX=Ø: AD=Ø
- 90 OPEN FI FORINPUTAS1
- 100 IFP 0THENOPENFLFOROUTPUTAS3
- 105 IF FOO" "ANDPOOTHENOPENFOFOROUTPUTAS2
- 110 H(0) = "": H(1) = "": H(2) = "": H(3) = "": H(4) = "": H(5) = "": H(6) = ""
- 115 E1=""
- 120 01=0:02=0:03=0



```
130 GOSUBIØØ
140 IFF1 ""THENT=AC: GOSUB1350
145 IFF1="REM"THENGOTO3230
150 GOSUB1450
16Ø ONINT((XZ-1)/1Ø)+1GOTO17Ø,18Ø,19Ø,2ØØ,21Ø,22Ø,23Ø,235,24Ø
17Ø ONXZGOSUB2ØØØ,2Ø36,2Ø72,2112,2112,2144,2144,218Ø,218Ø,2196:GOTO11Ø
18@ ONXZ-1@GOSUB22@8,22@8,2224,2236,2248,2248,2264,2264,2264,2264;GOTO11@
19Ø ONXZ-2ØGOSUB2264,2264,2264,2264,2264,228Ø,2292,2292,2292,2292;GOTO11Ø
200 ONXZ-30GOSUB2292,2292,2292,2292,2292,2308,2308,2308,2308,2308,2308
21Ø ONXZ-4ØGOSUB23Ø8,23Ø8,23Ø8,23Ø8,2324,239Ø,239Ø,2416,2416,2416;GOTO11Ø
22Ø ONXZ-5ØGOSUB2416,2416,2416,2416,2416,2432,2432,2432,2432,2432;GOTO11Ø
235 ONXZ-7ØGOSUB2452,2464,2464,2476,2476,2488,25ØØ,2512,2512,2524:GOTO11Ø
24Ø ONXZ-8ØGOSUB31Ø2,3Ø46,3Ø66,3ØØØ,3Ø12,3Ø9Ø,3115,1662:GOTO11Ø
1000 F1="":F2="":F3="":F4="":F5="":F6="":X=1:NS=0
1916 IFEOF(1) THENCLOSE: GOTO3299
1918 F=INPUT$(1,1)
1019 IFX=2ANDF1="REM"THENX=6:NS=0
1929 IFF=CHR$(13) THENRETURN
1021 IFF2="STR"ANDX=3ANDF>"."THEN1056
1022 IFF=CHR$(10) THEN1016
1924 IFNSAND(F=" "ORF=CHR$(9))THEN1916
1028 NS=0
1932 IFX=6THENF6=F6+F:GOTO1916
1036 IFF=" "ORF=", "ORF=CHR$(9)THENX=X+1:NS=1:GOTO1016
1040 IFF="."THENX=6:GOTO1032
1042 IFF="+"ORF="-"THENX=5
1944 ONXGOTO1948,1952,1956,1969,1964
1948 F1=F1+F:GOTO1916
1Ø52 F2=F2+F:GOTO1Ø16
1Ø56 F3=F3+F:GOTO1Ø16
1060 F4=F4+F:GOTO1016
1964 F5=F5+F:GOTO1916
1100 H(X)=""
1114 IFX1=2ANDT>255THENE1="*W*"
1116 X2=T/16
112Ø T=T-X2*16
1124 IFT<1@THENH(X)=CHR$(T+48)+H(X)ELSE H(X)=CHR$(T+55)+H(X)
1128 IFX2>ØTHENT=X2:GOTO1116
1132 GOSUB1150
1136 RETURN
1150 IFLEN(H(X))>=X1THENRETURN
1166 H(X)="Ø"+H(X)
 1170 GOTO1150
 1200 FORX2=0T07
1216 IFH(4)=R1(X2)THENRETURN
1220 NEXT: GOTO1248
 1224 FORX2=ØTO3
 1228 IFH(4)=R2(X2)THENRETURN
1232 NEXT: GOTO1248
1236 FORX2=ØTO3
 1240 IFH(4)=R3(X2)THENRETURN
 1244 NEXT
 1248 X2=-1
125Ø E1="*I*"
 1252 RETURN
 1260 T=0
 1276 FORX=1TOLEN(H(5))
1280 F=MID$(H(5),X,1)
 1284 IFASC(F)>47ANDASC(F)<58THENT1=ASC(F)-48ELSET1=ASC(F)-55
 1288 T=T*T2+T1
 1292 NEXT
1294 IF T>65535THENE1="*W*"
 1296 RETURN
 1300 T2=0
 1311 IFLEFT$(H(5),1)="$"THENT=AG+VAL(F5):RETURN
1312 IFRIGHT$(H(5),1)="0"THENT2=8
 1316 IFRIGHT$(H(5),1)="B"THENT2=2
 1320 IFRIGHT$(H(5),1)="D"THENT2=10
```



COLOR COMPUTERS	LIST	OUR
	PRICE	PRICE
26-3127 64K Extended Color Computer 2 .		\$169.00
26-3134 16K Standard Color Computer 2		99.00
26-3131 Thinline Disk Drive 0 for Color Computer	299.95	240.00
26-3018 Extended Basic Kit		36.00
26-3030 OS-9 With Editor Assembler		59.50
26-3012 Deluxe Joystick	29.95	25.00
26-1208 CCR-81 Recorder		50.00
30001170 VIP Integrated Library	149.95	139.00
30001110 VIP Writer		59.00
30001210 Telewriter 64 Tape	49.95	42.00
30001220 Telewriter 64 Disk	59.95	49.00
30009110 Botek Interface		59.00
TANDY 3000		
25-4001 Tandy 3000 One Disk 512K	\$2599.00	\$1900.00
25-4010 Tandy 3000 One Disk & 20 Meg HD 512K	3599.00	2600.00
25-3046 Deluxe Text Display Adapter	249.95	205.00
26-3047 Deluxe Graphics Display Adapter .	499.95	395.00
25-4030 512K to 2 Meg Expansion Board .	499.00	395.00
25-4033 Math Co-Processor for 3000	399.95	339.00
25-4050 1.2 Meg Disk Drive Kit for 3000	299.95	255.00
25-4060 Hard Disk Controller Board for 3000	499.00	425.00
25-4062 20 Meg Hard Disk Kit	799.00	679.00
25-4101 MS-DOS 3.1/Basic/DeskMate	99.95	85.00
26-5111 VM-1 Monochrome Monitor	199.95	165.00
26-5112 CM-1 Color Monitor		510.00
TANDY 100, 200, 600		
	\$1599.00	\$1195.00
26-3904 Basic Rom for Tandy 600	129.95	110.00
26-3910 92K RAM Upgrade for Tandy 600.	399.95	340.00
26-3860 Tandy 200 Port Comp 24K	799.00	650.00
26-3866 24K RAM Memory Exp Chip for 200	199.95	170.00
26-3802 Tandy 100 Port Comp 24K	499.00	425.00
26-3816 8K RAM Upgrade for Tandy 100	49.95	42.00
26-3808 Port 31/2 Disk Drive for T100 T200 .	199.95	169.00
26-3815 Portable Disk Case	24.95	21.00
26-3805 Acoustic Coupler	39.95	34.00
26-1409 Printer Cable	14.95	12.70
26-1410 Modem Cable	19.95	17.00
MODEL 4D	THE	
	THE RESERVE	

26-1070 Model 4D 64K 2 FD w/DeskMate .\$	1199.00	\$895.00	
26-1122 64K Memory Expansion	69.95	65.00	
26-1123 Model 3 to Model 4 Upgrade Kit	399.00	385.00	
26-1134 Model 4 HD Kit for 15 Meg	79.95	67.95	
26-1530 Multiplan Model 4	199.00	169.00	
26-1595 Super Scripsit Model 4	199.95	169.00	
26-1608 DeskMate for Model 4	195.00	175.00	
26-1635 Profile 4 Model 4	249.95	200.00	
26-2216 CP/M Plus Model 4	149.00	127.00	
26-2231 Double Duty Utility	69.95	58.00	

MODEL 6000 COMPUTERS

26-6021 Model 6000 512K 2 FD Comp	\$4499.00	\$3125.00	
26-6022 Model 6000 512K 1 FD 15 Meg HD.	5499.00	3795.00	
26-6019 Model 6000 256K Memory Kit	199.95	185.00	
26-6052 DT-100 Data Terminal	795.00	600.00	
26-1245 10 Meg Disk Cartridge System	2195.00	1750.00	
26-6018 6000 Interface Kit for 26-1245		102.00	
25-3022 1000/1200/3000/Interface Kit for 26-1245	199.95	160.00	
26-4155 15 Meg Hard Drive Primary	1595.00	1355.00	
26-4171 35 Meg Hard Drive Primary	2995.00	2545.00	
26-4173 70 Meg Hard Drive Primary	4295.00	3350.00	
26-4157 Installation Kit for Primary HD	349.00	295.00	

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted (\$10.00 charge per carton on C.O.D. Call for further C.O.D. information.) M.C., Visa, add 2%. AX, add 3%. All non-defective items returned will be subject to 10% restocking fee. Defective items require return merchandise authorization. Call for R.M.A. Number before returning. Delivery is subject to product availability.

CALL 1-800-248-3823



1-800-248-3823	<i>Accounts</i>	NO HEHEIII
RADIO SHACK PRINTERS	LIST	OUR PRICE
26-1276 DMP-105 Dot Matrix Printer \$ 26-1275 TRP-100 Portable Thermal Printer . 26-1280 DMP-130 100 cps Triple Mode Printer	STATE OF THE OWNER, WHEN	THE RESERVE OF THE PERSON NAMED IN
26-1268 CGP-220 Color Ink-Jet Printer 26-2830 PC-695 8-Color Digital Plotter 26-1277 DMP-430 24 Wire Matrix Printer	699.00 799.00 899.00	595.00 680.00 635.00
26-1270 DWP-510 43 cps Daisy Wheel 26-1274 DMP-2100P 24 Dot Matrix Printer .	1495.00 1495.00	1225.00 1195.00
26-1279 DMP-2200 HiSpeed Matrix Printer . 26-1269 PT-64 Printer Controller	1695.00 249.95 119.95	1440.00 210.00 100.00
26-1447 Bi-Directional Tractor for DWP 510 TANDY 1200, 2000	219.95	186.95
25-3000 Tandy 1200 One FD & 10 Meg HD .\$		
25-3001 Tandy 1200 Two FD 256K	1499.00	1200.00
25-3010 VM-3 Green Monitor	219.95	185.00
25-1022 CM-10 Color Monitor	459.95	380.00
25-3043 Graphics Display Adapter	299.00	185.00
25-3044 Graphics Master 25-3061 Captain Multifunction Board	695.95 599.95	540.00 475.00
25-3020 TCS-100 Tape Cartridge System .	1999.00	1555.00
25-3021 TCS-100 Tape Callinge System . 25-3021 TCS-100 Interface Kit 1000/1200 .	149.95	120.00
25-3130 MSDOS/BASIC	89.95	76.50
26-5103 Tandy 2000 Two Disk	1599.00	1225.00
26-5104 Tandy 2000 One Disk & 10 Meg HD	2499.00	1885.00
TANDY 1000	MACH	
25-1000 Model 1000 128K 1 FD & DeskMate \$	999.95	\$ 705.00
25-1001 Model 1000 256K 1 FD 10 Meg HD	1999.00	1475.00
25-1003 300-Baud Modem Board 1000/1200	149.95	125.00
25-1005 Disk Drive Expansion 1000	199.95	170.00
25-1006 RS-232C Interface 1000/1200	99.95	85.00
25-1013 1200-Baud Modern Board 1000/1200	299.95	230.00
25-1025 10 Meg Hard Disk Drive	699.95	559.00
25-1007 Hard Disk Control Board	299.95	255.00
25-1021 CM-4 Color Monitor	299.95	225.00
25-1022 CM-10 Color Monitor	459.95	380.00
26-3211 VM-2 Monochrome Monitor	149.95	125.00
30051030 PJB Multifunction Board 512K	*****	310.00
EPSON PRINTERS		
20001015 Homewriter 10	\$288.00	\$215.00
20001025 LX-80 Dot Matrix Printer	329.00	250.00
20001035 FX-85 Dot Matrix Printer	549.00	385.00
20001050 HI-80 4 Pin Plotter	599.00	390.00
20002010 RX-100 Dot Matrix Printer	499.00	400.00
20002030 FX-286 Dot Matrix Printer	799.00	550.00
20003020 LQ-800 24 Pin Head Dot Matrix .	799.00	565.00
20003030 LQ-1000 24 Pin Head Dot Matrix .	995.00	695.00

For Technical Questions and Information on our complete line of computer accessories and current prices:

299.00

459.00

899.00

255.00

390.00

765.00

CALL 1-517-625-4161 FOR ORDERS ONLY CALL 1-800-248-3823

10081010 DX-10 Daisy Wheel Printer 10081020 DX-20 Daisy Wheel Printer

10081030 DX-35 Daisy Wheel Printer

Mon., Wed. & Fri. 9-9, Tues. & Thurs. 9-5, Sat. 9-3
124 S. MAIN ST, PERRY, MICH. 48872

```
1322 IFRIGHT$(H(5),1)="H"THENT2=16
1324 IFT2 ØTHENH(5)=LEFT$(H(5), LEN(H(5))-1):GOSUB126Ø:RETURN
1326 GOSUB1400:T=T+VAL(F5):RETURN
1332 H(5)=MID$(H(5),2,LEN(H(5)-1)):GOTO1324
1350 IFXX=256THENCLS: PRINT@125, "SYMBOL TABLE OVERFLOW ":GOTO3208
1363 IFXX=@THEN1366
1364 X9=1:H(5)=F1:GOSUB1412:X9=Ø:IFXZ XXTHENE1="*D*":RETURN
1366 LBL(XX)=F1
137Ø V(XX)=T
1374 XX=XX+1
1378 RETURN
1400 T=0
1404 IFP=1THENPT=XX:XX=PX
1412 FORXZ=ØTOXX-1
1416 IFLBL(XZ)=H(5)THENT=V(XZ):IFX9THENRETURNELSEGOTO1423
1420 NEXT
1421 IFX9THENX9=Ø:RETURN
1422 E1="*U*":T=Ø
1423 IFP=1THENXX=PT
1424 RETURN
1450 FORXZ=1T087
1466 IFF2=R4(XZ)THENRETURN
1470 NEXT
1475 E1="*I*":AI=3:H(2)="ØØ":H(3)="ØØ":H(1)="ØØ"
1480 RETURN
1500 IFP=OTHENRETURN
1502 IFLC!=59THENGOSUB1600
1514 IFAD=1THENH(Ø)="
                                                           ( ) "; E1; LN; H(Ø)
                             11 11 11 11 11
1516 PRINT#3, USING" \ \
;H(1);H(2);H(3);F1;F2;
152Ø IFF4=""THENPRINT#3,F3;F5;CHR$(137);F6ELSEPRINT#3,F3;",";F4;F5;CHR$(137);F6
1522 IFFO ""THENGOSUB1850
1524 AD=Ø:LC!=LC!+1
1528 T=VAL(LN): T=T+1: LN=STR$(T)
1530 LN=RIGHT$(LN, LEN(LN)-1)
1532 IFLEN(LN)=5THENRETURNELSEFORX=LEN(LN)+1TO5:LN="Ø"+LN:NEXT
1536 RETURN
                                                              "; DATES; "
1699 PRINT#3, CHR$(12); CHR$(27); "e9"; CHR$(29); "** "; TIME$;
***"; CHR$(27); "fØ#"; "PAGE "; PC
1616 PRINT #3, "ERROR LINE NO. ADDR CODE LABEL MNEMONIC
                                                                             COMM
ENTS"
1620 PRINT #3, STRING$(80,"*"): PRINT#3,: PRINT #3
1624 PC=PC+1:LC!=5
1628 RETURN
1662 X=Ø:T=AC:X1=4:GOSUB1100
1666 X1=2:AC=AC+AI:GOSUB1500
1670 RETURN
1700 IFX2=-1THEN02=0:E1="*I*"ELSE02=X2*8
1716 RETURN
175Ø H(5)=F3:GOSUB13ØØ
1766 X=5:X1=4:GOSUB1100:X1=2
1770 H(2)=RIGHT$(H(5),2):H(3)=LEFT$(H(5),2)
1774 AI=3:GOSUB1662:RETURN
1790 AI=1:GOTO1662
1794 AI=2:GOTO1662
1800 T=010R020R03
1816 X=1:GOSUB1109
1820 RETURN
1850 IFH(1)=""THENRETURN
1854 FORXZ=@TO3:IFH(XZ) ""THENPRINT#2,H(XZ);",";:NEXT
1858 RETURN
2000 01=64
2008 H(4)=F3:GOSUB1200
2012 GOSUB1700
2016 H(4)=F4:GOSUB1200
 2Ø2Ø IFX2=-1THENO3=Ø:E1="*I*"ELSEO3=X2
2024 GOSUB1800
```

```
2928 GOTO1799
 2036 01=6
 2944 H(4)=F3:GOSUB1299
 2948 GOSUB1799
 2052 X=1:T=010R02:GOSUB1100
 2956 H(5)=F4:GOSUB1399
 2969 X=2:GOSUB1199
 2064 GOTO1794
 2072 H(4)=F3:GOSUB1224
 2080 01-1
 2084 GOSUB1700:02=02*2
 2986 GOSUB1899
 2088 H(5)=F4:GOSUB1300
 2Ø92 GOSUB1766
 2108 RETURN
2112 01-2
2120 H(4)=F3:GOSUB1224
2124 IFX2=-10RX2>1THENO2=9:E1="*I*"ELSEO2=X2*16
2128 03=(XZ-4)*8
2132 GOSUB1800
2136 GOTO179Ø
2144 IFXZ=6THENO1=5ØELSE01=58
2152 GOSUB1809
2156 GOSUB1750
2176 RETURN
2180 01=34:02=(XZ-8)*8
2188 GOSUB1800
2192 GOSUB1759: RETURN
2196 01=235:GOSUB1899
2294 GOTO1799
2298 01=193:03=(XZ-11)*4:H(4)=F3:GOSUB1236
2216 GOSUB1700:02=02*2:GOSUB1800
222Ø GOTO179Ø
2224 01=227:GOSUB1899
2232 GOTO1799
2236 01=249:GOSUB1899
2244 GOTO179Ø
2248 01=3:03=(XZ-15)*8:H(4)=F3:GOSUB1224:GOSUB17ØØ:02=02*2
2256 GOSUB1800
2260 GOT01790
2264 IFXZ=17THEN01=195ELSE01=194:02=(XZ-18)*8
2272 GOSUB1800:GOSUB1750
2276 RETURN
228Ø 01=233:GOSUB18ØØ
2288 GOTO179Ø
2292 IFXZ=27THENO1=2Ø5ELSE01=196:02=(XZ-28)*8
2300 GOSUB1800
2394 GOSUB1759: RETURN
2398 IFXZ=36THENO1=291ELSE01=192:02=(XZ-37)*8
2316 GOSUB1800
232Ø GOT0179Ø
2324 O1=199:H(5)=F3+"H":GOSUB 1399:IFT/8>7THENO2=9:E1="*I*"ELSEO2=T
2332 GOSUB1800
2336 GOTO1799
239Ø 01=4:03=XZ-46:H(4)=F3:GOSUB12Ø9:02=X2*8
2398 GOSUB1800
2492 GOT01799
2416 01=128:02=(XZ-48)*8:H(4)=F3:GOSUB1299:03=X2
2424 GOSUB1800
2428 GOTO1799
2432 01=198:02=(XZ-56)*8:GOSUB1899
244Ø H(5)=F3:GOSUB13ØØ
2444 IFT>255THENE1="*W*"
2448 GOTO2969
2452 01=7:02=(XZ-64)*8:GOSUB18ØØ
2469 GOT01799
2464 01=211:02=(XZ-72)*8:GOSUB1899
2472 GOTO244Ø
2476 01=243:02=(XZ-74)*8:GOSUB18@@
```

```
2484 GOTO179Ø
2488 01=Ø:GOSUB18ØØ
2496 GOTO1790
2500 01=118:GOSUB1800
2508 GOTO1790
2512 01=32:02=(XZ-78)*16:GOSUB18ØØ
2520 GOTO1790
2524 O1=9:H(4)=F3:GOSUB 1224:O2=X2*16
2532 GOSUB1800
2536 GOT0179Ø
3999 IFFO ""ANDP OTHEN PRINT#2, "END";
3001 AD=1:GOSUB 1662:IFP=0THENCLOSE1:PX=XX:P=1:GOTO88
3003 CLS: PRINT@131, "ASSEMBLE COMPLETE"
3004 END
3012 H(5)=F3:GOSUB1300
3020 AC=T
3924 IFF1 > ""THENV(XX-1)=T
3938 AI=9:GOSUB1662
3942 RETURN
3946 H(5)=F3:GOSUB1399
3Ø54 IFT>255THENAI=2ELSEAI=1
3Ø58 X=1:X1=AI*2:GOSUB11ØØ
3Ø6Ø IFX1=4THENH(2)=LEFT$(H(1),2):H(1)=RIGHT$(H(1),2)
3062 GOSUB1662:X1=2:RETURN
3Ø66 H(5)=F3:GOSUB13ØØ
 3979 IFF1 ♦ ""THENV(XX-1)=TELSEE1="*I*": T=9
3Ø74 X=5:X1=4:GOSUB11ØØ:X1=2:H(2)=RIGHT$(H(5),2):H(3)=LEFT$(H(5),2)
 3082 AD=1:AI=0:GOSUB1662
3086 RETURN
 3999 H(5)=F3:GOSUB1399
 3098 AI=T:GOSUB1662:RETURN
 31Ø2 H(5)=F3:GOSUB13ØØ
 3110 F1=F2:GOSUB1350
 3114 GOTO3Ø74
 3115 H(5)=F3:F3=""
3124 O1=ASC(H(5)):H(5)=RIGHT$(H(5),LEN(H(5))-1):F3=CHR$(O1)
 3128 GOSUB18ØØ:GOSUB179Ø:F2="":F6="":F1=""
3132 IFH(5)=""THENRETURN
 3136 GOTO3124
 3200 CLS: PRINT@130, "NO END STATEMENT IN FILE"
 3208 PRINT@175, "ABORT ASSEMBLE";
 3212 CLOSE: END
 3220 CLS: PRINT@120, "UNRECOVERABLE ERROR IN THE BASIC PROGRAM"; : GOTO3208
 3230 IFP=0THENGOTO110
 3232 IFLC:=59THENGOSUB1600
 3234 PRINT#3,F1;" ";F6
 3238 LC!=LC!+1:GOTO110
 995@ FORX=@TO7:READR1(X):NEXT
 9966 FORX=ØTO3:READR2(X):NEXT
 9970 FORX=0T03:READR3(X):NEXT
 9974 FORX=1T087: READR4(X): NEXT
 9978 RETURN
 1gggg DATA "B", "C", "D", "E", "H", "L", "M", "A"
 19994 DATA "B", "D", "H", "SP"
 19998 DATA "B", "D", "H", "PSW"
 10012 DATA "MOV", "MVI", "LXI", "STAX", "LDAX", "STA", "LDA", "SHLD", "LHLD", "XCHG", "POP
   ,"PUSH","XTHL","SPHL","INX","DCX","JMP"
 10014 DATA"JNZ", "JZ", "JNC", "JC", "JPO", "JPE", "JP", "JM", "PCHL", "CALL", "CNZ", "CZ", "
 CNC", "CC"
 19916 DATA "CPO", "CPE", "CP", "CM", "RET", "RNZ", "RZ", "RNC", "RC", "RPO", "RPE", "RP", "R
 M", "RST", "INR", "DCR", "ADD", "ADC", "SUB"
                               "ORA", "CMP", "ADI", "ACI", "SUI", "SBI", "ANI", "XRI"
 10018 DATA"SBB", "ANA", "XRA"
 19929 DATA "ORI", "CPI", "RLC", "RRC", "RAL", "RAR", "DAA", "CMA", "STC", "CMC", "OUT", "IN
  ","DI", "EI", "NOP", "HLT", "RIM", "SIM", "DAD"
                                                                                                       PCM
  10022 DATA"ENTRY", "DATA", "EQU", "END", "ORG", "RES", "STR"
```

Uploading Files to Delphi

ast month we began our investigation of the personal Workspace area in the MS-DOS SIG on Delphi. Primarily, we discussed how to upload a file into the Workspace using one of the three supported transfer protocols: ASCII, Xmodem and Kermit. Now let's take a look at what you can do with a file after it's there.

One of the most important things, of course, is to publish a program in the database so that all the other members can download it. This can be one of the generally excellent "usersupported" or "Shareware" programs, or it can be a program that you've written yourself and want to share with others. After all, it's hard not to be proud of a program you've created, slaving over the keyboard, running it over and over until it's just right. And it's a lot more fun when you can share your work with others who will appreciate it as much as you do.

After you have entered your Workspace, the first thing you may want to do prior to making a database submission is to check the directory to ascertain the proper filename of the programs you're about to submit. To do this, you type DIR, just as on your own computer. And remember, too, that the MS-DOS question mark (?) and asterisk (*) wild cards work the same familiar way when used with the DIR command in your Workspace

After you've checked for the proper filenames, you're ready to begin the submission process. Type SUBMIT. The system responds with a couple of lines of instruction and asks if you wish to continue. Of course, you respond YES, or with a simple Y to save yourself a few keystrokes.

Now the system asks you how many files you will be submitting. One of the nice things about the Delphi database software is that it allows you to "group" related files together under a single description. Let's say you have three files that you're submitting together: a compiled, executable version of your BASIC program; the BASIC source code itself; and a separate file of instructions and documentation. That's three, so you respond with 3 when the system requests this information.

The system then asks you whether all three files are related in such a way that they should be listed as a single "group" in the directory. In this case, you again respond with YES.

The system then asks you for a "file-type," and displays a list from which to choose: program or program pack, newsletter, article, transcript, documentation, data (graphics, etc.) or miscellaneous text. Since we're dealing with a program here, the proper response is PROGRAM, or simply

Now the system asks what topic of the database you wish to submit your file to. If you're not familiar with the topics that are available, you can enter a question mark (?) here and the topics will be displayed:

General Information Business Home & Games Telecommunications PCM Collection Soft Sector Info Archives Education Programming Utilities Info on PCM SS On Disk

If your submission happens to be a recipe file program, for example, we enter HDM to select the Home & Games topic.

Now a name for the "group/set" is requested. This is the name that appears in the database directory, but you're not limited to a directory entry as you may be accustomed. Here you're allowed up to 32 characters, so you can really use a meaningful name, such as RECIPE FILE DAT ABASE.

When you're finished naming the group, you are asked to enter a brief description of the file. This is where you should write a little paragraph telling all about your program: the author's name, what the program does, the specific system requirements; anything you can think of that the person who uses it may need to know. When you're finished, enter a CTRL-Z to close the description entry.

Now comes the time when you must enter "keywords" that describe your program. These are simply descriptive words that can later be searched on to locate programs of similar type. The entire directory in a certain topic can be extremely long and confusing, but by searching on these keywords, you can set it to display only those files that are similar to something you're looking for.

The first keyword requested is the "primary" keyword, and must be chosen from a select list that has been installed by the database manager. At the primary keyword prompt, you can once again enter a question mark (?) to display the choices. In the case of the Home & Games topic, the choices are: arcade games, adventure games, finance, management and miscellaneous. In this case, it looks like miscellaneous might be the best choice for our recipe file program, so enter

You can now enter any other keywords that you like, the idea being to try to imagine what keyword someone else looking for a recipe file program might try to search for. Some possibilities would be "cooking," "recipes," "database," or maybe even "food." You can also put the author's name here and something like "1000" if you know the program runs on the Tandy 1000. Then members who are using the 1000 can start a search on that keyword and only those files will be displayed.

Next you are asked for information about each of the files. The first request is for the filename of the file in your Workspace. You found this earlier when you checked it in the directory. Then you are asked if the file must have any special filename when it is downloaded — generally the same as you uploaded it into your Workspace, but not necessarily. Finally, you are asked for a name to appear with the file in the group directory listing which, again, can be a descriptive name, such as RECIPE FILE DOCUMENTATION.

This naming process is repeated for each of the three files that you are submitting, along with a query as to whether you would like it deleted from your Workspace. When you finish with the filename information for each file, the submission process is complete. Your file then goes to a "preview" area for testing before being moved into the open database for the members.

Although going through all this may seem like a very long, drawn-out process, it really isn't. After you've tried it once, you'll see just how simple it really is.

Kevin Nickols
 MS-DOS SIG Manager

Improve your numeric-keypad entry skills

Hitting the Right Keys

hen I started using my new 1200HD, I soon discovered that the function keys to the left of the keyboard would be very easy to get accustomed to because they are used so seldom, compared with the typewriter keyboard portion.

What I did have trouble with was the numeric keypad on the right side. Sure, it is a great convenience to have all the numbers there and not just spread out across the top of the keyboard with the special characters, but I never had an adding machine in my deprived youth and, consequently, had never learned to use a keypad.

I knew I would eventually pick up a "feel" for the new keys, but I wanted to learn more quickly, so I wrote this little program to generate "random" numbers and check on the accuracy of my keypad entry. With the 1200 it was easy to include a timer, so I added a section to help keep track of your speed.

The program is straightforward and simple, because I don't have time for some of the longer, more sophisticated programs and I think a lot of you probably don't either. After all, this program should make your computer use easier and faster; why make it more complicated than necessary?

This is why I did not provide for decimals and why the average time calculation is only approximate. I feel that learning the numbers is the major problem and most won't even notice where the inaccuracy lies. In any case, the numbers are only useful for comparison with other runs of the same program. I felt the extra lines required to correct these small shortcomings would just mean that many more people would not use the program.

John McCormick started programming in 1965 while majoring in physics in college, and was formerly employed with Wang Labs. He has written several reviews for THE RAINBOW. By John McCormick

The listing:

- 1 REM BY JOHN MCCORMICK 11/85
- 10 RANDOMIZE
- 20 INPUT "SELECT MAXIMUM NUMBER OF DIGITS .. ", N
- 25 T =TIMER
- $3\emptyset X = (INT(RND*(10^N)))$
- 35 CLS
- 37 C = TIMER
- 49 PRINT, "TOTAL TRIES" NUMBER, "NUMBER WRONG" WRONG "ELAPSED TIME"INT(C-T)"
- SECONDS": PRINT: PRINT: PRINT
- 41 IF NUMBER = Ø GOTO 45
- 42 PRINT "PERCENT WRONG..." INT((WRONG/NUMBER)*100)"%"
- 43 PRINT "AVERAGE TIME REQUIRED FOR ONE CORRECT"N"DIGIT ENTRY... "INT((C-T)/(NUMB
- ER WRONG))"SECONDS"
- 45 PRINT: PRINT: PRINT: PRINT: PRINT
- 49 PRINT"NUMBER...."X
- 50 INPUT "INPUT FROM KEYPAD .. ", Y
- 55 NUMBER = NUMBER + 1
- 60 IF Y = X THEN GOTO 30 ELSE BEEP
- 61 WRONG = WRONG + 1
- 65 CLS
- 70 PRINT "WRONG, TRY A NEW NUMBER"
- 75 FOR A = 1 TO 250
- 76 NEXT A
- 100 GOTO 30
- 200 END

PCM

SPECIAL

TANDY 1000

Multifunction Board

- 512 K Ram
- RS-232C Serial Port
- DMA Controller
- Clock-Calendar

\$25995

ADDITIONAL TANDY COMPATIBLE PRODUCTS AVAILABLE CALL FOR A FREE CATALOG

Micro Mainframe 4N1®

11285-E Sunrise Gold Circle Rancho Cordova, CA 95670

(916) 635-3997



MEET THE WIZARD™

Quality / Price / Performance Guaranteed

Easy to use! \$29.95 for any one package

9.95 for each additional

For TANDY 1000, 1200, 2000, 3000 and Compatibles

- RAMDISK Transform your spare memory into superfast disk(s). You specify size and number.
 - * NEW * replace your old ramdisk software.
 Ours has automatic timed backup.
 BETTER Never again lose your ramdisk data.
- UNDELETE Plus Recover deleted files, graphics display of directory tree, rename directory, find files in any directory, display sorted check files, change file attributes, and more (10 programs in all)
- SNAPSHOT Instantly save and display up to 99 text screens. Great for debugging, Help screens, etc.
- 4. XTEND Instantly recall, edit and execute your last 30 DOS commands. Execute multiple commands with one keystroke. (Macro facilities). Makes DOS easier!
- GRAFIX Send graphics screen image to printer.
 You set printout size/density. (for most printers)
- FONTIX Set printer fonts, tabs, margins, etc.
 Automatically produce paginated printouts and
 structured Basic listings. (for most printers)

WIZARD Utilities P.O. Box 714 Sudbury, MA 01776 800-622-4070 800-942-7317 in ILL. \$3.00 ship & handling in Mass add 5% tax Your computer turns the tables and gives you a chance to do some deductive reasoning

Color Code Combo

By Dan Bishop

n Color Code Combo, the computer selects a random sequence of colors (represented by their first letters, such as 'R' for red, 'O' for orange, etc.). The number of colors used is determined by the player at the beginning of each game, and may range from three to eight. The player also selects the length of the sequence, from three to eight, which might or might not match the number of colors chosen. The computer may repeat colors within the sequence or may completely omit some colors. The bottom line of the display shows the colors allowed for the current game.

The player then has 12 opportunities to guess what the coded sequence might be. All 12 guesses remain on the screen for reference. After each guess, the player may select Option 'X' to go back and change the guess just entered, or Option 'E' to have the guess evaluated by

Dan Bishop owns and operates a computer consulting and custom programming firm in Buena Vista, Colorado, and teaches computer science courses at Colorado Mountain College in Leadville, Colorado. At an elevation of 10,000 feet, CMC is the nation's highest institution of higher learning.

the computer and end that turn. When evaluating a guess, the program first checks to see how many colors in the guess match colors in the secret code. It then determines how many of these correct colors are located in the correct place within the sequence. Both of these results are displayed alongside the guess.

After several guesses, the player should be able to use the evaluations presented for each guess to deduce the correct sequence of colors in the code. If the code has not been correctly guessed after 12 tries, the secret code is displayed and the game is over. The number of colors

and length of the sequence used for a given game may be changed at the beginning of each round.

I have found the game to be very entertaining for ages four or five through adult. Preschoolers can be started on a three-color by threeposition game and, with help from an adult, can gain experience in making logical deductions from limited information. Adults can find the eight-by-eight game an extremely challenging experience. And with the use of the random color selector within the program, seldom (if ever) will you find two games with the exact same secret code.

The listing:

PCM BAR CODED LISTING

1 REM COLOR CODE COMBO

2 REM C 1984 By D. Bishop

2Ø PRINT@135, "RANDOMIZING": FOR I=1 TO (V AL(MID\$(TIME\$,4,2))*2Ø+VAL(RIGHT\$(TIME\$,2))):X=RND(1):NEXT I

199 FOR I=9 TO 12:C(I)=9:L(I)=9:A\$(I)="
":NEXT I:C\$=" ROYGBPWV"

110 PRINT@201,"How many colors (3-8)";:T \$=INPUT\$(1):C=VAL(T\$):IF C<3 OR C>8 THEN 110

12Ø PRINT" --> "C:C\$=LEFT\$(C\$,2+C)+" X "+STRING\$(8-C,32)
13Ø PRINT@281,"How many locations (3-8)"

PCM June 1986

100

;:T\$=INPUT\$(1):T=VAL(T\$):IF T<3 OR T>8 T HEN 130 140 PRINT"--> "T:FOR I=1 TO T:MID\$(A\$(\emptyset) ,I,1)=MID\$(C\$,2+INT(RND(1)*C+1)):NEXT I 200 FOR K=1 TO 12:KK=-(K>6):GOSUB 500:PR INTC\$; : G\$="" 21Ø FOR L=1 TO T:CL=4Ø*(K-1)+1-221*KK:PR INT@CL+2+L,"";:Y\$=INPUT\$(1):IF Y\$="X" TH EN L=L-2-(L<2):G\$=LEFT\$(G\$,L):GOTO 250 220 II=0:FOR I=1 TO C:IF Y\$=MID\$(C\$,2+I, 1) THEN II=I:I=C 23Ø NEXT I:IF II=Ø THEN Y\$=" ":L=L-1:GOT 0 250 24Ø PRINT@CL+2+L,Y\$;:G\$=G\$+Y\$ 250 NEXT L 26Ø A\$(K)=G\$:PRINT@281,D\$;:Y\$=INPUT\$(1): IF Y\$="X" THEN K=K-1:GOTO 28ØELSE IF Y\$< >"E" THEN 260 27Ø GOSUB 4ØØ: IF L(K)=T THEN KK=K: K=128Ø NEXT K 300 IF L(KK)=T THEN BEEP: RINT@281, "YOU WIN! ";:GOTO 31 ØELSE PRINT@281, "SORRY! ANS="; A\$(Ø); 310 PRINT@302, "TRY AGAIN? (Y/N)"; :Y\$=INP UT\$(1):IF Y\$="Y" THEN CLS:GOTO 100ELSE I F Y\$<>"N" THEN 31Ø 32Ø CLS: END 400 L(K)=0:RT=A\$(0):FOR I=1 TO T:IF MID $(G, I, 1)=MID(A, \emptyset), I, 1)$ THEN L(K)=L(K)+410 NEXT I: $J = \emptyset : C(K) = \emptyset$ 419 FOR I=1 TO T 420 J=J+1: IF MID(G\$,I,1)=MID(A\$(0),J,1)) THEN $C(K)=C(K)+1:MID\$(A\$(\emptyset),J,1)="":GO$ TO 440 430 IF J<T THEN 420 44Ø J=Ø:NEXT I 45Ø A\$(Ø)=RT\$:RETURN 500 CLS:FOR I=1 TO 6:II=I+6:PRINT USING A\$+A\$;I,A\$(I),C(I),L(I),II,A\$(II),C(II),

theapware® Label Makers

L(II): NEXT I: PRINT B\$: RETURN

for the Tandy TM 1000, 1200, 3000 and compatibles

LABEL MAKER: Types multiple copies of the same label. Version I is for a fixed platten printer and prints on three across labels while Version II prints on one across labels for an adjustable platten printer. May be supplied with labels. Version I - \$30 or \$50 with 3,000 labels Version II - \$50 or \$75 with 5,000 labels

The Complete LABEL MAKER: Includes all of the above features and can type address labels from an internally created mail order file. Mail order file is unlimited and allows a card file for each entry. Printing may be limited to only those entries with a specific line tag. May be supplied with either one or three across labels. Version II - \$100 or \$125 with 5,000 labels Version I - \$100 or \$115 with 3,000 labels

Price includes shipping. VISA/MasterCard accepted.

Information/Orders call:

Robert L. Nicolai 800-NICOLAI (642-6524) 4038 N. Ninth Street St. Louis, MO 63147 314-621-7618 in Missouri Tandy is a trademark of Tandy Corporation



PCM

Super



for PC/MS-DOSTM

Fixed/Floppy Disk Tools for Tandy 1000, 1200, 2000, IBM PC^{m} , XT^{m} , AT^{m} , Compaq, AT&T 6300, Leading Edge, and many other PC compatibles.

Data file recovery, disk exploring, zapping, and MUCH more!

Accidental deletions and disk directory problems can happen to anyone at anytime... a power spike, fingerprint, speck of dust, hardware problem, or simply typing DEL *.* in the wrong subdirectory can destroy critical data in a moment without warning. Therefore we introduce Super Utility for the PC - an easy to use disk utility containing many functions sorely needed in today's PC/MS-DOS computing environment. It's really great!

With SU/PC you can restore damaged or deleted files using two different methods (one very easy, the other a bit tougher). Even clusters of an erased file assigned to another file can still be restored, unless the user has physically written over every byte of the original data (most applicable with word processing files).

In addition to file repair and recovery, Super Utility provides sector verify, sector editing, modification of sectors in Hex or ASCII, ease of renaming of files and setting their attributes (lock and unlock files, make them visible/invisible, etc.), ASCII string search, copying sectors to a file, diagnostic sector checking, mapping of the FAT table of a file or an entire drive, visual graphics pertaining to your system, and full directory and sub-directory editing without endless menu-hopping - all in one program. Want to change the name of your sub-directrory without copying all your files to a new one? Just retype a new name over the old one with SU/PC! The sector display mode displays all 512 bytes on-screen at one time and allows you to fully explore your disks. SEARCH and CHANGE are nice here too! Will find any occurance of a byte or string on your disk. Compatible with DOS versions 2.0 - 3.1 on most systems. Some computers may require the use of PC-DOS. Color, composite, or monochrome video are supported. A great tool for fixed disk users as well as floppy. Also compatible with IOMEGA's Bernoulli Box™ storage device (distributed by Tandy as the Cartrdge Disk System). SU/PC is a totally new program that fills the gaps that PC users have most need of and have asked us for. It's aimed at the beginner, the "office user", hobbiests, students of the PC, or programmers alike. Unprotected media.

Super Utility/PC

only \$89.95 See Review in March '86 PCM

17060 Dallas Parkway, Suite 114 Dallas, Tx 75248 · 214/733-4475

Ordering, questions, and support always available on the PowerSoft Sig! Type GO PCS-56 from any prompt on CompuServe™!

Available worldwide through Radio Shack™ Express-Order - Cat # 90-0407

Prepaid or charge card orders (only) include free UPS shipping to US addresses! Blue label, COD, or over-night shipping available at extra charge. Visa-MasterCard accepted. Canada, please add S3; airmail. Other countries add S15 for airmail. Foreign orders, please use Charge Cards ONLY. Checks not drawn on US banks not accepted. Texas residents must add appropriate sales tax!

Requirements: IBM PC or compatible running PC/MS-DOS 2.x-3.x, minimum of 128K memory, and at least one disk drive. PC-DOS may be required for use. IBM, PC, XT, AT are registered trademarks of International Business Machines Corp. MS™ is a registered tm of Microsoft. Radio Shack™ is a registered tm of Tandy Corp.

June 1986

101

Discover the Artist in You with PC Paintbrush

Software

1000/1200/3000

PC Paintbrush is the best software package I've had the pleasure of reviewing for a long time. I knew, before I even made backups, how the program was designed to work and couldn't wait to get it running. I have a degree in art and love to use quality graphics programs on my computers. The reason for my excitement becomes more apparent when you consider that PC Paintbrush is one of the best selling "MacPainttype" programs available for MS-DOS computers. And it's better than MacPaint because PC Paintbrush is in glorious color.

The system you need to run PC Paintbrush includes 320K of memory (probably more on the Tandy 1000) one disk drive, a graphics display, MS-DOS 2.0 or above and a mouse, joystick or digitizer. On the Tandy machines you will want to make sure you have the Tandy Mouse or a digitizer installed. PC Paintbrush does not work with the joystick ports on the front of the Tandy 1000.

It Has It All

If you aren't familiar with the Mac Paint-style of graphics software, let me quickly try to explain. You use the mouse (input device) to move a cursor about the screen selecting tools, such as paintbrushes, lines, circles, boxes and filled shapes to name a few, and then pointing or dragging the tool across the graphics area to create different effects and colors. Selecting colors is the same; point and click from a palette of colors at the bottom of the screen.

The tools available on the main menu of *PC Paintbrush* icons include a spray can, scissors, editing box, eraser, color eraser, paintbrushes, line, curve, box, circle, rounded corner box, and the last

three again, filled. Also, there are pull down menus for editing, changing brush shapes, file I/O, editing patterns, changing text fonts and sizes, scroll bars, undo and more.

The Standout Features

Some of the features found in *PC* Paintbrush are particularly impressive. In addition to color, *PC Paintbrush* has patterns that may also be edited, saved and loaded. This is like *Mac Paint*; but of course, with colored patterns.

You don't have to scroll much with *PC Paintbrush* because it is possible to click the menu off and work over the entire screen with many of the tools. However, not all the tools can be "carried" to the full screen with menu off.

The printer software included with *PC Paintbrush*, *Frieze*, is another reason I find this package particularly impressive.

One of the nicest features, for my money, is the large set of fonts available and the different point sizes you may select. You may select from a range of nine different point sizes which are, of course, proportional to the size of printout you select using *Frieze*. Also, the styles menu has a full set of selections including light, medium, bold, italics, underline, outline, kerning and shadow. The font styles include Computer, Old English, Roman, Light Roman and Script.

The color eraser is a really interesting and powerful feature. With it, you select a foreground color/pattern to be replaced by a background color/pattern. You may change the size of the color eraser using the line weight settings. In fact, many of the other tools, in addition to line and circle functions, have their size controlled by the line weight setting.

Frieze

Included with PC Paintbrush is a program mentioned earlier called

Frieze. It is a self-contained program for printing PC Paintbrush pictures and loading graphics from other software into PC Paintbrush for improvement and enhancement.

Frieze will print sections of a graphics screen or the entire screen, normal or sideways, reduced or enlarged and with a selected left margin width. It also allows you to save and restore a screen or section of a screen to and from a diskette. Frieze works on other graphics programs including Lotus 1-2-3, and Symphony. The PC Paintbrush manual includes complete instructions on using Frieze. PC Paintbrush supports a wide range of dot-matrix printers and plotters, so Frieze is a valuable addition to the software package.

You may enlarge or reduce a screen or section of a screen from one inch by one inch up to two feet by 300 feet. Frieze attaches itself to DOS, so you can invoke it after leaving PC Paintbrush. It can be modified easily or used with its current default settings. The defaults can also be changed. You may change color patterns for dot-matrix printers or set colors for a plotter.

Installing for the Tandy Mouse

One minor problem I ran into while installing PC Paintbrush concerned getting it to work with the Tandy Digital Mouse. There is no selection for the Tandy Digital Mouse in the input device section of the installation program. To do this installation you should configure the rest of your system and leave the input device as it is shipped — Joystick. Then, using Edlin or another MS-DOScompatible editor, edit the first line of a file called PSETUP.DAT. Change the character J to an M and save it back to diskette. Now, as long as your CONFIG .SYS file loads MOUSE.SYS and then boots PC Paintbrush, your Tandy Digital Mouse will work wonderfully well. After contacting the courteous help at Z-Soft for instructions on doing this installation, I believe that in the near future subsequent copies of PC Paintbrush will have the instructions for this process included.

In general, I found the installation easy and quick, even though I had to do a few extra steps for the Tandy Digital Mouse. The installation process is completely menu-driven and easy to

understand. As a final note about the installation, PC Paintbrush supports 19 video graphics cards including one card that supports 512 by 512 resolution with 256 colors and the IBM EGA standard. PC Paintbrush also supports 30 different printers and plotters.

In Summary

I highly recommend PC Paintbrush to anyone. It is a well-designed program that practically requires no manual to operate on first start-up. If you have ever had the desire to create color graphics in the style of the MacPaint software, this package is for you.

The addition of Frieze makes the package even more complete and adds to your already growing MS-DOS system. The people at Z-Soft are to be congratulated for an excellent package at a fair price. In addition, they are courteous and helpful over the phone in providing technical support.

(Z-Soft, Inc., 1950 Spectrum Circle, Suite A-495, Marietta, GA 30067, 404-980-1950, \$139)

- Bobby Ballard



Use your Tandy 1000, 1200, 2000 or Model 100/200 to improve your performance at the track! Separate programs for Thoroughbreds, Harness horses and Greyhounds rank the horses or dogs in each race. Handicap a race in minutes, even if you've never handicapped a race before!

All the data you need is readily available in the thoroughbred Racing Form, harness or dog track program. We even provide diagrams showing you where to find the information you need! Data entry is quick and easy. Our manual shows you how to bet, when to bet and when to sit out—one of the real secrets of good handicapping.

Thoroughbred, Harness or Greyhound Handicapper, \$49.95 each on T1K disk. Thoroughbred and Harness only, \$49.95 each on Model 100/200 tape. Any two for \$74.95, all three \$99.95. You can buy a more expensive handicapper, but you can't buy a better one!



Federal Hill Software 8134 Scotts Level Rd. Baltimore, MD 21208



Toll Free (Orders Only) 800-628-2828 For Information Call

ext. 850 301-521-4886

TRAINING GUIDE for IBM-PC and TRS-80

Become an expert in the advanced word processing techniques in just a few hours. Develop skills that can be applied to any of the best selling word processors, no matter which system you decide to buy. Includes program disk so you learn quickly by doing. The training guide and training program disk (a \$50.00 value) will be sent to you absolutely free, with no obligation, upon receipt of this filled out coupon. Offer good for a limited time.

Le	Scrip	t Word	Processing	Syst	ems
0	Day	261126	Malhaurna	EI	2202

P.O. Box 361136, Melbourne, FL 32936 (or call 1-305-259-9397)

Type of computer system:

- □ IBM-PC/XT/AT/PC ir
- ☐ TANDY-1000
- ☐ TANDY-2000
- ☐ TANDY-1200

MAN RAW DAY (SEE)

☐ TRS-80 1/3/4/4P □ TRS-80 2/12/16

Name

Address

City

State

Telephone

*(Computer names are tradenames and/or trademarks of their respective manufacturers.)

PCM

Hardware 100

4N1 — An Excellent Way to Upgrade Your 1000

The 4N1-1000 board from Micro Mainframe of Rancho Cordova, California is an excellent way to upgrade a standard 128K Tandy 1000 to near its full potential. Having only three expansion slots requires careful consideration of just what to install. By using a multifunction board, a user can save those valuable expansion slots for future use while at the same time, building up the computing power of the Tandy 1000.

With the 4N1 board, you can add 512K of memory to bring the machine up to 640K total. You can add the memory in increments of 64K, 128K or 256K as you choose. The board also contains the DMA chip needed to use the larger amount of memory. This chip also affords more compatibility with many of the software programs available under MS-DOS.

Another standard feature included is an RS-232 serial port for communications

Options for the board include a clock or a combination of clock and Digi-Mouse port.

Support

When I plunk down my hard-earned bucks on anyone's product, I expect their backing if I have a question or something goes awry. I believe Micro Mainframe fulfills the requirements here. I found Mark Menz and his staff to be helpful, friendly and most of all, knowledgeable. They maintain a voice help line and a BBS for buyers of their products. The BBS contains tips and software, including a RAM disk and other utilities. They have been supplying third-party hardware for Tandy machines since shortly after the introduction of the Model I.

As for installation, there really isn't much to do! Just remove the computer cover and plug the board directly into any of the available slots. The whole operation shouldn't take more than a few minutes. The instruction booklet I

received with the review copy was not very complete and led me to make a phone call to the company. I was assured that the booklet I had was a preproduction version from the very earliest boards. Mr. Menz states that the new manual is more complete.

To test the board, I replaced the memory board in my computer with the 4N1 board and let it go to work immediately. I used the serial port to operate my PC-Mouse for several days, then I used it with my modem for a busy BBS weekend. In both cases, it performed flawlessly. There were no conflicts apparent with the operation of a third-party hard disk drive nor with another option board I have installed.

All in all, I can heartily recommend consideration of the Micro Mainframe board to anyone considering adding features to their Tandy 1000. By adding 640K of memory, a DMA chip, a serial port and the optional clock and/or DigiMouse port using only one slot, you will find you have two empty slots to be filled with whatever goodies you can dream up. Mark Menz of Micro Mainframe also mentioned that additional options for the board would be available; perhaps by the time you are reading this review.

(Micro Mainframe, 11285-E Sunrise Gold Circle, Rancho Cordova, CA 95670, 916-635-3997, \$299.95)

- Leonard Hyre


Software

1000/1200/2000/3000

BDL Roast: Just What the Cook Ordered

BDL Roast is a simple straightforward program which can be described as well-done. The documentation is rare in its approach to computerese. In other words, I found no beef with Bette Laswell's programming.





Back Issue Availability

Back copies of many issues of PCM are still available.

All back issues sell for the single issue cover price. In addition, there is a \$2 charge for the first issue plus 50 cents for each additional issue shipped in the U.S. When possible, issues are shipped UPS. The postage cost in Canada and Mexico is \$3 for the first issue and \$1 for each additional issue.

VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. We do not bill and no COD orders accepted.

We suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

PCM The Falsoft Building Prospect, KY 40059

PCM

Please send me the following back

(Payment must accompany back issue orders.)

		VOLUME 1		
MO.	YR.		PRICE	
JULY	'83	PREMIER ISSUE	\$3.00	
AUG.	'83		\$3.00	
SEPT.	'83		\$3.00	
OCT.	'83		\$3.00	
NOV.	'83		\$3.00	
DEC.	'83		\$3.00	
JAN.	'84		\$3.00	
FEB.	'84		\$3.00	
MAR.	'84		\$3.00	
APR.	'84	LIMITED	\$3.00	
JUNE	'84		\$3.00	
		VOLUME 2		
AUG.	'84		\$3.00	
SEPT.	'84		\$3.00	
DEC.	'84		\$3.00	
JAN.	'85		\$3.00	
FEB.	'85		\$3.00	
MAR.	'85		\$3.00	
APR.	'85		\$3.00	
MAY	'85		\$3.00	
JUNE	'85		\$3.00	
		VOLUME 3		
JULY	'85		\$3.00	
AUG.	'85		\$3.00	
OCT.	'85		\$3.00	
NOV.	'85		\$3.00	
DEC.	'85		\$3.00	
JAN.	'86		\$3.00	
FEB.	'86		\$3.00	
MAR.	'86		\$3.00	
APR.	'86		\$3.00	
MAY	'86		\$3.00	
JUNE	'86		\$3.00	
		and the land of the land		
	AUG. SEPT. OCT. NOV. DEC. JAN. FEB. MAR. APR. MAY. JUNE JULY AUG. OCV. DEC. JAN. FEB. MAR. APR. MAY. MAY. MAY.	JULY 83 AUG. 83 SEPT. 83 NOV. 83 DEC. 83 JAN. 84 FEB. 84 APR. 84 JUNE 84 APR. 84 JUNE 84 DEC. 84 JAN. 85 FEB. 85 MAY 85 JUNE 85 AUG. 85 APR. 85 MAY 85 JUNE 85 APR. 85 MAY 86 APR. 86 MAY 86 MAR 86 MAY 86 MAY 86	. MO. YR. JULY '83 PREMIER ISSUE AUG. '83 SEPT. '83 OCT. '83 NOV. '83 DEC. '83 JAN. '84 FEB. '84 MAR. '84 APR. '84 JUNE '84 VOLUME 2 AUG. '84 SEPT. '84 DEC. '84 JAN. '85 FEB. '85 MAR. '85 APR. '85 JUNE '85 VOLUME 3 JULY '85 AUG. '85 OCT. '85 NOV. '85 DEC. '85 JAN. '86 FEB. '86 MAR. '86 APR. '86 MAR. '86 APR. '86 MAY '86 JUNE '86	MO. YR. PRICE \$3.00

TOTAL _

KY RESIDENTS ADD 5% __

SHIPPING & HANDLING .
TOTAL AMOUNT
ENCLOSED .

Seriously, I must admit there was an error on the particular disk which I reviewed and it would not fully generate the files needed for an auto-start, but I was able to operate under MS-DOS on my Tandy 1000.

The BDL Homewares series was designed for pure IBM machines, but run well on the Tandys. The documentation has to be translated from side-by-side drives to the up- and down-configuration common to Tandy.

Ms. Laswell has a long background of computer programming, and an appreciation of the word personal in personal computer. She has therefore, programmed a series of applications which are handy around the home, and make the PC something more than a glorified toy.

BDL Roast is just what the cook ordered. As one of the cooks in this household, I appreciated BDL Roast as soon as I had it cooking . . . er, going. Roast is menu-oriented and very quick and simple. You tell the program what you want to cook and when you want to serve, and the computer tells you when to put the meat in the oven and at what temperature you should set the oven.

Reviewers must suffer all kinds of privation to test a program to the limit of endurance, so we ran the test on a rump roast which was to be medium by 7:33 p.m. Roast said to put the beef in the oven at 4:11 p.m. I did, and the meat was just right. (The potatoes were great and the broccoli au-gratin was a work of art.)

Essentially, you choose the type of meat; Beef, Lamb, Pork/Ham, Veal, Chicken, Duck, Goose, or Turkey, and tell how much it weighs. You then indicate the degree of doneness you desire and the time you want to take the meat out of the oven. The program then tells you when you must put the meat in and what the oven temperature should be.

BDL Roast is a useful program. I wish I could think of a way to make it resident in a good cookbook database. It does exactly what the author intended it to — it brings handy purposefulness to the home computer.

(BDL Homewares, 2509 N. Campbell Ave., #328, Tucson, AZ 85719, \$24.95)

- Howard Lee Ball

The Banner Machine— Not Just AnotherBanner Program

This isn't the simple little banner program frequently found on the local bulletin board. I have one that prints lettering of various sizes, all of which are very odd looking with square corners where they don't belong. The Banner Machine is different, it prints nice letters with your choice of fonts, borders, shades, spacing, justification and more. A number of graphics characters are also offered as a special font. You can even build your own font with selected characters from the various fonts included in The Banner Machine. It is truly a quality product that would be a nice addition to anyone's supply of software.

The Banner Machine is not copyprotected and includes batch files and instructions for making a backup disk, for installation on a diskette with your system files and for installation on a hard disk. The Banner Machine is aimed at individuals, business owners and teachers. Within the limitations of your printer, it produces professional quality signs and banners in a few minutes at minimum expense. Unlike many products that print graphics, The Banner Machine allows some control over the quality of print. It takes full advantage of your printer's capabilities.

Fourteen different IBM PC compatible computers with 256K of memory are supported. This includes the Tandy MS-DOS machines. Several types of printers are also supported, including the Radio Sahck DMP-430, DMP-2100P, DMP-2200 and DMP-130. Printer models made by IBM, Epson, Gemini, Okidata and others are supported. Narrow paper of 8½ inches can have up to eight lines, and wide paper of 14 inches can have up to 14 lines.

You have the choice of normal or reverse print (similar to inverse video). Bold (double-strike) can be specified. Shading can be selected from 20 different patterns, which can be placed in the background or foreground.

The print features also include op-

PCM

tions for printing with stripes and borders. The border can be printed with the right, left or both ends missing. The banner can be printed with sizes set assuming there is a border, but without the border being printed. Special advanced features are available for printing with more than one pass through the printer. Some of these special features require a small pencil mark on the paper so it can be started at the same place for the multiple passes through the printer. There are several examples in the manual with step-by-step instructions for using the advanced features with different printer ribbon colors.

Banners can be saved to, loaded from, or deleted from a disk. A group of banners can even be chained together to be printed as a group.

Several layout choices are offered. Left-justified, right-justified, centered, even margins and tab are pretty standard for word processing. However, I didn't really expect to see all of this in a banner program. In addition to these features, *The Banner Machine* offers inverse and mirror images. Mirror images can be used with special heat transfer ribbons for printing T-shirts.

Inverse means the printing is upside down and backwards. For a two-line banner, the top line can be inverse and the bottom line can be normal. This allows for folding the banner over to have a two-sided sign. These choices are even represented in the text window on the screen so you can see how your banner is programmed.

The Banner Machine also has many font, border, spacing, shading, tone and printing options with the capability to customize the combination of these features. A professional print shop could likely do a better job of printing, but The Banner Machine does a fine job with professional-like results using my dot-matrix printer. The Banner Machine is more than I expected in banner software and it works very nicely.

The only thing I don't really like is the price. At \$149.95, The Banner Machine is a little steep for everyday home use. The price may well be fair considering all the features offered, but I personally like to see software priced low enough for occasional home use. I just can't see many home computer users buying this program for an occasional "Happy Birthday" banner. However, I expect a

school or small business would quickly get their money's worth from *The* Banner Machine.

(Cardinal Software, 14840 Build America Drive, Woodbridge, VA 22191, 703-491-6494, \$149.95)


- Robert Jensen

Software

1000/1200/3000

Odds Calculator — One Step Beyond Lady Luck

If anyone who has ever played Poker has thought about it, they know it is a game of mathematical odds. The higher hands are harder to obtain and they are worth more. The skilled player can analyze the cards he has been dealt and determine what cards to discard to go for the best hand. This is done mostly





by "gut" feeling. After playing for a while, Poker players just know what is best — or at least they think they do. Many nickles and dimes have crossed the card table as a result of experienced players going for the "sure thing."

You can deal 2,598,960 different fivecard hands from a deck of 52 cards. The transition from a hack player to a winner occurs when one can determine the odds of every Poker hand and how

"... the purpose of the program is to train you to recognize the odds of getting a particular hand ..."

much to bet. Lady Luck is too fickle to count on all the time. In the final analysis, it is cunning, preparation and personal evaluation of other players that wins Poker pots.

To assist in evaluating Poker hands, Cheapware (Robert Nicoli) has released a program for MS-DOS computers named Odds Calculator for Draw Poker. What this program is can be best described by explaining what the program is not. It is not an arcade-type game where you play a hand of poker against the computer. This is a course in the mathematical probability known as "combinatronics" as applied to the game of Poker. The course consists of a booklet and a program disk.

The booklet is sectioned into chapters leading the novice in mathematical probability from the assumption that they have no knowledge through explaining how to place your bets to take advantage of the odds.

The first two chapters cover the meaning and the elementary principles of mathematical probability. While they are quite droll and require a lot of concentration to understand, the purpose is to instruct the user that Poker is not a game of chance, but a game of odds. Using these odds in your favor results in winning. Nicoli is not a statistician nor does he pretend to be one. However, the elementary facts of how the odds in Poker can, and will, work for you are thoroughly presented.

The booklet then leads you into how to place your bets and how to use the program. The computer-based program is essentially an odds calculator that determines the odds for getting a specific hand after making a discard. It uses the mathematical crunching capabilities of the Tandy computers well. Trying to figure the complex calculations any other way would be extremely difficult.

As your computer would most likely not be welcome as your partner at a card table, the purpose of the program is to train you to recognize the odds of getting a particular hand, how to discard to take advantage of a particular hand and, finally, how to bet.

The program was written for the game of Draw Poker. It assumes you have been dealt five cards. You first enter the designation for each of the five cards you drew, then enter the cards you wish to discard. After checking for input errors, the odds for each Poker hand that could be made from your draw and discards is displayed. You then have the option of printing this data or changing the cards you discarded. By comparing the odds, you'll know if the proper discard is made.

This number crunching requires considerable time. Remember, there are over 2.5 million possible hands in those 52 cards. The running time for discarding three cards is 15 seconds, while it takes 25 minutes to calculate the odds of discarding five cards. While this seems like a long time, be happy we don't have Apple computers. The calculation time for the Apple version discarding five cards is one day.

By running the program and comparing the odds calculated against your guesses, you will know what to do when playing without your transistorized buddy at your side.

The cost of this Poker coach is moderate compared to losing in a serious Draw Poker game. With printed documentation, it's \$25.

(Robert A. Nicolai, 4038 N. Ninth Street, St. Louis, MO 63147, 1-800-642-6524)

- Bruce Rothermel

Accessory 1000/1200/2000/3000

MouseTop — A Furry Companion for Your PC

Remember the ads for Jaws II—
"Just when you thought it was safe to go back in the water?"

Well, just when you think you've seen everything, it always comes along. And here it is: The MouseTop mouse cover.

You don't need this little cover that fits right over your computer mouse. Oh, certainly, it keeps the grime, dust and grit off the mouse. But I have honestly seen darn few people use keyboard, disk drive and (for that matter) typewriter covers. Too much trouble.

Those things don't have something that the MouseTop does — it's cute.

"What's that?" someone asked a few minutes after it arrived. "It's a mouse cover," I said. "It keeps my mouse clean and warm."

"It's cute," was the reply. "Really cute. At last, you have something cute to go with all that equipment."

OK. I've bought laser printers, 70-Meg hard drives, jazzy plotters and every computer Tandy's made in the past five years. Nothing has brought as much comment as this little MouseTop.


It is cute. Two ears, glasses and a shiny black nose. It fits right over my computer's mouse. The "tail" is the mouse cord.

Each MouseTop is hand-made, which makes each unique. And it is machine washable.

I like this little varmint and I think you'll like it, too. It does add a touch of furry personality to your computer.

(H&H Enterprises, P.O. Box 2672, Corona, CA 91718, 714-737-1376, \$5.95, 20/20 vision model [without glasses] \$5.49)

- Lonnie Falk






ELECTRONICS

TRS-80 Model 2000 by Tandy°

MS-DOS Based



TRS-80° Model 100 by Radio Shack



Computer System

256K MOD2000 W/MONO MONITOR898.00
256K MOD2000 W/COLOR MONITOR
256K MOD 1200 HD 2 DR
128K MOD 1000 W/MONO 1 DR
128K MOD 1000 W/COLOR 2 DR1099.00
256K MOD 1000 W/HARD DISK
24K MOD 100 PORT
24K MOD 200 PORT
64K MOD 4D 2 DR
512K MOD 6000 2DR
512K MOD 6000 W/15MEG HD2579.00
70 MEG HARD DISK
35 MEG HARD DISK
DMP 105 PRINTER
DMP 2200 PRINTER
DMP 130 PRINTER249.00
DMP 430 PRINTER
DMP 2100P PRINTER
CGP 220 COLOR PRINTER
DWP 510 PRINTER
TRACTOR DWP 220
TRACTOR DWP II/510
TRACTOR FEED DMP2100P
512K MOD 3000 W/20 MEG HD2499.00
PARALLEL PRINTER CONTROLLER
PARALLEL PRINTER CABLE
DISK DRIVE, MOD 100-200
32K MOD 600 PORTABLE
512K MOD 3000 1 DR
51EN MOD 5550 1 DH

100% RS COMPONENTS NO FOREIGN DRIVES OR MEMORY FULL WARRANTY
ALL RS SOFTWARE 20% OFF CATALOG PRICE
CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS

(817) 825-4027

NOCONA ELECTRONICS . BOX 593 . NOCONA, TX 76255

Zuckerboard: High Power, Low Price

When you first purchased your Tandy 1000, it's a good bet you decided to hold off on adding more memory, hoping you could better afford it sometime in the future. The 1000 is an excellent buy by itself, but Tandy's prices on their memory boards are still

pretty steep.

The Tandy 1000 comes with 128K of standard memory on the motherboard. If you purchase the Tandy Memory Plus expansion board with 256K, it will set you back \$319.95; with 512K, \$519.90 — darn near half again what you paid for the whole machine. Add their clock option and you're out another \$100 (though a mouse controller is included).

Why does the additional memory cost so much? We all hear every day how much prices for 256K DRAM chips

have plummeted.

Well, the fact is, it shouldn't cost so much. And the Zuckerboard is a highquality, reliable alternative to the high prices of Tandy's expansion memory

Check these prices with the one above: The Zuckerboard with 256K costs \$109; with 512K, it's \$149; and the

clock/calendar option is \$39.

Significant savings, right? Memory is memory — as long as it's reliable — so price and warranty are the main considerations. The Zuckerboard comes out ahead on both counts, with a two-year guarantee compared to Tandy's 90 days. But in fairness to Tandy, part of what you pay for is good, readily available service. In case you have a problem, there is a lot to be said for the value of having a Tandy service center right across town.

The Zuckerboard I installed was the 512K configuration. With the stock 128K on the motherboard, this pushes the 1000 up to 640K of RAM. The clock/calendar unit was included, already seated in its socket on the board.

Installation is a snap: you just remove the two screws on the front of the machine, slide off the cover and remove the screw and metal bracket from any of the three expansion slots. Then you plug the board into the slot and secure it with the screw you removed. Brief, easy-to-follow instructions are included anything more complex would be overkill because the installation is really a simple process.

". . . the Zuckerboard is a high-quality, reliable alternative to the high prices of Tandy's expansion memory boards."

When you're finished, all you need to do to test the installation is power up and watch the memory check in ROM display the grand number - 640K. From there on, you know you're traveling in style.

If you choose the clock/calendar option, it's nice to know you don't have to sacrifice another of those valuable

expansion slots, as you do with the Tandy Digi-Mouse/Calendar board. The clock contains two batteries with a life expectancy of 20 years and is guaranteed to be accurate to within two minutes a year for 10 years. The software controlling the clock is supplied: one program to set it and another for inclusion in your AUTDEXEC file to read the clock each time the machine is turned on or reset.

Believe me, even if you've never encountered a time when 128K was a limitation, sooner or later you will. Many programs now require 256K or more to even begin execution - let alone room to function at an optimal level. When you have enough memory to set up a large RAM disk, every diskaccess intensive application you use can be speeded up tremendously. And with a clock/calendar installed, you can forget about that ridiculous requirement of having to look at your watch and enter the information by hand every time you reset your computer.

Power, good design, easy installation and a very low price: For all this, the Zuckerboard is an excellent choice.

(Advanced Transducer Devices, Inc., 1287 Lawrence Station Road, Sunnyvale, CA 94089; 256K, \$109; 512K, \$149; clock/ calendar option, \$39)

- Kevin Nickols

Software

1000/1200/3000

Software Review . . .

Smart Notes Stick with Your Application

Everywhere I look I see people using those "Post-It" notes by 3M Company, the little (usually yellow) pieces of message paper with adhesive strip that stick to (and peel off of) just about anything. When the history of office communications is written, I suspect Post-It notes will go down with the invention of the QWERTY keyboard and the dictating machine as revolutionary products. Indeed, almost every piece of paper I get in my office has a Post-It note attached.

The trouble is that this only works

when you have something onto which the Post-It note can be stuck. And, as one who uses a computer most of the time for writing, note-taking, appointment-making and the like, Post-It notes are just no help.

Enter Smart Notes from Personics Corporation, which runs on IBM-

compatible systems.

Smart Notes is like Post-It notes for a computer. With this program, you can "attach" notes electronically to just about anything on your computer's screen and, thus, flag it for attention later on.

Take, for example, a letter you have written. It's a letter you can use over again, if you only change a few things here and there - references to a location, a certain product and so on. It is too much trouble to set it up as a mail merge-type document, but you just might mess up if you don't know where all the various pieces of information are buried. Smart Notes, which is a memory resident program, is very much like a pad of Post-It notes sitting by your side. All you do is press a key combination and, lo and behold, you can "stick" a note anywhere on the screen. Then, next time you go to that letter, all you have to do is call up the notes you made in the first place and make the changes you need. Presto!

One of the nice things about having a Tandy 3000 with a 20-megabyte hard drive is that there is a lot of storage space. Add a 10-megabyte disk cartridge system, as I have, and you've got a heck of a lot of storage space. You also seem to end up with a lot of files and directories that you don't know anything about! Thanks to Smart Notes, you can attach notes to the directories (or anything in DOS for that matter) just the same as you can attach them to, say, letters in an application. Now my computer has a neat notated list of directories that tells me just what is where: no more confusion!

The really nice thing is that you can set up notes with just a couple of keystrokes. You also have a lot of options as well, such as changing the size or color of notes, hiding notes, moving notes around the screen and changing

the "context" of a note.

Smart Notes does not change your application's file, but, instead, writes a separate file for the notes themselves. Each note then is "attached" to a place in your application based on the "context" of the place to which the note is to be pasted. There is a default for this, and you can usually leave it alone. But, as in the aforementioned example, with a DOS directory, the context would be so long that it would cover several lines. If you sorted the directory, the "context" would be wrong and the note would not appear. So, you edit the

You can also page through an application (such as a letter in a word processor) using the page up/down keys and Smart Notes only stops when a note appears on the screen. If no notes are found, you are returned directly to your application.

Several utilities are included to list and print notes, open files and the like. Overall, Smart Notes has neat and wellthought out design and structure.

There is also a special mode for attaching notes to spreadsheet cells. This is important because, after all,

spreadsheets were designed to be recalculated. When you recalculate, however, the "context" changes if you are using the straight text method of attachment used by other applications. Therefore, Smart Notes has a different way to do things, and this is a big advantage, too, because it allows you to recalculate, move, reformat and change ranges in a spreadsheet and keep all the notes in the right place.

Smart Notes is memory resident but does not, as far as I have been able to test, conflict with other memory resident programs — about four of which I use together. An important consideration is that it does not seem to care whether it is loaded first, last or in between — making it possible to accede to the requirements of more finicky utilities.

The manual is well-written and uses clear and ample graphics. I recommend this program very highly.

(Personics Corporation, 2352 Main Street, Building Two, Concord, MA 01742, 800-445-3311, \$79.95)

- Lonnie Falk

Frustrated With the Tyranny of PASCAL? Tired of the Drudgery of BASIC?

Free Yourself With CCSM, the Database Language...only \$59.95

Compare This Routine to Your Present Language, and See the Difference READ "NAME: ", NAM, ! QUIT:NAM=""

IF NAM'?2.A1", "la.e Write "Please enter as last, first mi", ! GO RD

READ "TEL # ", TEL, ! IF TEL'?3N1"-"4N WRITE "NNN-NNNN PLEASE", ! GO TEL RD TEL SET ^DATA (NAM) = TEL GO RD PRT WRITE NAME", ?20, "TELEPHONE #", ! SET NAM="" SET NAM=\$ORDER (^DATA (NAM)) QUIT:NAM="" WRITE NAM, ?20, ^DATA (NAM), ! GO LP

This simple program accepts, screens and saves names and phone numbers. and prints them. These six lines of code are an example of the extremely compact, and familiar nature of COMP Computing Standard MUMPS, the Database Language. In lines 1 and 2, READ, IF, WRITE and GO should be easy to follow. The pattern match operator "?" filters for the correct input of alpha characters to make a name. In line 4, SET ^DATA creates a permanent global file, with NAM as a subscript. The data node is SET to the telephone number. In line 6, the \$ORDER command gets the next subscript in order, from the ^DATA file,

thereby SETting NAM to the next name in the file

CCSM, the Database Language, frees you from the tyranny of typed and restrictive languages...NO declarations of variables or data files. Look at these Features

- · Full Screen Editor
- Virtual Memory (routines and variables may be as large as a disk)
- Multi-User available..up to 15
- B-Tree File Structure
- 8087 and BCD Support
- Exceeds 1984 ANSI Standard MUMPS
- Transportable from Micro to Mini to Mainframe

CCSM, the Database Language, is a fast, modern version of ANSI Standard MUMPS, developed by COMP Computing. It comes with a 20 year history of development, solving database applications. CCSM improves programmer productivity, and efficiency, typical programs are written in 1/3 the code of BASIC or PASCAL. CCSM is an easy to learn language and comes with a 250 page manual

AMEX, VISA and MASTERCARD

1-800-257-8052

accepted by phone.

In Texas 713-529-2576

CCSM, the Database Language, sells for \$59.95, and comes with full documentation. For an additional \$15.95, when you order CCSM, we'll send along the "Cookbook of MUMPS", and its disk, (reg. \$24.95) containing useful routines and utilities. For charts and graphs, order the Graphics disk for \$49.95. Multi-user version, \$450. Disks are non-copy-protected. Requires IBM PC or compatible with 128 K. (Macintosh version \$49.95). available

1-800-	ne, or clip and mail: 257-8052 713-529-2576	100000000000000000000000000000000000000	bbal Westheimer Su ton, TX 77006	uite 201
	CCSM, Cookbook, a CCSM, the Database Graphics disk lease add \$3.00 for ship	e Languaç	ge	\$75.90 \$59.95 \$49.95
namestreet				
city		st	zip	

KeyEntry III Replaces Keypunch Machines

KeyEntry III is a program that lets companies take advantage of the large number of PCs available to do the data entry jobs previously done by keypunch or key-tape machines.

KeyEntry III performs the task of making a personal computer into a data entry station, suitable for the most demanding data entry jobs. The adaptation of the small computer to this task means the same machine that is used for general business purposes in the daytime can be used for data entry at night,

These and other options (such as setting up for use of the European standard AZERTY keyboard) are user changeable, and the software even activates a numeric keypad in the keyboard's alphabetic portion to simulate a keypunch-type keyboard if desired, or emulate an IBM 3741 data entry machine keyboard.

After the keyboard, the most important aspect of the environment is the "form" in which the data is entered. This form is what appears on the screen for the operator's reference and is the framework for all data entry. KeyEntry III provides up to 32 record formats within each job.

Since KeyEntry III is primarily designed for rapid, continous entry of similar data, the forms the user creates can include a number of tests that sound a warning if the entered data couldn't possibly be correct; for example, if numbers get into the "name" area, or too many numbers are entered into the "date" field.

". . . the forms the user creates can include a number of tests that sound a warning if the entered data couldn't possibly be correct . . . "

when much of this work is done (entering the day's accumulated data). It also means the inexpensive, quiet, reliable personal computer can replace the old keypunch and (nearly as old) key-tape machines.

The most obvious example is the numeric keypad to the right side of your keyboard. Data entry personnel have years of experience with entry pads and a non-standard pad is difficult to work with. Unfortunately, the arrangement on computer keyboards with the '7', '8' and '9' keys along the top is not the standard that many data entry machines use.

This is where KeyEntry III comes into the picture: one of its functions switches '7', '8' and '9' with '1', '2' and '3' and moves the zero to the NUM LOCK key. The program also automatically "locks" the keypad to the numeric function and places a lot of standard function keys around the keypad.

One thing of prime importance in entering data is accuracy. The timehonored method of verifying correct entry is for either the same operator or another to re-enter the data while it is checked against the original entry. KeyEntry III performs this task with an option of locking the keyboard each time an exception is found in the entered data until the error is acknowledged by the operator.

When verification of a job is interrupted for any reason, the operator can ask the program to indicate the next information due to be verified. KevEntry III performs this and other search functions to facilitate operator efficiency.

The on-screen format for data entry may be explicitly specified for each job, including field length from one to 77 and the type of characters acceptable in each data field.

KeyEntry III also permits various

checks to be made on the entered data, such as testing a date for numbers outside possible correct values and many other user-specifiable tests. The setup may also specify certain fields as non-skippable — the operator can't bypass specified fields by pressing ENTER without data.

Various "duplication" methods can be specified for the data fields to speed up entering identical or similar data.

An alternative to the usual two-pass verification mentioned above is the reverse entry method that can be specified with this program. In this method, the program will not accept data entered into specified critical fields until they have been entered once in the regular manner and immediately reentered in the reverse order. This method of verification is especially useful in speeding up entry when a lot of data is being entered but only a small portion of the data is critical.

One of the more useful methods of testing for correct data is to set up a table and accept only data that matches what is in the table (or doesn't match). If you have a number of warehouses, each with a different code, the simplest method of ensuring a correct entry for that field is to build a table of the valid codes and specify entries in the field must match a valid code located in the table. This is easy to do with KeyEntry III, and the table of two-letter state postal codes is already built into the

Since this software is designed to transfer data from paper to standard machine-usable format, it would be of little use if it could only record data in the standard ASCII format used by MS-DOS machines. Much "data crunching" is still done by the large mainframe computers, and KeyEntry III provides an option to store data in IBM's EBCDIC, which is the standard used by most mainframe computers.

There are a number of other features contained in KeyEntry III (too many to list in a review). They all are designed to make data entry fast and accurate and are a great advance over the old keypunch machines where you could only enter the data and re-enter it in a two-pass verify with no other method of machine testing for its correctness.

KevEntry III also keeps a complete file of operator statistics to help management monitor operator efficiency.

Although the program I received worked flawlessly, there are some curious oversights for a program in this price range. In one of the demonstration programs, "numeric only" was spelled ")nwmgric!ooly)" — a rather curious lapse for a program intended to speed precise data entry. A number of other careless entries were also found.

A far more disturbing problem became obvious when I tried to read the documentation. There are many pages out of order and even more completely missing. I called SCS and they informed me there had been some trouble with their printer, but the problem had been corrected. They immediately shipped me a new package with a later version of the program.

The new package also had a number of pages missing from the documentation. I again called SCS and they forwarded the missing pages. SCS is aware of this documentation problem and assured me they are correcting it as quickly as possible.

(Southern Computer Systems, Inc., 2732 Seventh Ave. South, Birmingham, AL 35233, phone order 800-533-6879, \$895, \$35 for a working demo package)

- John McCormick

Software

1000/1200/3000

Timeslips — Because Time is Money

If you've ever had the dubious pleasure of paying an attorney or consultant for their services by the hour, you know the true meaning of the cliche "Time is Money." And for those professionals, consultants, engineers, lawyers who bill their services by the hour, inaccurate recording of their time and other billable expenditures may result in a loss of money.

Without accurate records and an accurate way of tracking projects and staff involvement, it is difficult to determine which projects are generating income, which are profitable, and where each employee's time is dedicated.

Inaccurate billing also causes lost

credibility with the client. For the professionals for whom "Time is Money," accurate management and tracking of time is critical.

To aid those professionals there is Timeslips from North Edge Software.


Timeslips allows users to track their time and expenses with "pop-up" (memory-resident) stopwatch screens, or enter time and expense information from their records; prepare customized bills with user-definable billing phrases and aged receivables; and generate several types of business reports and graphs.

When Timeslips is used as a memoryresident program, it pops up over other programs at the touch of a userdefinable key. This lets users access Timeslips (to time a phone call, for example) and then resume their work (word processing, financial analysis, etc.) at exactly the point they left it.

Timeslips can track up to 240 users or operations simultaneously and keep up to 32,000 individual time or expense records per directory. The number of directories is limited only by disk space.

On each "timeslip" — the actual onscreen, automated time record — users





can specify billing rates, project description, projected completion time, reference code, date and time. Users may customize the headings on the timeslip to fit their profession or application.

In addition to tracking time expenditures, *Timeslips* allows the user to track expenses by each project and rebill, if appropriate, these expenses to the client.

Individual timeslips can be grouped together by project, client or any other criteria to generate appropriate billings.

When generating a bill, *Timeslips* lets the user format custom billings from the data contained on the timeslips. Any data shown on the bill can be specified.

In order to determine if their business is running efficiently, if they are spending more time on flat fee work than the flat fee justifies, if their hourly rate covers overhead and leaves enough to earn a living, if they are going over budget on a project, or if their highest paid employee brings in the most revenue — Timeslips produces several reports and graphs that may be sent to a screen, printer, disk file (in ASCII

Since it's not practical to carry your MS-DOS computer with you as you travel, *Timeslips* contains a nifty low-tech way to note your activity and expenditures until you return to your computer. Little timeslips that replicate your *Timeslips* data entry screen are provided on preprinted 3M Post-It-type sheets.

There's good and not-so-good news regarding operating *Timeslips*. The good news is that North Edge Software has listened to the early users of the first release of the program and has revised the program to allow it to be applicable to many professions. The screens and reports can be customized to reflect the terminology and reporting needs of the user. The flexibility and adaptability of *Timeslips* is impressive, which brings up the not-so-good news.

It takes awhile to familiarize yourself with the system and to customize the program by loading your company, customer and billing data and formatting the reports and invoices to meet your needs. This is now complicated by the current situation where the instruc-

"If you bill for your time and are manually tracking your business' time and material expenditures, the payback for *Timeslips* will be virtually instantaneous."

image format), or spreadsheet or database programs (such as *Lotus 1-2-3* or *dBase III*). These reports and graphs include:

• Detail Report — Details the entire content of each timeslip selected including subtotals and grand totals.

• Summary Report — Four types: user totals, account totals, activity totals and account balance summary with aging.

• Graphics — Bar graphs and pie charts with up to eight levels of information.

 Client Billing Worksheet — summarizes new activity, unbilled timeslips and expenses, unposted payments, aging history and most recent bill date and balance.

• Client List — Alphabetically sorted by name with address, phone number and client number.

• IRS Report — Helps justify a computer as a business expense by keeping a log of business usage.

tions for the new version (2.1) are contained on a README file on one of the disks. It is necessary to go back and forth between the original documentation and the 21 pages printed by the upgrade. However, North Edge has assured me the new manual will be released by the time this review is published.

On-screen help is available at any time to the user, and prompts help the user to determine the various options available. If the registered user is still having difficulty, North Edge has free telephone customer assistance available. Once the user has familiarized himself with the program, loaded it with his data and customized *Timeslips* to his needs, operation is quite easy.

The overall quality of the program is excellent. Since this program retails for only \$99.95 and has the operating appearance of some of the more expensive business programs, making the decision to purchase *Timeslips* is easy.

If you bill for your time and are manually tracking your business' time and material expenditures, the payback for *Timeslips* will be virtually instantaneous.

(North Edge Software, P.O. box 286, Hamilton, MA 01936, 617-468-7358, \$99.95)

- Bruce Rothermel

Software

1000/1200/3000

Wishbringer — A Clever and Challenging Interactive Fiction

I'd like for people to know I don't go around saving beautiful princesses all the time, though I must admit it makes an interesting change of pace from my normal daily routine.

Unlike many other Adventure games concerning medieval quests, Wish-bringer started me in modern times as a lowly postman working for the oppressive post master of the town of Festeron. My latest assignment is to deliver an important letter to the Magick Shoppe far outside of town. My boss, Mr. Crisp, informs me (in his most condescending tone) that should this piece of mail not reach its destination by 5 p.m., my life expectancy will shorten drastically. (He actually uses much harsher language.)

I know about the old adage "Neither rain nor snow nor sleet nor gloom of night . . .", but no one should have to go up against the town librarian's deranged poodle! However, with a little resourcefulness, I outwitted the ferocious little canine. All the rest of the long way to the Magick Shoppe, I explored the surrounding countryside, much to the consternation of Mr. Crisp, who could evidently detect my goofing off from miles away! He also had very clever ways of conveying his displeasure to me regardless of how far away I was.

Reaching the Magick Shoppe well within the allotted time, I found out the significance of the letter which was my charge. I was unsure about whether I liked the store's strange proprietor or the mysterious gift she offered me.

As weird as the aforementioned hap-

penings were, even stranger encounters lie within the wonderfully exciting and funny world of *Wishbringer*. Not the least of which was a transition from the modern world to the days of old and the dangers which awaited therein. Of course, there was also a quest to be won—it wouldn't be an Adventure game otherwise.

Though this is a totally-text Adventure with no graphics, it is one of the most thoroughly enjoyable pieces of interactive fiction I've come across. The smoothness with which the plot unfolds, the vivid descriptions, challenging obstacles and clever humor make Wishbringer a fun diversion which can entertain both young and old for many evenings.

(Infocom, 125 Cambridge Park Drive, Cambridge, MA 02140 617-492-1031, \$39.95)

- Rick Boozer

Software

1000/1200/3000

Media Master Plus Helps Bridge the MS-DOS CP/M Compatibility Gap

I bet everyone wishes they could "master the media." Just think, your name in lights, newspaper, television, radio. As I opened the package I had received in the mail earlier, I imagined I would find a book and maybe a cassette tape called *Media Master* which would lead me to instant stardom. Instead, I found a software package *Media Master Plus* by Intersecting Concepts encased in a nice plastic portfolio containing a 62-page manual and a single diskette. Oh well, stardom must wait.

Media Master Plus is a disk-to-disk format conversion utility. The "Plus" portion adds an interesting module called ZP/EM from Livingston Logic Labs. This module allows you to emulate Digital Research's CP/M operating system on your MS-DOS computer.

Media Master comes in several ver-

sions for different "host" computers. I reviewed the version for the IBM-PC and compatibles. System requirements are 192K (256K on a Tandy 1000), one floppy drive and another floppy, a hard disk or a RAM disk with at least 128K. A printer is optional.

The program comes set up for two 48-TPI double-sided drives. You may select up to 16 physical drives and assign them any logical drive letter. The drives may be set up as 48- or 96-TPI, single- or


mart1

*Also works with Multiplan,™ SuperCalc™ and VisiCalc.™

double-sided, high-density, or system drives. A system drive is a hard disk or a RAM disk.

The program is completely menudriven and the manual is rarely needed. Media Master Plus uses a filespec convention identical to that of MS-DOS and wild card characters are allowed.

You might find yourself asking why a program like *Media Master Plus* is even needed. It serves three purposes:



transfer of files between MS-DOS disks and any of approximately 140 other CP/M disk formats; transfer of files from one CP/M format to another using the host computer; and CP/M emulation on the host computer.

You may use programs such as Word-Star and dBase II on MS-DOS and CP/M machines and easily transport your data from one to the other.

CP/M has been around for years and is considered by many as the defacto standard eight-bit 8080/Z-80 operating system. Programs that run under CP/ M are easily transported from one CP/ M machine to another just as MS-DOS - almost. Although the operating system is standard, the disk format is not. Only 8-inch CP/M disks can be read on any CP/M computer using 8inch drives. The smaller 51/4-inch formats were left scattered to the wind. Thus, the 140 possible choices. Media Master Plus now allows you to move the software you need to your own disk format.

Media Master Plus allows you to emulate an eight-bit CP/M environment on your 16-bit 8088 computer. This allows you to run a host of CP/M software on your Tandy 1000 as in my case. You no longer have to throw away your old software when you upgrade to a 16-bit computer.

Media Master Plus contains its own command line processor and batch file operation mode. The command line processor lets you start the program and specify your menu choices in one step. An example would be MM 2ba)NB ENTER. This starts up the program, selects Option 2 to format a disk in Drive B using Selection A from the first format option menu.

Included on the Media Master Plus diskette are four files used to emulate the CP/M operating system. They are identical except for the terminal emulations they perform. One contains no special terminal emulation while the other three are for a Zenith H19, an Osborne and a Kaypro teminal.

The eumlation package will apparently run most CP/M software. The following types of programs can, in general, be run under ZP/EM:

- Non-system utilities: assemblers, editors, compilers, interpreters and applications programs.
- Games most BASIC and compiled BASIC

The following cannot run under ZP/EM:

- System- or hardware-dependent utilities: DUMP, MDVCPM, SYS and directory utilities.
- Programs that directly access or modify any BIOS data tables, the BDOS or CCP.
- Programs that set up their own console interrupt handlers, clock interrupt handlers, etc.
- Programs that use Z-80 opcodes. ZP/ EM currently supports only 8080 opcodes.

In order to test all these features I enlisted the help of a friend and his trusty Tandy Model 4P. Armed with this, Radio Shack's *CP/M Plus*, Montezuma Micro's *CP/M* and a version of *WordStar* for *CP/M*, I embarked on my perilous tests.

First, I logged in a couple of disks and read their directories. This worked without fail in standard CP/M format. Next I formatted a CP/M disk and copied an old MS-DOS WordStar file onto this newly created disk. My friend was able to read this file using his CP/M WordStar with no problem. The last

thing I did with these disks was to move files back and forth between the two different CP/M formats. This worked perfectly.

Now, the ultimte test. Can I run CP/M software on my Tandy 1000? First I attempted to run WordStar. This was my first failure. Apparently, the version of WordStar we were using was written using Z-80 opcodes because I received an "invalid or Z-80 opcode encountered" error. After that I tried running the standard editor (ED) and assembler (ASM) modules of CP/M and they ran fine.

Media Master Plus, by Intersecting Concepts, is an ideal package for people having access to both MS-DOS and CP/M computers. It is extremely versatile and the emulation package is worth looking into. The cost of this package is quite trivial compared to its many benefits.

(Intersecting Concepts, 4573 Heatherglen Ct., Moorpark, CA 93021, \$59.95)

- Larry Birkenfeld

Book

1-Hour Telecomputing — A Crash Course in Communications

Telecomputing is using your computer and a modem to communicate with other computers via the phone line. I-Hour Telecomputing is a novice-level book designed to be read in about an hour and is subtitled A Crash Course in "On-Line" Computer Communications. This book is for those who know nothing about telecomputing and want to find out about it quickly. It is concise, clear, covers the essentials, and contains only five chapters and four appendices. Do not let its size mislead you into thinking it's not worth reading. This book contains a lot of valuable information even for seasoned veterans.

The first chapter covers what you can do with your computer over the phone and includes a very good overview of the vast number of available services, such as databases, shopping, banking and local bulletin boards. This introduction also covers what you need to get started: a modem, interface card, cables, software, etc.

Chapter Two contains one of the best explanations of serial communications I have come across in the three years I have been using telecommunications technology. Here you will find everything you need to know about parity, stop bits, duplex and all those other technical terms associated with telecomputing. After reading this chapter, I felt more at home with these terms associated with the use of modems, telephones and computers.

The next chapter is the next logical step past serial communications — the modem. This chapter clearly explains what a modem does and all the myriad of features available such as auto-dial, auto-answer, Baud rates and acoustical versus direct-connect. The chapter ends with sound recommendations on choosing the modem that is right for your own application.

What good is a modem without software to control it? Chapter Four contains the answer and much more on what role software plays and how it can be used. Many more telecomputing terms are explained, such as uploading, downloading, XMODEM and ASCII codes. The authors again give sound advice concerning choosing the right software for your needs and the differences between the countless types of communications programs available. While this chapter does not recommend a specific product, enough information is given to make an intelligent choice.

The last chapter gives a brief listing of available services and a sampling of names and addresses where more information can be obtained. While not comprehensive, there is enough detail to give the reader a taste of what some of the major services such as CompuServe, Delphi and The Source are all about. One of the appendices contains a more complete listing of services available, where to contact them and the cost. The chapter ends with some useful tips to remember when using some of these services.

The four appendices contain a glossary of terms, ASCII codes, the DB-25 connector and its pin functions and listing of telecomputing resources. These appendices complement the rest of the book very nicely and serve as a reference for later use.

Overall, this book contains all the

information needed to get started with telecomputing. The only regret I have is the price tag of \$19.95. The book is 198 pages and not much larger than the popular paperback novels. It looks as if it was written and printed on a home computer and contains no photos and very few drawings or illustrations. Visually, it is not too appealing, but it is well-organized with a great index and table of contents.

As an avid reader of computer books,

this one is a bit over-priced for me. But, if you want to learn about telecomputing quickly and can spare the cash, 1-Hour Telecomputing can get you

(Authors: Roger C. Alford, Robert Retelle and Thomas Wnorowski. Published by IM-Press, 1412 Rosewood, Ann Arbor, MI 48104, \$19.95)

- Tim Birtcher

Software

100/200

X-TEL Adds **XMODEM** Communication to Tandy 100/200

Sigea Systems has developed a terrific communications package for Tandy Models 100 and 200. X-TEL works as a stand-alone package, or as

a sidekick to Telcom or Sigea's MS-DOS program, Telecommuter. X-TEL allows uploading and downloading of files using XMODEM protocol and adds some simple text editing functions.

In addition to document (.DO) files, X-TEL transfers BASIC language files (.BA) and machine language programs (.CO). Spreadsheet files and other special data files that are equivalent to .CO files can also be transferred.

Although the program uses only 2,800 bytes, a system with 16K minimum RAM is recommended. The software comes on cassette and on a floppy disk, and can be downloaded to the Tandy 100 or 200 by either method.

Submitting Material To PCM

Contributions to PCM are welcome from everyone. We like to run a variety of programs that will be useful/helpful/fun for other Tandy Portable and MS-DOS computer owners. We now support the Tandy portable models 100, 200 and 600 and the Tandy 1000, 1200, 2000 and 3000 MS-DOS computers.

Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary explaining how the program works. Generally, we're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

Pay for submissions is based on a number of criteria. The rate of remuneration will be established and agreed upon prior to publication.

For the benefit of those who wish more detailed information on making submissions, please send an SASE to: Submissions Editor, PCM, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

If you feel qualified to review software and/or hardware products for computers covered in PCM, send us your name, address and phone number; we will send you a questionnaire form and a copy of our reviewer guidelines.

For Your MSDOS Computer Tandy 1000/1200/2000/3000 and PCs

RAMDISK I

Use spare memory to <u>simulate one or more super-fast</u> <u>disks.</u> Any size. Greatly speed up existing applications. Appears to programs as a disk, but gives instant access. Highly efficient, compact, and thoroughly tested. Includes program to install and change RAMDISK size, and RAMDISK I/O access report.

FULLBACK

(\$88)

A Perfect File Backup System !!!

Finally, an easy to use backup program that keeps exact images of your files on backup floppies, cartridges, or hard disk. Automatically backup one, several, or ALL subdirectories. Backup modified only, or ALL files. Keeps perfectly organized backups — backup structure and file format are identical to original. Supports backup by date, multiple backup copies, large files (up to 32MB). Far superior to DOS BACKUP, easier to use, and much more reliable. Absolutely a MUST for hard disk users.

HIP-POCKET HELPERS

The ALPS Hip-Pocket Helpers is a collection of powerful and easy to use utility programs. They include a slick Directory Tree, a sorted 5-across directory display, a sophisticated keyboard substitution aid (only 5K of RAM), utilities to search through ALL directories for file names or even strings within a file, and much, much more. 29 utilities in all. Call or write for info. Price and performance you can't find elsewhere

ALL ALPS Software is Fully Guaranteed !!!
Full Customer Support on our Hotline — 303—687—1442
Call or Write for our complete catalog of products.

ALPS 1502 County Road 25 Woodland Park, Colorado 80866 800-232-ALPS (Toll-Free) X-TEL reserves 2.7K RAM in addition to the space occupied by the two program files, since this space is needed only during program execution. Because X-TEL occupies a non-relocatable portion of high memory, it can be used in conjunction with other low-memory machine language programs.

One of the problems I have with my Tandy 100 is saving machine language (.CD) files. The BASIC and text files can be transferred between the 100 and my desktop computer, but certain machine language files must be saved on tape. With X-TEL, the need to save programs on cassette tape is history since any file can now be transferred to a disk on a desktop computer.

I use my 100 frequently for business trips and consume every bit of the 32K RAM for my programs and notes. If my Model 100 is approaching maximum memory capacity and I want to transfer a BASIC program, sometimes I don't have enough room to translate the file into ASCII and send the file to the hard disk. With X-TEL's XMODEM protocol, I can save the file directly to the remote computer in BASIC language and move it back to the 100 without wasting time and memory converting either file into ASCII.

X-TEL has some useful online features. If you've forgotten the name or extension of a file to upload, a function key combination allows you to see the names of files in RAM. Also shown are the file sizes and amount of free memory. This is very useful if the file to be downloaded is large and you're not certain if there is enough room in the portable to accept the entire file. If more space is needed, another function allows you to delete files.

You even have access to the text editor while online in terminal mode. Characters coming from the remote are held in a 64-character buffer while working in the text mode. The X-TEL issues an XOFF after the first 40 characters and, if the software for the remote computer supports XON/XOFF data flow control, no data is lost while editing a file.

Using X-TEL on my Model 100 and the "freeware" program *Procomm* on my Tandy 1200, I tried several machine-to-machine transfers. I was very impressed with the speed of transfer and the ability to transfer BASIC and machine language files back and forth with no problem. When X-TEL completed

the successful transfer of a file using XMODEM protocol, it beeped to let me know it was ready to download another file.

This is one of the most useful programs I have seen for the Tandy portables, and X-TEL certainly eliminates a lot of the frustration I encounter with cassette storage. Now everything transfers quickly and error-free between my laptop and desktop computers.

(Sigea Systems, Inc., 19 Pelham Road, Weston, MA 02193, sales 617-647-1098, applications hotline 617-647-1099, \$50 plus \$5 S/H)

- M.J. Batham

Software .

1000/1200/3000

Electric Envelope Aids File Transfer

Finally finished! Now, I will just take my spreadsheet, graph and document and drop them in the old "electronic mail box" and in no time flat they'll go from coast to coast to the home office. What's that? You can't deliver my mail! What happened to that old saying "The mail must go through"? I see, you only accept ASCII numbers from 32 to 127. What is this ASCII stuff anyway? Oh! A special code computers use for transmitting information over data lines. You say I need an envelope, too?

At that very instant an idea was born. What about an "electronic envelope" that could hide my data and fool this stubborn computer mailman into believing he now has a legitimate piece of mail. MCTel to the rescue. Their *Electronic Envelope* software package is made to do just that.

Electronic Envelope is so simple to use it requires no instruction manual. You get a disk and a postcard-size set of instructions containing an explanation of the program's two commands, Insert and Remove, plus a note that you can type Help to receive additional instructions from the four document files contained on the disk. Believe me, this is more than sufficient. If you can breathe, you can use Electronic Envelope.

Spreadsheets such as Lotus 1-2-3 and

Symphony, graphics files, and some word processors such as WordStar save data using codes outside the normal printable ASCII range or in binary form. Most electronic mail systems transmit only data within the printable ASCII range and cannot handle these special file formats. This is where Electronic Envelope takes over. It encodes binary data and ASCII data outside the printable range to appear as printable ASCII text to electronic mail systems. The XMODEM protocol used by many telecommunications programs works in a similar manner except the data is encoded and decoded in one step as it is transmitted and received at the distant terminal. Electronic Envelope encodes the file and it remains that way until someone takes it from their mailbox and "removes" it from the "envelope."

As stated before, Electronic Envelope is extremely easy to use. Type Insert and you are prompted for the filename to place into the envelope (encode). You are then asked to provide an output filename to be used for the encoded file. This output file contains its own checksum and is about 40 percent larger than the original file. It can now be left in an electronic mailbox.

The recipient of the encoded file must also have a copy of *Electronic Envelope* to "remove" (decode) the file from the envelope. Typing Remove prompts you again for an input and output filename. Upon removing the file from the envelope, a second checksum is calculated and compared with the original to verify the file was received correctly. The output file created by the Remove command is identical, provided the checksums match.

This completes the mail cycle. Our electronic mailman has been satisfied and our spreadsheet, graphics file and document made it to its destination in one piece and on time. An added benefit of *Electronic Envelope* is confidentiality. The encoding process creates an unintelligible output file. Only another owner of *Electronic Envelope* can remove the file from its envelope in order to read it.

For users of electronic mail systems, whether it be in-house or otherwise, *Electronic Envelope* is a must.

(MCTel, Three Bala Plaza East, Suite 505, Bala Cynwyd, PA 19004, disk \$49.95)

- Larry Birkenfeld



The following products have recently been received by PCM, examined by our magazine staff and approved for the PCM Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be. This month the Seal of Certification has been issued to:

Copy II PC, software-based backup utility. Allows you to back up most copy-protected software. Includes disk drive speed test. Requires Tandy 1000, 1200 or 3000. Central Point Software Inc., 9700 SW Capitol Highway, Suite 100, Portland, OR 97219, (503) 244-5782, \$39.95 plus \$3 S/H.

Copy II PC Option Board, replacement disk controller board. Allows you to make exact backups of nearly all copy-protected software, including programs not copiable by software-based utilities. Requires Tandy 1000, 1200 or 3000. Central Point Software Inc., 9700 SW Capitol Highway. Suite 100, Portland, OR 97219, (503)244-5782, \$95 plus \$3 S/H.

Hip-Pocket Helpers, a collection of 29 utility programs for MS-DOS machines. Requires Tandy 1000, 1200, 2000 or 3000. ALPS, 1502 County Road 25, Woodland Park, CO 80863, (303) 687-1442, \$79 plus \$3 S/H.

Inside the Model 100, a book by Carl Oppedahl covering advanced assembly language and BASIC programming and hardware for the Tandy 100. Webber Systems, Inc., 8437 Mayfield Road, Chesterland, OH 44026, \$19.95.

Map Builder, generates, displays and prints maps of the continental United States with different colors or shading based on statistical data. Includes coordinates of over 72,000 U.S. towns and cities. Requires Tandy 1000, 1200 or 3000 and graphics. Geosoft Corporation, 38 Park Street, Vernon, CT 06066, (203) 8757782, \$250 plus \$5 S/H (\$150 additional for "county boundaries" supplement).

PC Tools, utility programs for MS-DOS computers. Includes resident DOS utilities and deleted file recovery. Requires Tandy 1000, 1200 or 3000. Central Point Software Inc., 9700 SW Capitol Highway, Suite 100, Portland, OR 97219, (503) 244-5782, \$39.95 plus \$3 S/H.

Personal Profile, a specilized database application for filing information about people. Handles up to 719 people on a single disk. Requires Tandy 100 and Disk/Video Interface. Software Systems of Atlanta, P.O. Box 4251, Atlanta, GA 30302, \$25.

Ready!, resident outline processor. System for organizing notes, ideas and facts. Software resides in memory and can be called up while using other programs. Requires Tandy 1000, 1200 or 3000. Living Videotext, Inc., 2432 Charlestown Road, Mountian View, CA 94043, (415) 964-6300, \$99.95.

Srike, dynamic spelling checker. Alerts you to possible misspelled words as you type from within many popular word processors. Requires Tandy 1000, 1200 or 3000. S & K Technology, Inc., 4610 Spotted Oak Woods, San Antonio, TX 78249, (512) 492-3384, \$29.95.

TRS-80 Model 100 - A User's Guide, goes beyond the standard operator's manual for a guided tour of the features of the Tandy 100. Tab Books Inc., Blue Ridge Summit, PA 17214, \$15.50.

By awarding a Seal, the magazine certifies the program does exist, but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to PCM's reviewers for evaluation.

SUPER SAVINGS ON TANDY 1000 PGRADE



^	with Real Time Clock	Only \$	189.95
*	Serial Interface Board	Only	49.95

★ Parallel Interface Board Only 29.95

* Hayes Compatible 300/1200 Baud Deluxe Modem Board Only 189.95

ACCESSORIES

Logitech Mouse - uses standard serial port Only \$ 99.95
Logitech Mouse with PC Paint program 129.95
Monitors - Zenith, CGS, Taxan Call for details
Star SG-10 printer
Teac, Panasonic D.S.D.D. drives
10 discs in an attractive styrene case 12.95
Deluxe keyboard drawer 3½" high computer platform with sliding keyboard drawer. Ball bearing glides and locks. Enamel finish to match your PC

IBM COMPATIBLE PCX-II

IBM Compatibility at sensational prices!! Starting at only \$685.00

Complete, deluxe 640K system includes 150 watt power supply. 2 Teac floppies, printer and serial port, clock, amber monitor and many other extras.

\$1080.00 20 meg hard drive - \$525.00

We maintain a library of quality public domain software for purchasers of our computer systems — text processor, data base manager, spread sheet, communication, utilities and entertainment software. Call for details.

MS-DOS SOFTWARE

DAC ACCOUNTING - General ledger, receivables, payables, inventory. Unbelievable bargain at only . . \$69.95

MARK DATA - Our popular ledger system with detailed operating manual. Only \$69.95

DBASE III - Ashton Tate's powerful database

The Twin - Works exactly like Lotus 1-2-3 Outstanding value. \$145.00

VP Planner - Another great Lotus look-alike. Only \$99.95

CoCo Util II - A valuable utility program that allows you to transfer Tandy CoCo disc files to your MS-DOS machine. You may also transfer MS-DOS files to a Color Computer disc. Save countless hours of typing. New Version \$39.95 or upgrade from Version I \$12.95

including shipping.



Mark Data Products

24001 Alicia Parkway, #207 Mission Viejo, CA 92691 (714) 768-1551

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 3% regular, 88% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors — contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.



Using BAREAD 2.1

Bar code listings must be read in numerical order beginning with Line 1 and continuing through the last line of the listing. The computer display is used to prompt you as to which line to scan and give you warning messages should you happen to get out of step.

When you run BAREAD, it asks you to scan the first line of the bar code listing. This line contains the name of the program as well as the beginning of the program itself. The computer will sound a highpitched beep whenever it's ready for you to scan a line. After a line has been successfully read, you'll hear a lower beep. A "blip-bloop" sound prompts you to turn your attention to the screen for a message. You'll hear this when you accidentally scan a line out of sequence.

After reading the first line, you continue scanning with the second line. Remember to wait for a high beep before scanning and then listen for a low beep to indicate a successful read.

Once the last line of the listing has been scanned, BAREAD will return control to the Tandy 100/200 menu screen. Note that the program you just scanned is now in the directory with a .DD extension.

The final step is to convert the .DD text file to a normal BASIC program. This is done quite simply by going to BASIC and loading the file with a command such as LOAD "TEST .DO" (if the program name were TEST). The program will load into BASIC and will be ready to run. To save the program in BASIC's compressed format (.BA extension), you'd type SAVE"TEST" (if the program were named TEST). You may then kill the .DO file with KILL "TEST.DO".

BAREAD 2.1

1000 ' *** Initialize *** 1010 ON ERROR GOTO 1040

1020 CLEAR 1000: MAXFILES=2

1030 GOTO 1050

1040 IF ERR=5 THEN RESUME NEXT

1050 ON ERROR GOTO 0

1060 RUNM "B30F9"

1070 OPEN "WAND:" FOR INPUT AS #1

1080 UC%=-1

1090 PCS="0123456789ABCDEFGHIJKLMNOPORST

UVWXYZabcdefghijklmnopqrstuvwxyz- \$+"

1100 DIM RW\$ (36)

1110 ER\$(1)="You must scan line 1 first!

1120 ER\$(2)="You've SKIPPED a line!"

1130 ER\$(3)="You've ALREADY SCANNED this

line!"

114Ø ER\$(4)="Code not PCM2/39 format!" 1150 ER\$(5)="Command not applicable here 1160 ER\$(6)="You cannot skip this line!"

1170 ER\$(7)="Selected resume file not in computer!"

1180 ' *** Read Reserved Words List *** 1190 DATA BEEP, CLEAR, CLOSE, DATA, DEFDBL, D EFINT, DEFNG, DEFSTR, ELSE, GOSUB, GOTO 1200 DATA INKEY\$, INPUT, INSTR(, LCOPY, LEFT \$(,LINE(,LOADM,LPRINT,USING,MAXFILES 1210 DATA MID\$(,NEXT,PEEK,POKE,POWER,PRE SET(, PRINT, READ, RESTORE, RETURN, RIGHT\$(1220 DATA SOUND, SPACE\$ (, STRING\$ (, THEN 123Ø FOR I%=1 TO 36:READ RW\$(I%):NEXT I% 1240 ' *** Procedure Begins Here *** 1250 CLS: PRINT@44, "PCM Bar Code Program Reader v2.1"

1260 LINE(20,4)-(219,18),1,B:LINE(22,6)-(217, 16), 1, B

127Ø NN%=1 000,10 1280 GOSUB 1660: IF ER%>0 THEN GOSUB 1620 1640 PRINT@220-.5*LEN(ER\$(ER\$)), ER\$(ER\$) :GOTO 1280 1290 IF LL%=0 AND INSTR("YN", IL\$)>0 THEN 1650 RETURN ER%=5:GOSUB 1620:GOTO 1280 1660 ' *** Get Code Line *** 1300 IF LL%=0 THEN ON INSTR("ALSR", IL\$) 1670 PRINT@173, ""; : PRINT USING "Scan lin GOTO 1820,1890,1980,2050 e ###"; NN% 131Ø IF LL%=1295 THEN 135Ø 1680 IF NN%=-1 THEN PRINT@173, "Scan any 1320 IF LL% NN% AND NN%=1 THEN ER%=1:GO line": GOTO 1700 SUB 1620:GOTO 1280 1690 SOUND 500,5 1330 IF LL% < NN% THEN ER% = 3:GOSUB 1620:GO 1700 INPUT#1, IL\$: ER%=0 TO 1280 1710 FOR I%=1 TO LEN(IL\$) 1340 IF LL%>NN% AND NN%>1 THEN ER%=2:GOS 1720 IF MID\$(IL\$, I%, 1)="!" THEN MID\$(IL\$ UB 1620:GOTO 1280 ,1%,1)="." 1350 IL\$=RIGHT\$(IL\$,19) 1730 NEXT 1% 1360 IF LL%=1 AND NN%>0 THEN GOSUB 1780 1740 IF LEN(IL\$) <> 1 AND LEN(IL\$) <> 21 THE 1370 CL\$=CL\$+IL\$ N ER%=4: RETURN 138Ø FOR 1%=1 TO LEN(CL\$) 1750 IF LEN(IL\$)=1 THEN LL\$=0:RETURN CH\$=MID\$(CL\$, 1%, 1) 1390 176Ø LL\$=LEFT\$(IL\$,2):LL%=(INSTR("Ø12345 IF CH\$="%" THEN GOSUB 1510:IF NL 1400 6789ABCDEFGHIJKLMNOPQRSTUVWXYZ", LEFT\$(LL % THEN 1470 ELSE GOTO 1440 \$,1))-1)*36+INSTR("Ø123456789ABCDEFGHIJK IF CH\$="/" THEN GOSUB 1550: IF NL 1410 LMNOPQRSTUVWXYZ", RIGHT\$(LL\$,1))-1 % THEN 1470 ELSE GOTO 1440 177Ø RETURN 1420 IF CH\$="." THEN UC%=NOT(UC%):GOT 1780 ' *** Open Program File *** 0 1450 179Ø PN\$=LEFT\$(IL\$,6):IL\$=RIGHT\$(IL\$,LEN 1430 IF CH\$=>"A" AND CH\$<="Z" AND NOT (IL\$)-6)(UC%) THEN CH\$=CHR\$(ASC(CH\$)+32)1800 OPEN PN\$ FOR OUTPUT AS #2 XX\$=XX\$+CH\$:IF RIGHT\$(XX\$,1)=CHR 181Ø RETURN 1820 ' *** Abort *** \$(13) THEN PRINT#2, XX\$; : XX\$="": UC%=-1 1450 NEXT 1% 1830 BEEP: BEEP: BEEP 1460 CL\$="" 1840 PRINT@209, "ABORT! Are you sure?"; 1470 PRINT@200, SPACE\$ (80); 1850 INPUT#1, AN\$ 1860 IF INSTR("YN", AN\$)=0 THEN BEEP:PRIN 1480 IF LL%<>1295 THEN NN%=LL%+1:GOTO 12 T@251, "Scan 'YES' or 'NO'": GOTO 1850 80 1490 ' *** Done *** 187Ø PRINT@2ØØ, SPACE\$(8Ø); 1880 IF AN\$="Y" THEN CLOSE: KILL PN\$+".DO 1500 CLOSE: CALL 61807!: CLEAR 500, HIMEM: M ":GOTO 1490 ELSE GOTO 1280 ENU 1510 ' *** Decode Reserved Word *** 1890 ' *** Skip Line *** 1520 NL%=0:IF I%>LEN(CL\$)-1 THEN NL%=-1: 1900 IF NN%=1 THEN ER%=6:GOSUB 1620:GOTO CL\$="%":GOTO 154Ø 1280 153Ø 1%=1%+1:CH\$=RW\$(INSTR(PC\$,MID\$(CL\$, 1910 BEEP: BEEP: BEEP I%,1))) 1920 PRINT@210, "SKIP! Are you sure?" 1540 RETURN 1930 INPUT#1, AN\$ 1550 ' *** Decode Hex and Control Charac 1940 IF INSTR("YN", AN\$)=0 THEN BEEP:PRIN ters *** T@251, "Scan 'YES' or 'NO'": GOTO 1930 1560 NL%=0:IF I%>LEN(CL\$)-1 THEN NL%=-1: 1950 PRINT@200, SPACE\$ (80); CLS="/":GOTO 1610 1960 IF AN\$="Y" THEN NN%=NN%+1 1570 I%=I%+1:IF INSTR("/%.",MID\$(CL\$,I%, 1970 GOTO 1280 1980 ' *** Stop & Save *** 1))>Ø THEN CH\$=MID\$(CL\$, I%, 1):GOTO 1610 1990 BEEP: BEEP: BEEP 1580 IF I%>LEN(CL\$)-1 THEN NL%=-1:CL\$=RI GHT\$(CL\$,2):GOTO 1610 2000 PRINT@207, "STOP & SAVE! Are you sur 1590 HX\$=MID\$(CL\$,1%,2):CH\$=CHR\$((INSTR(e?": "Ø123456789ABCDEF", LEFT\$(HX\$,1))-1)*16+1 2010 INPUT#1, AN\$ 2020 IF INSTR("YN", AN\$)=0 THEN BEEP: PRIN NSTR("Ø123456789ABCDEF", RIGHT\$(HX\$,1))-1 T@251, "Scan 'YES' or 'NO'": GOTO 2010 1600 1%=1%+1 2030 PRINT@200, SPACE\$(80); 1610 RETURN 2040 IF AN\$="Y" THEN 1490 ELSE GOTO 1280 1620 ' *** Error Codes *** 2050 ' *** Resume *** 163Ø SOUND 5ØØØ, 1Ø: SOUND 8ØØØ, 1Ø: SOUND 5 2060 IF NN%<>1 THEN ER%=5:GOSUB 1620:GOT

0 128Ø
2070 PRINT@254, "Resume Mode";
2080 NN%=1:GOSUB 1660
2090 IF LL%=0 THEN ER%=5 ELSE IF LL%<>1
THEN ER%=1

2100 IF ER*>0 THEN GOSUB 1620:GOTO 2060 2110 PN\$=MID\$(IL\$,3,6) 2120 ON ERROR GOTO 2140 2130 OPEN PN\$ FOR INPUT A

213Ø OPEN PN\$ FOR INPUT AS #2:GOTO 217Ø 214Ø RESUME 215Ø

215Ø CLOSE #2


2160 ER%=7:GOSUB 1620:GOTO 1270


2170 CLOSE #2:OPEN PN\$ FOR APPEND AS #2


218Ø NN%=-1:GOTO 128Ø

ASM.DO (FROM PAGE 91)











239		287	
240		288	
241		289	
242		290	
243		291	
244		292	
245		293	
246		294	
247		295	
248		296	
249		297	
250		298	
251		299	
252			
253		301	
254		302	
255		303	
256		304	
257		305	
258		306	
259		307	
260			
261			
262		310	
263			
264			
265			
266			
267			
278			
		328	
		330	
286		334	
P	IN THE TAXE		




421		469	
422		470	
423			
424		472	
425		473	
426			
427		475	
428		476	
429		477	
430		478	
431		479	
432		480	
433			
434		482	
435		483	
436		484	
437		485	
438		486	
439		487	
440		488	
441		489	
442		490	
443		491	
444		492	
445		493	
446		494	
447		495	
448		496	
449		497	
450		498	
451		499	
452		500	
453		501	
454		502	
455		503	
456		504	
457		505	
458		506	
459		507	
460		508	
461		509	
462		510	
463		511	
464		512	
465			
466		514	
467			
468		516	
D	CM June 1986		



1	1	
2	2	
	3	
4	4	
	5	
8	6	
,	7	
8	3	
	9	
10	0	
1.		
12	2	
13	3	
1	4	
1	5	
16		
17	7	
18	8	
19		
20	0	
2		
22	2	
2:		
2	4	
2	5	
2	6	
2		
28	В	
2		
30		
3.		
3		
3		
3		
3,		
3		
3		
31		
3		
41		
4.		
4		
4:	3	

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29 30	
31	
32	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	





Birmingham Florence Greenville Madison

ARKANSAS Fayetville ARIZONA

Sierra Vista

CALIFORNIA Citrus Heights Elk Grove Half Moon Bay Livermore North Hollywood Santa Rosa Sunnyvale

COLORADO Salida

DELAWARE Middletown Wilmington FLORIDA Boca Raton

Davie Ft. Lauderdale N. Miami Beach Orlando Panama City

Pensacola Tallahassee GEORGIA

ILLINOIS Chicago

Oakbrook INDIANA Highland Scottsburg IOWA

KANSAS

Wichita

Jefferson News Co. Anderson News Co. M&B Electronics/Radio Shack Madison Books

Vaughn Electronics/Radio Shack

Computer Pro Tri-Tek Livingston's Books Computer Library Anderson News Co.

Software Plus Micro Mainframe Strawflower Electronics Software Galeria

Levity Distributors Sawyer's News Computer Literacy

Delmar Co. Normar Inc.—The Smoke Shop

Software, Software, Inc. Software Plus More Software Connection

Almar Bookstore Book Mania Computer Systems Group Anderson News Co. Anderson News Co.

Guild News Agency

Chas. Levy Distr.
Kroch's & Brentano's
Jackson Street
Kroch's & Brentano's
Wabash Ave.
Prairie News Agency Prairie News Agency Kroch's & Brentano's

Computer Health Consultants Radio Shack of Scottsburg

Myers TV & Stereo Repair

Lloyd's Radio

KENTUCKY Georgeto Louisville Prospect

LOUISIANA

Crowley Gretna Slidell

MASSACHUSETTS Littleton Marlboro

MICHIGAN Rocheste Sterling Heights

Programs, Inc. Software City Gerry's Book Co. Wyoming

MISSOURI Independence St. Louis

NEBRASKA Hobby Town

NEW HAMPSHIRE West Lebanon NEW JERSEY

Micro World II Hackensack Total Circulation Service

NEW MEXICO Alamogardo Albuquerque

NEW YORK Fredonia Hudson Falls NORTH CAROLINA

Cary Sylva NORTH DAKOTA Fargo

OHIO Blanchester Cincinnati Kenton Mount Orab

Goodwin Electronics Hawley-Cooke Bookstores Falsoft, Inc.

Acadiana News Computer Supply Store Radio Shack

Computer Plus Radio Shack

Rochester Book Center

Digital Enterprises, Inc. Software Center

Verham News Corp.

Dave's Electronic Radio Shack

New Horizons Computer Systems News and Bookstore Page One Newsstand

On Line: Computer Access Center G.A. West & Co.

News Center in Cary Village Total Data Systems

Computer Associates

J R Computer Control Cinsoft T.W. Hogan & Assoc., Inc. Mount Orab Radio Shack OKLAHOMA

Oklahoma City OREGON Portland Woodburn

Merit Computers

Fifth Avenue News

Newsy Stevens' Radio Shack Micro World

Anderson News Co. Computer Center Mosko's Book Store

Impulse Computers A & A International

Alonso Book & Period

I-O Computer Wytheville Electronics

Satellite TV Specialists

Pioneer Technology

Electronics, Etc. 20th Century Books

Sidney Electronics

Informatica Y Telecomunicaciones

Delker Electronics, Inc.

Kelly's Variety

PENNSYLVANIA Philadelphia

Wind Gap RHODE ISLAND

TENNESSEE Knoxville Memphis Nashville

Smyrna TEXAS Bay City Ft. Worth VIRGINIA

Alexandria Norfolk Wytheville WASHINGTON

WEST VIRGINIA WISCONSIN Ladysmith Madison

ARGENTINA Cordoba CANADA:

ALBERTA Calgary

BRITISH COLUMBI Sidney NOVA SCOTIA Halifax QUEBEC LaSalle

Atlantic News

Messageries De Presse Benjamin

Rainbow Software Services CMD Micro Kelly Software Distributors

Also available at these selected bookstores: B. Dalton, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.

Advertisers Index

ADVENT PRODUCTS	71
ALPSAMERICAN CRYPTRONICS, INC	
ATD	36
ATDBEAMAN PORTER INC	112
CARDINAL SOFTWARE	29
CHEAPWARE	101
CHEAPWARE COMPUTER PLUS	3
COMPUTER SOLUTIONS	32
DCM DATA PRODUCTS	
DFW COMPUTER CENTER	26
ENVISION DESIGNSFEDERAL HILL SOFTWARE	112
FEDERAL HILL SOFTWARE	103
FORT WORTH COMPUTERS	34
HARD DRIVE SPECIALIST	80
LESCRIPT WORD PROCESSING SYSTEMS	103
LONESTAR SOFTWARE	72
M GLOBAL	110
MARK DATA	118
MARYMAC INDUSTRIES	48
MICRO DESIGNS	IFC
MICRO MAINFRAME	99
NOCONA ELECTRONICSNORTH EDGE SOFTWARE	75, 108
NORTH EDGE SOFTWARE	66
OEDWARE	106
OWL-SERVICES	
PCM BACK ISSUES	104
PCM ON DISK	49
PCM ON DISKPERRY COMPUTERS	93
PERSONICS PORTABLE COMPUTER SUPPORT GROUP	114
PORTABLE COMPUTER	
SUPPORT GROUP	63, BC
POWERSOFT	101
PURPLE COMPUTING	42
PADIOSHACK	18 58
ROSS COMPUTER SERVICES	16
SMALL COMUTER CO. INC.	5
SOFTWARE SUPPORT	12
SOUTHWESTERN DIGITAL	14
SPI	IBC

TLM SYSTEMS	89
TRUE DATA	48
ULTRA SOFT	9
VCR	41
WIZARD	99

PCM Advertising and Marketing Representatives



Shackleford, Nolan, Davis, Gregg and Associates Cindy J. Shackleford, president 12110 Meridian South, Suite 5 P.O. Box 73-578 Puyallup, WA 98373-0578 (206) 848-7766

Kim Vincent Advertising Representative The Falsoft Building 9509 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059 (502) 228-4492


Top-of-the-line: Open Access*


NOW ONLY \$395*

OPEN ACCESS Comparison Chart	/	Dal	abase form	Quera Co	Oueral P	rocessor	A Databa	ahics 30	raphics	Goal Se	Word P	Commun	tine Managenerit
Lotus 1•2•3	10					~		~					\$495
Symphony	~	~	~			~	-	~		~	~		695
Framework	-		~	~		~		~		~	~		695
Smart System	~		1		~	-		~		~	~	~	895
Open Access	-	~	~	~	~	~	~	~	~	~	~	~	395*


Open Access has sold almost 50,000 copies overseas, and many more in the U.S. thanks to Radio Shack. With one of the most powerful Relational Databases around, and just about all the additional features you could want, it's no wonder. Just the Goal Seeking feature in the Spreadsheet alone should make Open Access your customer's #1 choice.


(We're even written in 11 languages with exact file transfer.)













Available through your exclusive Express Order Software System

90-0114 Tandy2000 • 90-0247 Tandy1200 • 90-0437 Tandy1000

The product's exceptional. The price extraordinary. Can you really afford to compromise any longer?



SOFTWARE PRODUCTS INTERNATIONAL

10240 Sorrento Valley Road - San Diego, CA 92121

SUPER ROM

Lucid Spreadsheet Write ROM Database Outliner

"The Tandy Portable Drive





NOW YOU CAN REALLY HAVE IT ALL!

All on one ROM. Truly the finest four programs available for the Model 100 — guaranteed. Try it for 30 days. If you aren't blown away by the excellence return it for a full refund.

The four best programs for the Model 100 all on one ROM. 32K of power without using any RAM for program storage. This is the PCSG Snap-In ROM that just presses easily into the little ROM socket in the compartment on the back. You access the four right from the main menu like built-ins.

Write ROM — the definitive word processor for the Model 100. Function key formatting or dot commands. Search and replace. Library feature inserts words, phrases or whole documents into text from just a code. MAP lets you see a picture of your document. In all there are 60 features and functions. No one can claim faster operation. FORM lets you create interactive forms with on-screen prompts that you can answer from the keyboard. Nothing else for the Model 100 compares with the features of Write ROM. Exactly the same as the Write ROM sold as a single program. Infoworld says it "makes the Model 100 a viable writing unit ... surpassed our highest expectations for quality and clarity.

Lucid Spreadsheet: This is the one PICO magazine says "blows Multiplan right out of the socket" and Infoworld performance rated as "excellent" and said "makes the Model 100 compute." Gives you features you cannot get with Lotus 123. Lets you build spreadsheets in your Model 100 that would consume 140-150K on a desktop. Program generating capability with no programming knowledge required. Variable column widths. Includes find and sort with function key control. It's fast, recalculates like lightning. No feature has been taken from the original, only new ones added.

Database: This is a relational data base like no other. You can do everything from mailing lists to invoices. No complicated pseudo-coding, you create input screens as simply as typing into TEXT. You are not limited by size; you can have as large an input screen as you wish. Prints out reports or forms, getting information from as many files as

(214) 351-0564

you like. Complete math between fields. Total interface with Lucid worksheets.

Outliner: Does everything that Thinktank does on a PC but a whole lot better. Includes a Sort for your headlines. Lets you have headlines of up to 240 characters. Has cloning, hoisting and sideways scroll up to 250 characters. Like Lucid, this one sets a new standard for outliners. This is the way to plan and organize your projects.

Present Lucid and Write ROM owners can upgrade for \$150. If you have both it's \$125.

As usual PCSG sells the Super ROM on a thirty day guarantee. If for any reason you are not satisfied, simply return it for a full refund.

We are excited about this product. Super ROM gives the Model 100 the true power of a desktop. No other multiprogram ROM has software that compares. But don't take our word for it. We invite you to make that comparison yourself. Priced at \$199.95 on Snap-In ROM.

Got stuck with somebody else's multi-ROM? We'll upgrade it for \$150.

PORTABLE COMPUTER SUPPORT ORC

11035 Harry Hines Blvd., #206, Dallas, TX 75229

MC, Visa, American Express, Check, or C.O.D.